

Solutia Inc. 575 Maryville Centre Drive St. Louis, Missouri 63141

Tel: 314-674-3312 Fax: 314-674-8808

gmrina@eastman.com

February 5, 2014

Mr. Kenneth Bardo - LU-9J U.S. EPA Region V Corrective Action Section 77 West Jackson Boulevard Chicago, IL 60604-3507

Re:

Chlorobenzene Process Area (CPA) Groundwater Monitoring Program

4th Quarter 2013 Data Report

Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Mr. Bardo:

Enclosed please find the 4th Quarter 2013 Data Report for the Chlorobenzene Process Area (CPA) Groundwater Monitoring Program at Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL. The next semiannual monitoring will be conducted 2nd quarter 2014.

If you have any questions or comments regarding this report, please contact me at (314) 674-3312 or gmrina@solutia.com

Sincerely,

Gerald M. Rinaldi

Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

Chlorobenzene Process Area (CPA) Groundwater Monitoring Program 4th Quarter 2013 Data Report Solutia Inc., W. G. Krummrich Plant, Sauget, IL

USEPA

Stephanie Linebaugh USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines

500 Monsanto Avenue, Sauget, IL 62206-1198

XDD

Scott Crawford

22 Marin Way, Unit #3, Stratham, NH 03885

4 TH QUARTER 2013 DATA REPORT

CHLOROBENZENE PROCESS AREA GROUNDWATER MONITORING PROGRAM

SOLUTIA INC. W.G. KRUMMRICH FACILITY SAUGET, ILLINOIS

Prepared for
Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

January 2014



URS Corporation 1001 Highland Plaza Drive West, Suite 300 St. Louis, MO 63110 (314) 429-0100 Project: 21562962.00004

1.0	INTRODU	JCTION1
2.0	FIELD PI	ROCEDURES1
3.0	LABORA	TORY PROCEDURES4
4.0	QUALITY	/ ASSURANCE
5.0	OBSERV	'ATIONS6
6.0	REFERE	NCES7
List of	Figures	
Figure	1	Site Location Map
Figure		CPA Groundwater Monitoring Program Well Locations
Figure		Potentiometric Surface Map Middle/Deep Hydrogeologic Unit
Figure		Benzene and Total Chlorobenzenes Results (SHU)
Figure		Benzene and Total Chlorobenzenes Results (MHU)
Figure		Benzene and Total Chlorobenzenes Results (MHO)
rigure	· ·	Benzene and Total Chiorobenzenes Results (DHO)
List of	Tables	
Table 1		Monitoring Well Gauging Information
Table 2	2	Groundwater Analytical Results
Table 3	3	Monitored Natural Attenuation Results Summary
List of	Appendic	ees
Append	dix A	Groundwater Purging and Sampling Forms
Append	dix B	Chains-of-Custody
Append	dix C	Quality Assurance Report
Append	dix D	Groundwater Analytical Results (with Data Review Reports)
Append	dix E	Microbial Insights Data Package

1.0 INTRODUCTION

This report presents the results of the 4th Quarter 2013 (4Q13) sampling event performed at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) Facility located in Sauget, Illinois (Site). This sampling event was conducted in accordance with procedures outlined in the Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia 2009). This work was completed to evaluate the effectiveness of remedial activities in the vicinity of the former Chlorobenzene Process Area (CPA) at WGK. The Site location is presented in **Figure 1**.

Groundwater Sampling Location and Frequency – Initial sampling of the CPA wells occurred 4Q11 and subsequent sampling events have occurred in 4Q12, 2Q13, and 4Q13. During each groundwater sampling event, groundwater samples were collected from monitoring wells CPA-A-SHU, -MHU and -DHU, CPA-B-SHU, -MHU and -DHU, and CPA-D-SHU, -MHU and -DHU, all located at WGK in Sauget, Illinois. Monitoring well locations are presented in **Figure 2**.

Groundwater Sampling Parameters – During the 4Q13 groundwater sampling event, groundwater samples were analyzed for benzene, chlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, and 1,4-dichlorobenzene using USEPA Method 8260B.

Samples for analysis of Monitored Natural Attenuation (MNA) parameters were also collected from the twelve CPA wells. Evaluation of the types of active natural attenuation processes at the site is based on the following key geochemical parameters:

Electron Donors: Organic Carbon (Total and Dissolved)

• Electron Acceptors: Iron (Total and Dissolved)

Manganese (Total and Dissolved)

Nitrate Sulfate

Biodegradation Byproducts: Carbon Dioxide

Chloride Methane

Biodegradation Indicators: Alkalinity

Direct demonstration of the occurrence of biodegradation processes is completed utilizing Microbial Insights (www.microbe.com) chlorobenzene baited Bio-Trap[®] samplers for Phospholipid Fatty Acid (PLFA) and Stable Isotope Probing (SIP) analyses.

2.0 FIELD PROCEDURES

URS Corporation (URS) conducted 4Q13 sampling activities between November 12 and 15, 2013. Activities were completed in accordance with procedures outlined in the Revised LTMP

Work Plan, including the collection of appropriate quality assurance and quality control (QA/QC) samples.

Groundwater Level Measurements – URS personnel used an electronic oil/water interface probe to measure depth to static groundwater levels and if present, the thickness of non-aqueous phase liquid (NAPL) to 0.01 feet. As part of the LTMP, depth to groundwater measurements were collected on October 30-31, 2013 from accessible existing WGK monitoring wells (i.e., BSA-, CPA-, GM-, K-, PS-MW- and PMA-series) and piezometer clusters (installed for the Sauget Area 2 RI/FS and WGK CA-750 Environmental Indicator projects) specified in the Revised LTMP Work Plan (Solutia 2009) (**Figure 3**). This group of wells and piezometers includes those that compose the CPA Program. NAPL was not detected within any of the gauged monitoring wells.

Well gauging information for the 4Q13 CPA sampling event is presented in **Table 1**. As the middle and deep hydrogeologic units are the primary migration pathway for constituents present in groundwater at, and in the vicinity of, the WGK Facility, a groundwater potentiometric surface map based on water level data from wells screened in the Middle Hydrogeologic Unit (MHU) and Deep Hydrogeologic Unit (DHU) is presented as **Figure 3**.

Groundwater Sampling – Low-flow sampling techniques were used for groundwater sample collection. At each monitoring well, disposable, low-density polyethylene tubing was attached to a submersible pump, which was then lowered into the well to the middle of the screened interval. Monitoring wells were purged at a rate of 300 to 400 mL/minute to minimize drawdown. If significant drawdown occurred, flow rates were reduced.

Drawdown was measured periodically throughout purging to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Once the flow rate and drawdown were stable, field measurements were collected approximately every two to four minutes.

Purging of a well was considered complete when the following water quality parameters remained stable over three consecutive flow-through cell volumes:

Parameter	Stabilization Guidelines
Dissolved Oxygen (DO)	+/- 10% or +/-0.2 mg/L, whichever is greatest
Oxidation-Reduction Potential (ORP)	+/- 20 mV
рН	+/- 0.2 units
Specific Conductivity	+/- 3%

Sampling commenced upon completion of purging. Prior to sample collection, the flow-through cell was bypassed to allow for collection of uncompromised groundwater. Samples were collected at a flow rate less than or equal to the rate at which stabilization was achieved.

Sample containers were filled based on laboratory analysis to be performed, in the following order:

- Volatile Organic Compounds (VOCs)
- Gas Sensitive Parameters (e.g., methane, carbon dioxide)
- General Chemistry (e.g., alkalinity, chloride, total and dissolved iron, total and dissolved manganese, nitrate, sulfate, and total and dissolved organic carbon)
- Field Parameters (i.e., dissolved oxygen, ferrous iron, and oxidation-reduction potential).

Samples collected for ferrous iron, dissolved iron and dissolved manganese analysis were filtered in the field using in-line 0.2 micron disposable filters, represented by a notation of "F (0.2)" in the sample nomenclature.

Quality assurance/quality control (QA/QC) samples consisting of analytical duplicates (AD) and equipment blanks (EB) were collected at a rate of 10% and matrix spike/matrix spike duplicates (MS/MSD) were collected at a rate of 5%. In addition, trip blanks accompanied each shipment containing samples for VOC analysis.

Each investigative or QC sample was labeled immediately following collection. Each sample identification number consisted of the following nomenclature "CPA-MW#-MMYY-QAC" where:

- **Well ID** includes "CPA-" followed by #-#HU, denoting monitoring well location and hydrogeologic unit
- MMYY Month and year of sampling quarter, e.g.: November (4th quarter) 2013 (1113)
- QAC denotes QA/QC sample
 - o AD analytical duplicate
 - o **EB** equipment blank
 - o MS or MSD Matrix Spike or Matrix Spike Duplicate

Upon collection and labeling, sample containers were immediately placed inside an iced cooler, packed in such a way as to help prevent breakage and maintain inside temperature at or below approximately 4°C. Field personnel recorded the project identification and number, sample description/location, required analysis, date and time of sample collection, type and matrix of sample, number of sample containers, preservative used (if applicable), analysis requested/comments, and sampler signature/date/time, with permanent ink on the chain-of-custody (COC). Prior to shipment, coolers were sealed between the lid and sides of the cooler with a custody seal, and then shipped to TestAmerica in Savannah, Georgia by means of an overnight delivery service. Field sampling data sheets are included in **Appendix A**, and copies of COCs are included in **Appendix B**.

Field personnel and equipment were decontaminated according to procedures specified in the Revised LTMP Work Plan to ensure the health and safety of those present, maintain sample

integrity, and minimize movement of contamination between the work area and off-site locations. Equipment used on-site was decontaminated prior to beginning work, between sampling locations and/or uses, and prior to demobilizing from the site. Non-disposable purging and sampling equipment was decontaminated between each sample acquisition by washing with a Liquinox® or equivalent detergent wash and a distilled water rinse. Personnel and small equipment decontamination was performed at the sample locations. Disposable sampling equipment, such as gloves were collected and bagged on a daily basis and managed in accordance with Solutia procedures. Purge water was containerized and handled per Solutia procedures.

Biodegradation Evaluation Sampling - Bio-Trap[®] samplers baited with chlorobenzene and provided by Microbial Insights, Inc. (Rockford, TN), were utilized in the CPA wells to provide information regarding biodegradation potential of the DHU. Bio-Trap[®] samplers are passive sampling tools which, over time, collect microbes across a membrane that serves as the sampling matrix. Because they are baited with ¹³C labeled chlorobenzene, the Bio-Traps[®] are also used to measure the degradation of chlorobenzene utilizing a method also known as stable isotope probing (SIP).

On, September 30, 2013, URS field personnel deployed chlorobenzene baited Bio-Trap[®] samplers in each of the 4 DHU CPA wells for PLFA and SIP analysis. The Bio-Trap[®] samplers were attached to a stainless steel line secured to the well cap and lowered to the middle of the well screen.

On October 30, 2013, the Bio-Trap® samplers were retrieved from the wells, sealed in laboratory supplied bags, labeled with the proper well identification and placed in an iced sample cooler with a signed COC. Sealed sample coolers were sent to Microbial Insights, Inc. for analysis.

3.0 LABORATORY PROCEDURES

Samples were analyzed by TestAmerica for VOCs and MNA parameters, using the following methodologies:

- VOCs, via USEPA SW-846 Method 8260B
- MNA parameters: alkalinity (310.1), carbon dioxide (310.1), chloride (325.2), total and dissolved iron (6010B), total and dissolved manganese (6010B), dissolved gases (RSK 175), nitrate (353.2), sulfate (375.4), and total and dissolved organic carbon (415.1).

Laboratory results were provided in electronic and hard copy formats.

4.0 QUALITY ASSURANCE

Analytical data were reviewed for quality and completeness, as described in the Revised Long Term Monitoring Program (LTMP) Work Plan (Solutia 2009). Data qualifiers were added, as appropriate, and are included on the data tables and the laboratory result pages. The Quality Assurance report is included as **Appendix C**. The laboratory report along with data review are included in **Appendix D**.

A total of 16 groundwater samples (twelve investigative samples, two field duplicates, and one MS/MSD pair) were prepared and analyzed by TestAmerica Savannah for combinations of VOCs, dissolved gases, alkalinity, chloride, nitrate, sulfate, total and dissolved metals, and total and dissolved organic carbon. Additionally, two equipment blanks were collected and analyzed by TestAmerica. In addition, four trip blanks were included in the coolers that contained samples for VOC analysis and were analyzed for VOCs. The results for the various analyses were submitted as four sample delivery groups, (SDG)s KPS102, KPS103, KPS104, and KPS105. The samples contained in these SDGs are listed below:

KPS102										
CPA-A-SHU-1113	4Q13 CPA Trip Blank									
KPS	S103									
CPA-A-MHU-1113	CPA-B-MHU-1113-EB									
CPA-A-DHU-1113	CPA-B-DHU-1113									
CPA-B-SHU-1113	4Q13 Trip Blank #2									
CPA-B-MHU-1113										
KPS104										
CPA-C-SHU-1113	CPA-C-DHU-1113									
CPA-C-MHU-1113	CPA-C-DHU-1113-AD									
CPA-C-MHU-1113-EB	4Q13 CPA Trip Blank #3									
KPS	S105									
CPA-D-SHU-1113	CPA-D-DHU-1113-AD									
CPA-D-MHU-1113	4Q13 CPA Trip Blank #4									
CPA-D-DHU-1113										

Evaluation of the groundwater analytical data followed procedures outlined in the USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review (USEPA 2008), USEPA Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Data Review (USEPA 2010), and the Revised Long-Term Monitoring Program Work Plan (Solutia 2009).

Based on the above mentioned criteria, groundwater results reported for the analyses performed were accepted for their intended use. Acceptable levels of accuracy and precision, based on MS/MSD, laboratory control sample (LCS), surrogate and field duplicate data were achieved for this SDG to meet the project objectives. Completeness which is defined to be the

percentage of analytical results which are judged to be valid, including estimated detect/non-detect (**J/UJ**) data was 100 percent, which meets the completeness goal of 95 percent.

5.0 OBSERVATIONS

Groundwater analytical results and MNA results for the 4Q13 CPA sampling event are presented in **Tables 2** and **3**, respectively. Benzene was reported in samples collected from eleven of the twelve wells during this sampling event at concentrations ranging from 120 μ g/L (CPA-A-DHU) to 130,000 μ g/L (CPA-B-MHU). Total chlorobenzenes (i.e., the sum of chlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, and 1,4- dichlorobenzene) were reported in samples collected from all twelve wells during this sampling event. Total chlorobenzenes were detected at concentrations ranging from 210 μ g/L (CPA-A-MHU) to 198,000 μ g/L (CPA-C-MHU). **Figures 4**, **5** and **6** display concentrations of benzene and total chlorobenzenes from the 4Q13 sampling event in the shallow, middle and deep hydrogeologic units, respectively.


Monitored Natural Attenuation – The MNA results for this quarter are presented in **Table 3**. PLFA and SIP laboratory results are included in **Appendix E**. Per the Executive Summary of the SIP Study (**Appendix E**):


- Incorporation of carbon-13 into the microbial biomass and dissolved inorganic carbon (DIC) in upgradient well CPA-A-DHU conclusively demonstrated that chlorobenzene biodegradation and mineralization occurred under the existing site conditions at this sample site.
- Incorporation of carbon-13 into the microbial biomass in downgradient/central well CPA-C-DHU conclusively demonstrated that chlorobenzene biodegradation occurred under the existing site conditions at this sample site.


6.0 REFERENCES


- Solutia Inc, 2009. Revised Long Term Monitoring Program Work Plan, Solutia Inc., W.G. Krummrich Facility, Sauget, Illinois, May 2009.
- USEPA, 2004. Contract Laboratory Program National Functional Guidelines for Inorganic Data Review.
- USEPA, 2008. Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review


Figures














Tables

Table 1
Monitoring Well Gauging Information

			Construct	ion Details				October	30, 2013		
Well ID	Ground Elevation* (feet)	Casing Elevation* (feet)	Depth to Top of Screen (feet bgs)	Depth to Bottom of Screen (feet bgs)	Top of Screen Elevation* (feet)	Bottom of Screen Elevation* (feet)	Depth to Water (feet btoc)	NAPL Thickness (feet)	Depth to Bottom** (feet btoc)	Water Elevation* (feet)	
Shallow Hydrogeologic Unit (SHU 395-380 feet NAVD 88)											
CPA-A-SHU	413.97	416.35	28	33	385.97	380.97	20.70	ı	35.37	395.65	
CPA-B-SHU	409.16	408.84	21	25.4	388.16	383.76	13.68	-	25.07	395.16	
CPA-C-SHU	408.86	408.46	21	25.8	387.86	383.06	13.06	-	23.36	395.40	
CPA-D-SHU	409.73	412.38	21	25.4	388.73	384.33	17.32	-	28.19	395.06	
Middle Hydrogeolog	jic Unit (MHL	J 380-350 fee	t NAVD 88)								
CPA-A-MHU	413.98	416.25	58	62.2	355.98	351.78	20.57	-	65.32	395.68	
CPA-B-MHU	409.13	408.76	51	55.5	358.13	353.63	12.92	-	55.06	395.84	
CPA-C-MHU	408.90	408.57	51	55.5	357.90	353.40	13.50	-	54.61	395.07	
CPA-D-MHU	409.72	412.32	51	55.8	358.72	353.92	17.50	-	58.48	394.82	
Deep Hydrogeologic	Unit (DHU 3	350 feet NAV	D 88 - Bedro	ck)							
CPA-A-DHU	413.95	416.24	108	113.3	305.95	300.65	20.93	-	115.21	395.31	
CPA-B-DHU	409.12	408.68	101	106.5	308.12	302.62	14.05	-	105.55	394.63	
CPA-C-DHU	408.92	408.57	101	106	307.92	302.92	14.11	-	105.57	394.46	
CPA-D-DHU	409.63	412.20	101	105.9	308.63	303.73	17.82	-	108.34	394.38	

Notes:

bgs - below ground surface

btoc - below top of casing

^{* -} Elevation based upon North American Vertical Datum (NAVD) 88 datum

^{** -} Total depths are measured annually during the first quarter of each year

Table 2
Groundwater Analytical Results

				VOC (µg/L)		
Sample ID	Sample Date	Benzene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene
CPA-A-SHU-1113	11/12/2013	330	3,600	200	<50	1,800
CPA-A-MHU-1113	11/13/2013	410	210	<5	<5	<5
CPA-A-DHU-1113	11/13/2013	120	330	460	54	470
CPA-B-SHU-1113	11/13/2013	<200	29,000	220	<200	320
CPA-B-MHU-1113	11/13/2013	130,000	41,000	<1000	<1,000	<1,000
CPA-B-DHU-1113	11/13/2013	520	39,000	23,000	1,800	35,000
CPA-C-SHU-1113	11/14/2013	1,100	7,200	13,000	1,100	7,200
CPA-C-MHU-1113	11/14/2013	100,000	160,000	17,000	<2,500	21,000
CPA-C-DHU-1113	11/14/2013	4,500	24,000	9,300	730	14,000
CPA-C-DHU-1113-AD	11/14/2013	4,300	22,000	8,000	610	12,000
CPA-D-SHU-1113	11/15/2013	6,200	160,000	<2,000	<2,000	<2,000
CPA-D-MHU-1113	11/15/2013	6,900	53,000	20,000	1,200	16,000
CPA-D-DHU-1113	11/15/2013	380	22,000	2,900	420	2,800
CPA-D-DHU-1113-AD	11/15/2013	370	23,000	2,900	430	2,700

Notes:

μg/L = micrograms per liter

< = Result is non-detect, less than the reporting limit given.

BOLD indicates concentration greater than reporting limit.

AD = Analytical Duplicate

Table 3
Monitored Natural Attenuation Results Summary

Sample ID	Sample Date	Alkalinity (mg/L)	Carbon Dioxide (mg/L)	Chloride (mg/L)	Dissolved Oxygen (mg/L)	Ethane (ug/L)	Ethylene (ug/L)	Ferrous Iron (mg/L)	Iron (mg/L)	Iron, Dissolved (mg/L)	Manganese (mg/L)	Manganese, Dissolved (mg/L)	Methane (ug/L)	Nitrogen, Nitrate (mg/L)	Sulfate as SO4 (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	ORP (mV)
CPA-A-SHU-1113	11/12/2013	380	69	43	0.09	4.7	<1		43		1.9		9,600	<0.05	550	27		-98.01
CPA-A-SHU-F(0.2)-1113	11/12/2013							>3.30		42		1.8					8.5	
CPA-A-MHU-1113	11/13/2013	600	29	32	0.12	13	<1		1.7		0.76		17,000	< 0.05	<25	7.2		-87.99
CPA-A-MHU-F(0.2)-1113	11/13/2013							1.04		1.9		0.89					6.7	
CPA-A-DHU-1113	11/13/2013	450	24	54	0.05	3.9	<1		6.6		0.35		2,900	< 0.05	93	4.3		-116.71
CPA-A-DHU-F(0.2)-1113	11/13/2013							>3.30		5.7		0.3					4.5	
CPA-B-SHU-1113	11/13/2013	510	220	150	0.33	<1.1	<1		43		3.4		110	< 0.05	290	3.5		-22.47
CPA-B-SHU-F(0.2)-1113	11/13/2013							>3.30		44		3.6					3.5	
CPA-B-MHU-1113	11/13/2013	410	170	210	-0.02	160	<1		36		2.2		19,000	< 0.05	72	18		-31.03
CPA-B-MHU-F(0.2)-1113	11/13/2013							>3.30		34		2.1					17	
CPA-B-DHU-1113	11/13/2013	330	21	65	0.07	<1.1	<1		9.6		0.55		30	<0.05	100	5.2		-86.30
CPA-B-DHU-F(0.2)-1113	11/13/2013							>3.30		9.2		0.53					5.4	
CPA-C-SHU-1113	11/14/2013	490	130	360	0.65	<1.1	<1		3		4.9		550	2.1 J	810	310		103.3
CPA-C-SHU-F(0.2)-1113	11/14/2013							< 0.03		0.21		4.9					290 J	
CPA-C-MHU-1113	11/14/2013	370	170	700	-0.03	6.8	<1		52		3.8		13,000	< 0.05	350	48		-47.45
CPA-C-MHU-F(0.2)-1113	11/14/2013							>3.30		53		3.8					44	
CPA-C-DHU-1113	11/14/2013	510	31	62	-0.05	2.2	<1		2.4		0.58		150	< 0.05	63	31		-52.49
CPA-C-DHU-F(0.2)-1113	11/14/2013							1.75		2.2		0.56					32 J	
CPA-D-SHU-1113	11/15/2013	<5	<5	300	0.00	<1.1	<1		89		2.7		2.6	17 J	2,200	150		250.09
CPA-D-SHU-F(0.2)-1113	11/15/2013							>3.30		94		2.8					130	
CPA-D-MHU-1113	11/15/2013	530	61	290	0.27	9.4	<1		0.56		1.2		5,700	< 0.05	180	41		34.32
CPA-D-MHU-F(0.2)-1113	11/15/2013							< 0.03		0.33		1.3					42	
CPA-D-DHU-1113	11/15/2013	500	41	70	0.00	6.3	<1	1	0.17		0.33		310	<0.05	20	39	1	27.34
CPA-D-DHU-F(0.2)-1113	11/15/2013							<0.03		0.13		0.34					41	

Notes:

DO and ORP were measured in the field using a In-Situ Troll 9500 equipped with a flow-thru cell. Values presented represent final measurements before sampling.

 $Ferrous\ Iron\ readings\ were\ measured\ in\ the\ field\ using\ a\ Hach\ DR-890\ Colorimeter\ after\ the\ groundwater\ passed\ through\ a\ 0.2\ \mu m\ filter$

F(0.2) = Sample was filtered utilizing a 0.2 μ m filter during sample collection

mg/L = milligrams per liter

ug/L = micrograms per liter

mV = millivolts

< = Result is non-detect, less than the reporting limit given

J = estimated value

A blank space indicates sample not analyzed for select analyte

Page 1 of 1 January 2014

Appendix A **Groundwater Purging and Sampling Forms**



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 38 [ft]
Pump placement from TOC 30.5 [ft]

Well Information:

 Well Id
 CPA-A-SHU

 Well diameter
 2 [in]

 Well total depth
 35.37 [ft]

 Depth to top of screen
 28 [ft]

 Screen length
 60 [in]

 Depth to Water
 21.25 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 811.87 [mL]
Calculated Sample Rate 163 [sec]
Sample rate 163 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	13:59:10	61.34	6.67	1916.06	1.65	0.19	-92.75
	14:02:00	61.16	6.66	1910.96	1.01	0.15	-94.42
Last 5 Readings	14:04:49	60.93	6.66	1915.66	0.60	0.13	-95.74
	14:07:37	61.16	6.66	1916.97	0.48	0.11	-96.98
	14:10:26	61.32	6.65	1915.28	0.23	0.09	-98.01
	14:04:49	-0.22	0.00	4.70	-0.40	-0.02	-1.32
Variance in last 3 readings	14:07:37	0.23	-0.01	1.31	-0.12	-0.02	-1.24
	14:10:26	0.16	-0.01	-1.69	-0.25	-0.02	-1.03



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name dm sj
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 65 [ft]
Pump placement from TOC 60.1 [ft]

Well Information:

 Well Id
 CPA-A-MHU

 Well diameter
 2 [in]

 Well total depth
 65.32 [ft]

 Depth to top of screen
 58 [ft]

 Screen length
 50.4 [in]

 Depth to Water
 21.25 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 962.4 [mL]
Calculated Sample Rate 193 [sec]
Sample rate 193 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	9:44:26	58.97	6.84	1372.60	11.30	0.30	-67.67
	9:49:30	59.02	6.87	1379.67	1.71	0.26	-77.64
Last 5 Readings	9:53:04	59.55	6.89	1380.04	2.66	0.19	-82.22
	9:56:24	59.68	6.91	1381.04	6.05	0.15	-85.43
	9:59:44	59.68	6.92	1382.78	2.34	0.12	-87.99
	9:53:04	0.53	0.02	0.37	0.95	-0.07	-4.58
Variance in last 3 readings	9:56:24	0.13	0.01	1.00	3.39	-0.03	-3.21
	9:59:44	0.00	0.01	1.74	-3.71	-0.03	-2.57



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name dm sj
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 115 [ft]
Pump placement from TOC 113.3 [ft]

Well Information:

 Well Id
 CPA-A-DHU

 Well diameter
 2 [in]

 Well total depth
 115.21 [ft]

 Depth to top of screen
 108 [ft]

 Screen length
 63.6 [in]

 Depth to Water
 21.55 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 1241.18 [mL]
Calculated Sample Rate 249 [sec]
Sample rate 249 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	11:09:40	59.94	7.05	1340.67	66.47	0.30	-106.39
	11:13:58	60.01	7.03	1333.24	31.67	0.21	-110.08
Last 5 Readings	11:21:11	60.25	7.01	1325.81	13.00	0.10	-113.76
	11:25:29	60.49	7.00	1329.90	11.19	0.07	-115.38
	11:29:47	60.66	7.00	1327.95	7.42	0.05	-116.71
	11:21:11	0.24	-0.02	-7.43	-18.67	-0.12	-3.68
Variance in last 3 readings	11:25:29	0.24	-0.01	4.09	-1.81	-0.03	-1.63
	11:29:47	0.17	0.00	-1.95	-3.77	-0.02	-1.33



Pump Information:

Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm Pump Model/Type Proactive SS Monsoon **URS** Corporation Company Name **Tubing Type** LDPE **Project Name** Solutia WGK **Tubing Diameter** 0.19 [in] Site Name Quarterly Groundwater Sampling - CPA **Tubing Length** 28 [ft] Pump placement from TOC 25.4 [ft]

Well Information: Pumping information:

Well Id Final pumping rate CPA-B-SHU 300 [mL/min] Flowcell volume Well diameter 2 [in] 756.11 [mL] Well total depth 25.07 [ft] Calculated Sample Rate 152 [sec] Depth to top of screen 21 [ft] Sample rate 152 [sec] Screen length 52.8 [in] Stabilized drawdown 0 [in] Depth to Water 13.18 [ft]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	13:23:53	65.49	6.35	3.45	-1.24	8.20	-52.25
	13:30:37	64.65	6.14	1957.20	16.60	1.48	-20.46
Last 5 Readings	13:33:15	64.66	6.07	1973.63	13.11	0.47	-17.94
	13:35:53	64.78	6.06	1997.14	10.83	0.44	-20.21
	13:38:31	64.83	6.05	2019.09	9.36	0.33	-22.47
	13:33:15	0.01	-0.07	16.43	-3.49	-1.01	2.52
Variance in last 3 readings	13:35:53	0.12	-0.01	23.51	-2.28	-0.03	-2.27
	13:38:31	0.05	0.00	21.95	-1.47	-0.11	-2.27



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 59 [ft]
Pump placement from TOC 55.4 [ft]

Well Information:

Well IdCPA-B-MHUWell diameter2 [in]Well total depth55.06 [ft]Depth to top of screen51 [ft]Screen length54 [in]Depth to Water13.14 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 928.95 [mL]
Calculated Sample Rate 186 [sec]
Sample rate 186 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	14:28:12	62.85	6.06	1975.37	60.80	0.17	-7.86
	14:31:25	62.96	6.07	1921.82	28.94	0.09	-14.78
Last 5 Readings	14:34:38	63.06	6.09	1867.93	15.82	0.03	-20.94
	14:37:51	62.93	6.11	1818.54	9.48	0.00	-26.33
	14:41:04	62.89	6.13	1780.12	5.64	-0.02	-31.03
	14:34:38	0.10	0.02	-53.89	-13.12	-0.06	-6.16
Variance in last 3 readings	14:37:51	-0.13	0.02	-49.39	-6.34	-0.03	-5.39
	14:41:04	-0.04	0.02	-38.42	-3.84	-0.02	-4.70



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 111 [ft]
Pump placement from TOC 103.75 [ft]

Well Information:

Well IdCPA-B-DHUWell diameter2 [in]Well total depth105.55 [ft]Depth to top of screen101 [ft]Screen length66 [in]Depth to Water14.6 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 1218.87 [mL]
Calculated Sample Rate 244 [sec]
Sample rate 244 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	15:41:01	62.29	6.86	1308.94	25.67	0.32	-73.64
	15:45:14	62.29	6.86	1308.69	16.97	0.24	-78.30
Last 5 Readings	15:49:27	62.23	6.86	1307.98	14.25	0.16	-81.68
	15:53:40	62.22	6.86	1308.24	12.22	0.14	-84.29
	15:57:53	62.12	6.86	1309.19	8.79	0.07	-86.30
	15:49:27	-0.05	0.00	-0.70	-2.72	-0.07	-3.38
Variance in last 3 readings	15:53:40	-0.02	0.00	0.26	-2.03	-0.03	-2.61
	15:57:53	-0.10	0.00	0.95	-3.43	-0.07	-2.01



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 29 [ft]
Pump placement from TOC 23.4 [ft]

Well Information:

Well IdCPA-C-SHUWell diameter2 [in]Well total depth23.36 [ft]Depth to top of screen21 [ft]Screen length57.6 [in]Depth to Water13.6 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 761.69 [mL]
Calculated Sample Rate 153 [sec]
Sample rate 153 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	11:32:45	66.17	6.33	3229.15	11.36	0.71	102.96
	11:35:23	66.20	6.33	3220.54	10.60	0.70	103.30
Last 5 Readings	11:38:01	66.19	6.33	3215.49	9.51	0.68	103.65
	11:40:41	66.18	6.32	3210.91	9.22	0.67	105.57
	11:43:18	66.43	6.36	6.43	-1.16	0.65	103.30
	11:38:01	-0.01	0.00	-5.04	-1.10	-0.01	0.34
Variance in last 3 readings	11:40:41	-0.01	-0.01	-4.59	-0.29	-0.02	1.92
	11:43:18	0.25	0.03	-3204.48	-10.38	-0.02	-2.27



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 58 [ft]
Pump placement from TOC 53.2 [ft]

Well Information:

 Well Id
 CPA-C-MHU

 Well diameter
 2 [in]

 Well total depth
 54.61 [ft]

 Depth to top of screen
 51 [ft]

 Screen length
 54.01 [in]

 Depth to Water
 13.85 [ft]

Pumping information:

Final pumping rate 300 [mL/min]
Flowcell volume 923.38 [mL]
Calculated Sample Rate 185 [sec]
Sample rate 185 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	14:11:42	64.56	6.21	3502.63	147.61	0.16	-34.19
	14:14:53	64.67	6.24	3353.07	84.02	0.03	-43.90
Last 5 Readings	14:18:05	64.63	6.24	3288.74	20.29	-0.01	-46.98
	14:21:17	64.63	6.24	3276.86	10.37	-0.03	-47.49
	14:24:29	64.60	6.23	3283.18	5.71	-0.03	-47.45
	14:18:05	-0.04	0.01	-64.33	-63.74	-0.04	-3.08
Variance in last 3 readings	14:21:17	0.00	0.00	-11.88	-9.91	-0.02	-0.51
	14:24:29	-0.03	-0.01	6.32	-4.66	0.01	0.04



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 108.5 [ft]
Pump placement from TOC 103.5 [ft]

Well Information:

Well IdCPA-C-DHUWell diameter2 [in]Well total depth105.57 [ft]Depth to top of screen101 [ft]Screen length60 [in]Depth to Water14.44 [ft]

Pumping information:

Final pumping rate 400 [mL/min]
Flowcell volume 1204.94 [mL]
Calculated Sample Rate 181 [sec]
Sample rate 181 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	15:30:44	63.50	7.05	1398.52	21.52	-0.02	-45.44
	15:33:52	63.49	7.05	1398.40	15.59	-0.03	-47.66
Last 5 Readings	15:36:59	63.45	7.05	1398.59	12.80	-0.04	-49.50
	15:40:08	63.40	7.04	1398.56	10.98	-0.05	-51.16
	15:43:14	63.35	7.04	1398.68	9.73	-0.05	-52.49
	15:36:59	-0.04	0.00	0.18	-2.80	-0.01	-1.84
Variance in last 3 readings	15:40:08	-0.05	0.00	-0.03	-1.82	-0.01	-1.67
	15:43:14	-0.05	0.00	0.12	-1.25	0.00	-1.32



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 30 [ft]
Pump placement from TOC 23.2 [ft]

Well Information:

 Well Id
 CPA-D-SHU

 Well diameter
 2 [in]

 Well total depth
 28.19 [ft]

 Depth to top of screen
 21 [ft]

 Screen length
 52.8 [in]

 Depth to Water
 17.45 [ft]

Pumping information:

Final pumping rate 400 [mL/min]
Flowcell volume 767.26 [mL]
Calculated Sample Rate 116 [sec]
Sample rate 116 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	11:48:08	64.03	4.20	3609.59	40.26	0.09	257.29
	11:50:08	64.15	4.17	3669.91	20.13	0.05	255.40
Last 5 Readings	11:52:09	64.19	4.15	3708.28	12.36	0.03	253.43
	11:54:09	64.19	4.14	3730.27	9.29	0.01	251.67
	11:56:09	64.17	4.13	3748.31	8.69	0.00	250.09
	11:52:09	0.04	-0.02	38.36	-7.77	-0.02	-1.97
Variance in last 3 readings	11:54:09	0.00	-0.01	22.00	-3.07	-0.02	-1.76
	11:56:09	-0.02	-0.01	18.03	-0.60	-0.02	-1.58



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 60 [ft]
Pump placement from TOC 55.8 [ft]

Well Information:

Well IdCPA-D-MHUWell diameter2 [in]Well total depth58.48 [ft]Depth to top of screen51 [ft]Screen length57.6 [in]Depth to Water17.41 [ft]

Pumping information:

Final pumping rate 400 [mL/min]
Flowcell volume 934.53 [mL]
Calculated Sample Rate 141 [sec]
Sample rate 141 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	12:39:48	63.45	6.73	2226.71	10.42	0.21	41.34
	12:42:15	63.36	6.73	2233.06	8.47	0.15	39.41
Last 5 Readings	12:44:40	63.44	6.73	2237.70	7.65	0.14	37.70
	12:47:06	63.42	6.74	2238.86	8.98	0.15	35.99
	12:49:33	63.47	6.74	2238.54	8.78	0.27	34.32
	12:44:40	0.09	0.00	4.64	-0.82	-0.01	-1.71
Variance in last 3 readings	12:47:06	-0.02	0.00	1.17	1.33	0.01	-1.71
	12:49:33	0.04	0.00	-0.32	-0.20	0.11	-1.67



Low-Flow System ISI Low-Flow Log

Project Information:

Operator Name sj dm
Company Name URS Corporation
Project Name Solutia WGK
Site Name Quarterly Groundwater Sampling - CPA

Pump Information:

Pump Model/Type Proactive SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 [in]
Tubing Length 110 [ft]
Pump placement from TOC 103.45 [ft]

Well Information:

Well Id CPA-D-DHU
Well diameter 2 [in]
Well total depth 108.34 [ft]
Depth to top of screen 101 [ft]
Screen length 58.8 [in]
Depth to Water 18.26 [ft]

Pumping information:

Final pumping rate 400 [mL/min]
Flowcell volume 1213.3 [mL]
Calculated Sample Rate 182 [sec]
Sample rate 182 [sec]
Stabilized drawdown 0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [F]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1	+/-1	+/-0.2	+/-20
				+/-3 %	+/-10 %	+/-10 %	
	13:30:04	63.02	7.17	1396.29	43.01	0.14	37.18
	13:33:13	63.16	7.16	1394.49	29.30	0.06	34.40
Last 5 Readings	13:36:20	63.23	7.15	1394.38	20.53	0.04	31.87
	13:39:30	63.35	7.15	1393.67	11.62	0.02	29.48
	13:42:38	63.44	7.15	1393.62	8.13	0.00	27.34
	13:36:20	0.07	-0.01	-0.11	-8.77	-0.02	-2.52
Variance in last 3 readings	13:39:30	0.12	0.00	-0.71	-8.90	-0.03	-2.40
	13:42:38	0.09	0.00	-0.06	-3.49	-0.01	-2.14

Appendix B Chains-of-Custody

5102 LaRoche Avenue

Chain of Custody Record



Savannah, GA 31404

phone 912.354.7858 fax 912.352.0165																		_			TestAmeric	a Laborat	ories, Ir	ac.
Client Contact	Project M	anager: Bo	b Billman			Site	e Co	ntac	t: Mi	ichae	l Cor	bett		Dates		124	(3)				COC No:			
URS Corporation	Tel/Fax: (3	314) 743-41	08			Lal	b Co	ntac	et: M	ichel	e Ker	rsey		Carrie	r: Š	bo	EX				of _	COCs		
1001 Highlands Plaza Drive West, Suite 300		Analysis T	urnaround	Time		П			,	4.	Τ				T			Т	T		Job No.			
St. Louis, MO 63110	Calendar	(C) or Wo	ork Days (W	06					100	S								Ì			l			
(314) 429-0100 Phone	T.	AT if different	from Below _	Standard		ll	- 1		1.2	75			ا ڀ ا				ļ	-						
(314) 429-0462 FAX		2	weeks						1	휘달			9								SDG No.			
Project Name: 4Q13 CPA GW Sampling		1	week					8	1	፮ ≊			y 60						İ					
Site: Solutia WG Krummrich Facility		2	2 days			٥	1	9	3 3	325.2/Sulfate by 3/5,4 nses by RSK 175	7		E E			1	- 1	1	1					
PO#			day			Sample	8260	T I	y 31	y 32	353.	5.1	Fe/IV	5.1			ı							
Sample Identification	Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Filtered St	VOCs by 8	Total Fe/Mn by 6010B	All/CO2 L	Chloride by 325.2/Sulfate by Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1							Sam	ple Specific	Notes:	
CPA-A -SHU-1113	11/12/13	1415	G	Water	12		3	1	1.	1 3	2	1						\top						
СРА- А - S ДД F (0.2)-1113	11/12/13		G	Water	2	x							1	1								_		
CPA1113			G	Water	12		3	1	1	1 3	2	1												
CPAF(0.2)-1113			G	Water	2	х		7					1	1				\top						_
· CPA1113			G	Water	12		3	1	1	1 3	2	1												
CPAF(0.2)-1113			G	Water	2	X							1	1									gg gg	
CPA1113			G	Water	12		3	1	1	1 3	2	1												
CPAF(0.2)-1113			G	Water	2	X							1	1									aj e	<u></u>
CPA1113			G	Water	12		3	1	1	1 3	2	1											<u>်</u>	
CPAF(0.2)-1113			G	Water	2	Х							1	1									9611	
																		L					-089	
4Q13 CPA Trip Blank#				Water	2		2																	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=Nac	OH; 6= Oth	er					2	4	1	1 1	3,1	2	4	2	لــــــــــــــــــــــــــــــــــــــ						<u> </u>			
Possible Hazard Identification Non-Hazard Flammable Skin Irritant	□ oisor	n B	∐*nknown	1			San	nple] R	e Dīs p eturn	oosa To (l (A Clien	fee . t	may •	be as Dis	s ess sposa	ed it I By .	' san Lab	nples	are	reta Arc	ined longer hive For		nth) onths	
Special Instructions/QC Requirements & Comments:				I	<u></u>			•				-		4									1.4	O
Relinquished by:	Company:	URS		Date/Ti	me: 13/15	44	Kede	t e	l by:	以	50	21	1	Ja	Con	apany	9-	<u> </u>			Date/Time:	13	29	136
Relinquished by:	Company:			Date/Ti	me:	٦	Rece	eivec	l by:	0					Con	npany	y:				Date/Time:		- / '	
Relinquished by:	Company:			Date/Ti	me:	1	Rece	eivec	l by:				•		Con	npany	y:				Date/Time:			

5102 LaRoche Avenue

Chain of Custody Record



Savannah, GA 31404

phone 912.354.7858 fax 912.352.0165																				TestA	merica L	aborate	ries, I	nc.
Client Contact	Project Ma	anager: Bob	Billman			Site	Cor	itact:	Mich	ael C	Corbe	ett	Þ	ite:						COC 1	No:			ļ
URS Corporation	Tel/Fax: (3	314) 743-410)8			Lat	Cor	ntact:	Mich	ele K	Cerse	y	C	arrier:	Ϋ́F	edt	£χ			1	of _2	COCs		
1001 Highlands Plaza Drive West, Suite 300			urnaround '						4								T`			Job No				_,
St. Louis, MO 63110			rk Days (W						375.											12	1562	962.	.000	04
(314) 429-0100 Phone (314) 429-0462 FAX	! ⊢"		from Below _ <u>\$</u> weeks	tandard_			-		b.	175		ء ا	اء							SDG	Ja			——
Project Name: 4Q13 CPA GW Sampling			week					<u></u>	Igt	SK	ł	9								SDGT	10.			
Site: Soluția WG Krummrich Facility	1 =		days			333		60109 1.	2/Sulfate by 375.4	ž			Š											
PO#	1 =		day			ale	۰	<u>≘</u> [₹	125.	ses	3.2	_ 2	Ē _											
F O#	<u> </u>	, ·	uay	l i		E S	by 8260	₹ ₹	by	5	y 35	415,	4 F C							-				
Sample Identification	Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Filtered	VOCs by	Total Fe/Mn by 60 Alk/CO2 by 310.1	Chloride by	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	DOC by 415.1		`						Sample	, Specific	Notes:	
CPA-A_MHU1113	11/13/13	1005	G	Water	12		3	1 1	1	3	2	1												
CPA- A - MHUF(0.2)-1113		1005	G	Water	2	x							1 1											
CPA-A -DHU-1113		1135	G	Water	12	Ш	3	1 1	1	3	2	1												
CPA- A - DHU-F(0.2)-1113		1135	G	Water	2	x							1 1											
CPA-B-SHU-1113		1345	G	Water	12		3	1 1	1	3	2	1												
CPA- B -SHU-F(0.2)-1113	o),co	1345	G	Water	2	х						• :	1 1		Ш	, 			1 	E illerenn ind	V vital ilbir ta:			
CPA-B-MH41113		1450	G	Water	12		3	1 1	1	3	2	1			\perp									
CPA- B - MHUF(0.2)-1113		1450	G	Water	2	x							1 1											
CPA-A-MHU-1113-MS		1005	9	nak		Ш	3						1.			68	80-96	3178	Chai	in of Cu	stody	.A.J. A.I.I. R.A.J		
CPA-A-MHU-1113-MSD		1005	60	nater	<u></u>		3							ļļ		- -	1							
CPA-B-MHU-1113-EB		1405	a	water	3	Ш	3																	
4Q13 CPA Trip Blank # 🏖	11/13/13	1		Water	2	Ш	2																	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaC)H; 6= Othe	r					2	4 1	1	1	3,1	2 -	4 2			<u> </u>						. 4	461	
Possible Hazard Identification Non-Hazard Flammable Skin Irritant	□ison	В	mown			ľ		Pie D Reti	,			e m	•	e asse Dispo			•			ainea io. chive Foi	nger thar r		nths	
Special Instructions/QC Requirements & Comments:				, <u></u>	, ·					•														
Remandshed by:	Company:	URS		Date/Ti	3 180	201		ived b	-						Comp.	any:	-54	W		Date/T	ime: 1//4// ime:	3	09:	:47
Relinquished by:	Company:			Date/Ti		\perp		ived b							Comp									
Relinquished by:	Company:			Date/Ti	ne:		Rece	ived b	y:						Comp	any:				Date/T	ıme:			

0,7,0,6°C









5102 LaRoche Avenue

Chain of Custody Record



Savannah, GA 31404

phone 912.354.7	858 fax	912.352.0165

PACTOR NAME OF	Ę	>	S	170	A	ď	String	- Marin	C	A S	O otsesses	C	C	Bernie
				i in				200			e.			Š.
7	⊬ŧË	1 6	: 80	ER	180	500	CRO	70:	Mž	41.5	ŧ.	TES	1/24	

phone 912.354.7858 fax 912.352.0165																				TestAmerica Lab	oratories, Inc.	
Client Contact	Project Ma	nager: Bob	Billman			Site	Cor	ntact:	Mich	ael	Corb	ett	D	ate:		18/1	3			COC No:		
URS Corporation	Tel/Fax: (3	14) 743-410)8			Lat	Co	ntact:	Mich	iele l	Kers	ey	C	arrie	r: 7	Fea	Ex			2-of 20	:OCs	
1001 Highlands Plaza Drive West, Suite 300		Analysis T	urnaround	Time		N.	T		1.						TT				T	Job No.		
St. Louis, MO 63110	Calendar	(C) or Wo	rk Days (W	C					375.4					-		ı			ļ	21562962.	00004	
(314) 429-0100 Phone	T.	AT if different	_	Standard					33	75												
(314) 429-0462 FAX		2	weeks						ate	Κ1,		3	E						1	SDG No.		
Project Name: 4Q13 CPA GW Sampling		I	week			閼		6010B	g _{In}	RS		1	3									
Site: Solutia WG Krummrich Facility		2	2 days					<u>و</u> ا	325.2/Sulfate by	ţ		-	e									
PO#		1	day				8260	Total Fe/Mn by 60	32,	Dissolved Gases by RSK 175	Nitrate by 353.2	5 3	Dissolved Fe/Min by 6010B	5								
						S	8	e/M	Chloride by	D D	by.	TOC by 415.1	Dissolved Fe/N									
	Sample	Sample	Sample		# of	ē	3	a 5	15	solv	rate	C C	8 5	3								
Sample Identification	Date	Time	_	Matrix	Cont.		VOCs by	T of	킁	Dis	Nit.	<u>و ا ۽</u>	Sign	3						Sample Spe	cific Notes:	
CPA-B-DHU-1113	11/13/13	1405	G	Water	12		3	1 1	1	3	2	1										
CPA- B-DHUF(0.2)-1113	1	1605	G	Water	2	х							1								•	
CPA			G	Water	12	П	3	1 1	1	3	2	1										
€PA			G	Water	2	х						1	1 1	1								
			G	Water	12	П	3	1 1	1	3	2	1			11	\top	T		1			
<u>CPA</u>						 	+	1	1	_	-		+	_		+	-		-			
CPA F(0.2) 1113			G	Water	2	X		4	-			÷	1 1	-	$\vdash \vdash$		+	-	+-			
-CPA			G _.	Water	12	Ш	3	1 1	1	3.	2	1				4		_	ļ			
CPAF(0.2)-1113			G	Water	2	X						\perp	1 1	·					_			
							.															
	1					П	\exists		\top					\top								
				Water	2	Н	2	\top	+-			十		+	$\dagger \dagger$	1		_	\top			
4Q13 CPA Trip Blank # Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaC	H. 6- Oth	<u></u>	<u> </u>	, , Later		니		4 1	+-	1	3.1	2	1	,	┿	+		+	+	 		
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4-HNO3; 3-Nac Possible Hazard Identification)H, 0- Ollie	.1				-	Sam	iple E	ispo	sal	(A fe	e m	av b	e ass	esse	d if sa	mple	s are	retai	ined longer than 1	month)	
Non-Hazard Flammable Skin Irritant	□lison	В	□known					Î Ret							osal E					hive For	Months	
Special Instructions/QC Requirements & Comments:						-10																
•																			•			
Repagnition by:	Company:	V.170.5		Date/Ti	rie: N	1	Rece	ived l	Y.		<u> </u>				Com	any:	-S A	<u>и</u> /		Date/Time:	09:4	— 7
Reiniquished by:	Company:	URS		Date/Ti				ived l		·						pany:	327	<u>v</u>		Date/Time:		
Relinquished by:	Company:			Date/Ti	me:	Sales and a sales	Rece	ived b	y:				-		Comp	any:				Date/Time:	*****	
	1																					

0.2°C, 0.6°C 680 -96179

5102 LaRoche Avenue

Chain of Custody Record



Savannah, GA 31404																								
phone 912.354.7858 fax 912.352.0165						n management	****	Service Control						-			-	of steep or one other	Contraction	TestAm	erica La	aborate	ories,	Inc.
Client Contact	Project N	Ianager: Bo	b Billman			Site	Cor	ataci	t: Mic	chael	l Cor	bett				i as		7		COC No	:			
URS Corporation	Tel/Fax:	(314) 743-41	08			Lab	Co	ntac	t: Mi	chele	e Ker	sey		Carri	er:	Fea	EX				of	COCs	-	
1001 Highlands Plaza Drive West, Suite 300			urnaround						4									$T^{T}T$	П	Job No.				,
St. Louis, MO 63110		ar (C) or W						- 1	37.4	2										2150	62968	2.0	1000	4
(314) 429-0100 Phone		TAT if different	from Below _ 2 weeks	Standard			1		à	7.5	-		اما			1 1								
(314) 429-0462 FAX		-						_	fafe	SK			6010B		1		1			SDG No				
Project Name: 4Q13 CPA GW Sampling			week					9	lu S/	2 X			39 6	- 1										
Site: Solutia WG Krummrich Facility		_	2 days				_ '	y 6	310.1	s a	4		E I		1									
PO#			l day			fillered Sample	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1 Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353,2	12.1	Dissolved Fe/Mn by	5.										
	1						à	e)	Alk/CO2 by	ed le	by	TOC by 415.1	ed]	DOC by 415.1										
	Sample	Sample	Sample		# of		ర్ల 🗎	ta]	Š lē	sol	rate	Š	sol	ğ	1							•		
Sample Identification	Date	Time	Туре	Matrix	Cont.		2	<u>c </u>	ই ১	j	ĮĒ	12	ă	<u>a</u>	1				1		Sample S	pecific	Notes:	
CPA-C-SHU-1113	11/14/13	1140	G	Water	12		3	1	1 1	1 3	2	1												
CPA- C-SHU-F(0.2)-1113		1140	G	Water	2	Х							1	1										
CPA-C -MHU1113		1430	G	Water	12		3	1	1 1	3	2	1		$ \top $										
CPA- C -MHU-F(0.2)-1113		11430	G	Water	2	Х							1	1										
CPA- C - DHU 1113		1545	G	Water	12		3	1	1 1	3	2	1												
CPA- C - DHUF(0.2)-1113		1545	G	Water	2	Х							1	1										
			G	Water	12		3	1	1 1	1 3	2	1												
CPAF(0.2)-1115	1.1141	,	G	Water	2	Х							1	1										
	4335	1330	G	water	3		3			T							\prod							
CPA-C-DHU-1113-AD	14/13	1545	G	notes	3		3								T	П								
		Ì					T															-		
4Q13 CPA Trip Blank # 3				Water	2		2																	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=Na	OH; 6= Otl	er						4			3,1		4											
Possible Hazard Identification Non-Hazurd Flammable Skin Irritant	□isoi	1 B	□mown			S	Sam		Disp eturn						sess sposa					ned long nive For_	er than		th) nths	
Special Instructions/QC Requirements & Comments:	**************************************			and the same of th			- terretario	anny sele			ile sela a "derlie	ALL CONTRACTOR	incum and in the Part	Manage Co.	and the second sign		- 4-74-13-25	akaring ay repeated from	- Court					
								٤	98	0	9	b	2	0	9).	0°c
Réliberished by J. J. J. G. G. G.	Company	URS		Date/Tir	ne:/	3 / P	eçe	i ped	by:	X	2	• A	<u>_</u> ر		Coi	npany	14	1		Date/Tim	3/12		29	13)
Relinquished by:	Company			Date/Tir		R	tece	ived	by:	8		∠. ≚				npany				Date/Tim	=/		_ 	
Relinquished by:	Company	:		Date/Tir	ne:	R	Rece	ived	by:						Cor	npany	:			Date/Tim	e:			
				- IIII											-		The Party of Street		-	Acres de la companya del la companya de la companya	de la constant de la		etteren er en	ACCRECATE VALUE OF









5102 LaRoche Avenue

Chain of Custody Record



Savannah, GA 31404

phone 912.354.7858 fax 912.352.0165						- W. a.d. // wa	Nadama tam			· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							1	estAmer	ica Lah	oratori	ies, Inc
Client Contact	Project M	(anager: Bol	b Billman			Site	Conta	ict: l	Mich	ael (Corb	ett	Bathelini	est.	CONTRACTOR OF THE PARTY OF THE			C	OC No:		·	
URS Corporation	Tel/Fax: (314) 743-41	08		Constitution to the second	Lab	Cont	act:	Mich	ele l	Kerse	y	Ca	rrier:	Fea	EX			of		COCs	
1001 Highlands Plaza Drive West, Suite 300			urnaround					T	4										ob No.			,
St. Louis, MO 63110		ır (C) or Wo					-		375.	ł								1	21568	196a	00	004
(314) 429-0100 Phone		AT if different	_	Standard					by	7.5	- 1		_							-		
(314) 429-0462 FAX			2 weeks				_	1	fate	Ϋ́			<u> </u>	1 1				15	DG No.			
Project Name: 4Q13 CPA GW Sampling	<u> </u>		week				by 6010B		325.2/Sulfate by 375.4	R		- '	Š									
Site: Solutia WG Krummrich Facility			2 days			9	, ee	10.1	5.2	q se	4	- [a									
PO#			l day	4			VOCS by 8200 Total Fe/Mn b	33	Chloride by 325.2/8	Dissolved Gases by RSK 175	Nitrate by 353.2	15.1	Dissolved Fe/Mn by 6010B DOC by 415,1					_			****	
				-			VOCs by 826 Total Fe/Mn	170	de t	ved	e by	TOC by 415.1	yed yy					STREET, STREET				
	Sample	Sample	Sample	1	# of		2 <u> </u>	2	le l	ssol	trat	٦		1 1	11					,		
Sample Identification	Date	Time	Туре	Matrix	Cont.		<u>۽ ا ۽</u>	₹	ō	ä	ź	2	ăjă						Sa	mple Sp	ecific No	otes:
CPA- D -SHU -1113	11/15/13	1200	G	Water	12		3 1	1	1	3	2	1										
CPA-D -SHU-F(0.2)-1113		1200	G	Water	2	Х							1 1			\perp	o —					
CPA- D - MHU -1113		1250	G	Water	12		3 1	1	1	3	2	1					80-9					
CPA- D - MHU-F(0.2)-1113		1250	G	Water	2	Х							1 1				6268					
CPA-D-DHU-1113		1345	G	Water	12		3 1	1	1	3	2	1					Cha					
CPA-D - DHU-F(0.2)-1113	1	1345	· G	Water	2	Х							1 1				in of					
CPA 1113			G	Water	12	Cassive Cas	3 1	1	1	3	2	1					Custody				_	
CPAP(0.2)-1113			G	Water	2	x							1 1				ody					
CPA-D-DHU-1113-AD	14/15/13	1345	G	water	3		3										Ē					
	`					or constant																
				<u> </u>															_			
4Q13 CPA Tríp Blank #				Water	2		2									<u>,</u>	1	L_R				
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=	NaOH; 6= Oth	er			magatino mana		2 4				3,1		4 2									
Possible Hazard Identification												e m	-			-			ed longer	than 1	,	•
Non-Hazard Flammable Skin Irritant	∐ison	В	nown					Ketu	ın i	o Cli	ient	and a second		ulspos	al By L	ao	راا	Archiv	e ror		_ Monti	ns
Special Instructions/QC Requirements & Comments:						·				u Dinasira		wyża										
Refinality de tille	Company:	URS			5113(1)	550	eceiv.							C	ompany	:		D	ate/Time:			
Relinquished by:	Company:			Date/Ti		R	eceiv.		٩		10	,			ompany			D	ate/Time:			
Relinquished by:	Company:			Date/Ti	me:	R	eceiv.	ed by	': Jo	بد	WI	7		С	ompany	8D/		D	ate/Time:	13	08	357

1.8°2 680-96268













0

| |

1

o

4

N

__

Appendix C Quality Assurance Report

QUALITY ASSURANCE REPORT

Solutia Inc. W.G. Krummrich Facility Sauget, Illinois

Chlorobenzene Process Area Groundwater Monitoring Program 4th Quarter 2013 Data Report

Prepared for

Solutia Inc. 575 Maryville Centre Drive St. Louis, MO 63141

January 2014



URS Corporation 1001 Highland Plaza Drive West, Suite 300 St. Louis, MO 63110 (314) 429-0100

Project # 21562962

Chlorobenzene Process Area Groundwater Monitoring Program W.G. Krummrich Facility Sauget, Illinois 4Q1

4Q13 QUALITY ASSURANCE REPORT

1.0	INTRODUCTION	1
2.0	RECEIPT CONDITION AND SAMPLE HOLDING TIMES	4
3.0	TRIP BLANKS, LABORATORY METHOD BLANK AND EQUIPMENT BLANK SAMPLES	3.4
4.0	SURROGATE SPIKE RECOVERIES	5
5.0	LABORATORY CONTROL SAMPLE RECOVERIES	5
6.0	MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) SAMPLES	6
7.0	FIELD DUPLICATE RESULTS	6
8.0	INTERNAL STANDARD RESPONSES	7
9.0	RESULTS REPORTED FROM DILUTIONS	7
10.0	ADDITIONAL QUALIFICATIONS	7



i

1.0 INTRODUCTION

This Quality Assurance Report presents the findings of a review of analytical data for groundwater samples collected in November of 2013 at the Solutia W.G. Krummrich plant as part of the 4th Quarter 2013 Chlorobenzene Processing Area Program. The samples were collected by URS Corporation personnel and analyzed by TestAmerica Laboratories located in Savannah, Georgia using USEPA methods, Standard methods and USEPA SW-846 methodologies. Groundwater samples were tested for volatile organic compounds (VOCs), metals, dissolved gasses, and Monitored Natural Attenuation (MNA) parameters.

One hundred percent of the data were subjected to a Level III data quality review. The Level III data reviews were performed in order to confirm that the analytical data provided by TestAmerica were acceptable in quality for their intended use.

A total of 16 groundwater samples (twelve investigative samples, two field duplicate pairs, and one MS/MSD pair) were analyzed by TestAmerica. Additionally, two equipment blanks were collected and analyzed by TestAmerica. In addition, four trip blank sets were included in the coolers that contained groundwater samples for VOCs by USEPA SW-846 Method 8260B analysis. These samples were analyzed as two sample delivery groups (SDGs), KPS102, KPS103, KPS104, and KPS105 utilizing the following USEPA SW-846 Methods:

- Method 8260B for VOCs (Benzene, Chlorobenzene, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene and 1,4-Dichlorobenzene)
- Method 6010C for total and dissolved iron and manganese

Samples were also analyzed for MNA parameters by the following methods:

- Method RSK-175 for Dissolved Gasses (Ethane, Ethylene, and Methane)
- USEPA Method 310.1 for Alkalinity and Free Carbon Dioxide
- USEPA Method 325.2 for Chloride
- USEPA Method 353.2 for Nitrogen, Nitrate
- USEPA Method 375.4 for Sulfate
- USEPA Method 415.1 for Total and Dissolved Organic Carbon

Samples were reviewed following procedures outlined in the USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review (USEPA 2008), USEPA Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Data Review (USEPA 2010), and the Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia 2009).



The above guidelines provided the criteria to review the data. Additional quantitative criteria are given in the analytical methods. Qualifiers assigned by the data reviewer have been applied to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. The various qualifiers are explained in **Tables 1** and **2** below:

TABLE 1 Laboratory Data Qualifiers

Lab Qualifier	Definition
U	Analyte was not detected at or above the reporting limit.
*	LCS, LCSD, MS, MSD, MD or surrogate exceeds the control limits.
Е	Result exceeded the calibration range, secondary dilution required.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
X	Spike recovery exceeds upper or lower control limits.
F	MS, MSD or RPD exceeds upper or lower control limits.
Р	The difference between the results of the two GC columns is greater than 40%
Н	Sample was prepped or analyzed beyond the specified holding time.
В	Compound was found in the blank and sample.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
۸	ICV, CCV, ICB, CCB, ISA, ISB, CRI, CRA, DLCK, or MRL standard: Instrument related QC exceeds the control limits.

TABLE 2 URS Data Qualifiers

	Definition
U	The analyte was analyzed for but was not detected above the reported sample quantitation limit.
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
R	The sample results were rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

Based on the criteria outlined, it is recommended that the results reported for these analyses are accepted for their intended use. Acceptable levels of accuracy, precision, and representativeness (based on MS/MSD, LCS, surrogate compounds and field duplicate results) were achieved for this data set, except where noted in this report. In addition, analytical completeness, defined as the



percentage of analytical results that are judged to be valid, including estimated detect/non-detect (**J/UJ**) data was 100 percent, which meets the completeness goal of 95 percent.

The data review included evaluation of the following criteria:

Organics

- Data package completeness
- Laboratory case narrative/cooler receipt form and sample holding times
- Laboratory method blanks, field equipment blanks and trip blank samples
- Laboratory control sample (LCS) recoveries
- Surrogate spike recoveries
- Matrix spike/matrix spike duplicate (MS/MSD) sample recoveries and relative percent difference (RPD) values
- Internal Standard (IS) recoveries
- Laboratory duplicate results
- Field duplicate results
- · Results reported from dilutions
- Additional qualifications

Inorganics/General chemistry

- Data package completeness
- Laboratory case narrative/cooler receipt form and sample holding times
- Laboratory method blank and field equipment blank samples
- LCS recoveries
- MS/MSD sample recoveries and matrix duplicate RPD values
- Field duplicate and laboratory duplicate results
- Results reported from dilutions
- Additional qualifications

The following sections present the results of the data review.



2.0 RECEIPT CONDITION AND SAMPLE HOLDING TIMES

Sample holding time requirements for the analyses performed are presented in the methods and/or in the data review guidelines. Review of the sample collection, extraction and analysis dates involved comparing the chain-of-custody and the laboratory data summary forms for accuracy, consistency, and holding time compliance.

The cooler receipt forms for SDGs KPS102, KPS103, KPS104, and KPS105 indicated that coolers were received by the laboratory at temperatures below the 4° C \pm 2° C criteria. The samples were received in good condition; therefore no qualification of data was required.

The cooler receipt form for SDG KPS103 indicated two out of three VOA vials for matrix spike sample CPA-A-MHU-1113 MS were received by the laboratory with headspace. The remaining vials without headspace contained sufficient sample to complete all requested analyses; therefore no qualification of data was required.

Additionally, the cooler receipt form for SDG KPS104 indicated samples CPA-C-DHU-F(0.2)-1113 and CPA-C-SHU-F(0.2)-1113 were received at a pH >2 for dissolved organic carbon; please see section 10.0 of this report for qualifications

3.0 TRIP BLANKS, LABORATORY METHOD BLANK AND EQUIPMENT BLANK SAMPLES

Trip blank samples are used to assess VOC cross contamination of samples during shipment to the laboratory. Trip blanks were submitted with each cooler shipped containing samples for VOC analyses for a total of four trip blank sample sets. Trip blank samples were non-detect.

Laboratory method blank samples evaluate the existence and magnitude of contamination problems resulting from laboratory activities. Laboratory method blank samples were analyzed at the method prescribed frequencies. Method blank samples were non-detect.

Equipment blank samples are used to assess the effectiveness of equipment decontamination procedures. Analytes detected in the equipment blank are summarized in the table below.

SDG	Blank ID	Parameter	Analyte	Concentration/Amount
KPS103	CPA-B-MHU-1113-EB	VOCs	Chlorobenzene	5.0 ug/L
KPS104	CPA-C-MHU-1113-EB	VOCs	Chlorobenzene	15 ug/L
KPS104	CPA-C-MHU-1113-EB	VOCs	1,2-Dichlorobenzene	62 ug/L
KPS104	CPA-C-MHU-1113-EB	VOCs	1,3-Dichlorobenzene	6.5 ug/L
KPS104	CPA-C-MHU-1113-EB	VOCs	1,4-Dichlorobenzene	69 ug/L

Analytical data reported non-detect or at concentrations greater than five times (5X) the associated blank concentration did not require qualification. No qualification of data was required.



4.0 SURROGATE SPIKE RECOVERIES

Surrogate compounds are used to evaluate overall laboratory performance for sample preparation efficiency on a per sample basis. Samples analyzed for VOCs were spiked with surrogate compounds during sample preparation. USEPA National Functional Guidelines for Superfund Organic Methods Data Review (USEPA 2008) state how data is qualified when surrogate spike recoveries do not meet acceptance criteria.

Groundwater surrogate recoveries were within evaluation criteria, with the exception summarized in the following table.

Sample ID	Parameter	Surrogate	Recovery	Criteria
4Q13 CPA Trip Blank	VOCs	Dibromofluoromethane	132	70-130
4Q13 CPA Trip Blank #2	VOCs	Dibromofluoromethane	131	70-130
4Q13 CPA Trip Blank #4	VOCs	Dibromofluoromethane	131	70-130

Surrogates that were associated with quality control samples or were diluted out and not recovered did not require qualification. No qualification of data was required.

5.0 LABORATORY CONTROL SAMPLE RECOVERIES

Laboratory control samples (LCS) are analyzed with each analytical batch to assess the accuracy of the analytical process. LCS recoveries were within evaluation criteria, with the exception summarized in the following table.

LCS ID	Parameter	Analyte	LCS Recovery	LCS Criteria
LCS 680-303565/14	General chemistry	Nitrate	111	90-110
LCS 680-303622/14	General chemistry	Nitrate	113	90-110

Analytical data that required qualification based on LCS data are included in the table below. Analytical data reported as non-detect and associated with LCS recoveries above evaluation criteria, indicating a possible high bias, did not require qualification.

Sample ID	Parameter	Analyte	Qualification
CPA-C-SHU-1113	General chemistry	Nitrate	J
CPA-D-SHU-1113	General chemistry	Nitrate	J

6.0 MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) SAMPLES

MS/MSD samples are analyzed to assess the accuracy and precision of the analytical process on an analytical sample in a particular matrix. MS/MSD samples were required to be collected at a frequency of one per 20 investigative samples in accordance with the work plan. URS



Corporation submitted one MS/MSD sample set for 12 investigative samples meeting the work plan frequency requirement.

Groundwater samples spiked and analyzed as MS/MSDs and their respective recoveries were within evaluation criteria with the exception summarized in the following table:

SDG	MS/MSD ID	Parameter	Analyte	MS/MSD Recovery (%)	RPD	MS/MSD/ RPD Criteria
KPS103	CPA-A-MHU-1113	VOCs	Benzene	82/ 67	6	74-123/30

USEPA National Functional Guidelines for Organic Data Review indicates that organic data does not require qualification based on MS/MSD data alone and LCS recoveries were within evaluation criteria. Manganese MS/MSD recoveries in sample CPA-C-SHU-1113, dissolved organic carbon MS/MSD recoveries in sample CPA-C-SHU-F(0.2)-1113, and sulfate MS/MSD recoveries in sample CPA-D-MHU-1113, could not be evaluated because the sample concentrations were greater than four times (4X) the matrix spike concentration. No qualification of data was required.

7.0 FIELD DUPLICATE RESULTS

Field duplicate results are used to evaluate precision of the entire data collection activity, including sampling, analysis and site heterogeneity. When results for both duplicate and sample values are greater than five times the practical quantitation limit (PQL), satisfactory precision is indicated by an RPD less than or equal to 25 percent for aqueous samples. Where one or both of the results of a field duplicate pair are reported at less than five times the PQL, satisfactory precision is indicated if the field duplicate results agree within two times the quantitation limit. Field duplicate results that do not meet these criteria may indicate unsatisfactory precision of the results.

Two pairs of field duplicate samples were collected for the twelve investigative groundwater samples. This satisfies the requirement in the work plan (one per ten investigative samples or ten percent). Groundwater field duplicate RPDs were within evaluation criteria.

Additionally, six samples were analyzed as laboratory duplicates. Sample CPA-A-DHU-1113 was duplicated and analyzed for sulfate, sample CPA-B-SHU-1113 was duplicated and analyzed for total organic carbon, and sample CPA-C-SHU-1113 was duplicated and analyzed for total organic carbon. Sample CPA-D-SHU-1113 was duplicated and analyzed for alkalinity and free carbon dioxide, sample CPA-D-DHU-1113 was duplicated and analyzed for sulfate, and sample CPA-D-MHU-F(0.2)-1113 was duplicated and analyzed for dissolved organic carbon. Laboratory duplicate RPDs were within evaluation criteria.



8.0 INTERNAL STANDARD RESPONSES

Internal standard (IS) performance criteria ensure that the GC/MS sensitivity and response are stable during each analytical run. IS areas must be within -50 percent to +100 percent for VOCs.

The internal standards area responses for VOCs were verified for the data review. VOC IS responses met the criteria as described above for all groundwater samples. No qualification of data was required.

9.0 RESULTS REPORTED FROM DILUTIONS

VOCs, sulfate, chloride, nitrate, and total and dissolved organic carbon results for groundwater samples were diluted when high levels of target analytes were present. The diluted sample results for these analytes were reported for the associated samples.

10.0 ADDITIONAL QUALIFICATIONS

Calibration recoveries were outside evaluation criteria for nitrate in the following samples; data qualifications are included below.

Sample ID	Parameter	Analyte	Qualification
CPA-C-MHU-1113	General chemistry	Nitrate	UJ
CPA-C-DHU-1113	General chemistry	Nitrate	UJ
CPA-D-MHU-1113	General chemistry	Nitrate	UJ
CPA-D-SHU-1113	General chemistry	Nitrate	UJ

Additionally, dissolved organic carbon and dissolved metals samples were received at a pH>2. The pH was appropriately adjusted for the dissolved metals samples. Analytical data requiring qualification are included in the following table.

Sample ID	Parameter	Analyte	Qualification
CPA-C-DHU-F(0.2)-1113	General chemistry	Dissolved organic carbon	J
CPA-C-SHU-F(0.2)-1113	General chemistry	Dissolved organic carbon	J



Appendix D Groundwater Analytical Results (with Data Review Reports)

4Q 2013 CPA Data Review

Laboratory SDG: KPS102

Data Reviewer: Melissa Mansker Peer Reviewer: Elizabeth Kunkel

Date Reviewed: 12/10/2013

Guidance: USEPA National Functional Guidelines for Superfund Organic Methods Data Review 2008. USEPA National Functional Guidelines for Superfund

Inorganic Data Review 2010

Work Plan: Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia

2009)

Sample Identification				
CPA-A-SHU-1113	CPA-A-SHU-F(0.2)-1113			
4Q13 CPA Trip Blank				

1.0 Data Package Completeness

Were all items delivered as specified in the QAPP and COC as appropriate?

Yes

2.0 Laboratory Case Narrative \ Cooler Receipt Form

Were problems noted in the laboratory case narrative or cooler receipt form?

Yes, the laboratory case narrative indicated the VOC surrogate recovery for dibromofluoromethane was outside evaluation criteria in sample 4Q13 CPA Trip Blank. Sample CPA-A-SHU-1113 was diluted due to high levels of VOCs and sulfate. These issues are addressed further in the appropriate sections below.

The cooler receipt form indicated that one of one coolers was received by the laboratory at a temperature of 1.4°C, which is outside the 4°C \pm 2°C criteria. The samples were received in good condition; therefore no qualification of data was required.

3.0 Holding Times

Were samples extracted/analyzed within applicable limits?

Yes

4.0 Blank Contamination

Were any analytes detected in the Method Blanks, Field Blanks or Trip Blanks?

No

5.0 Laboratory Control Sample

Were LCS recoveries within evaluation criteria?

Yes

6.0 Surrogate Recoveries

Were surrogate recoveries within evaluation criteria?

No

Sample ID	Parameter	Surrogate	Recovery	Criteria
4Q13 CPA Trip Blank	VOCs	Dibromofluoromethane	132	70-130

Analytical data reported as non-detect and associated with surrogate recoveries above evaluation criteria, indicating a possible high bias, did not require qualification. Sample 4Q13 CPA Trip Blank is a quality control sample and is not qualified. No qualification of data was required.

7.0 Matrix Spike and Matrix Spike Duplicate Recoveries

Were MS/MSD samples collected as part of this SDG?

No

8.0 Internal Standard (IS) Recoveries

Were internal standard area recoveries within evaluation criteria?

Yes

9.0 Laboratory Duplicate Results

Were laboratory duplicate samples collected as part of this SDG?

No

10.0 Field Duplicate Results

Were field duplicate samples collected as part of this SDG?

No

11.0 Sample Dilutions

For samples that were diluted and nondetect, were undiluted results also reported?

Not applicable; analytes were detected in samples that were diluted.

12.0 Additional Qualifications


Were additional qualifications applied?

No

SDG KPS102

Results of Samples from Monitoring Wells:

CPA-A-SHU



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Savannah 5102 LaRoche Avenue Savannah, GA 31404 Tel: (912)354-7858

TestAmerica Job ID: 680-96111-1

TestAmerica Sample Delivery Group: KPS102 Client Project/Site: WGK - CPA GW 4Q13

For:

Solutia Inc.

575 Maryville Centre Dr. Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele K.Kersey

Authorized for release by: 11/27/2013 8:18:28 AM

Michele Kersey, Project Manager I (912)354-7858 michele.kersey@testamericainc.com

Reviewed on DEC 1 0 2013

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
	2
Case Narrative	3
Sample Summary	6
	7
	8
Detection Summary	9
- "	10
Surrogate Summary	13
	14
	20
Chronicle	22
Chain of Custody	23
Receipt Checklists	24
	25

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Job ID: 680-96111-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: WGK - CPA GW 4Q13

Report Number: 680-96111-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/13/2013 9:36 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples CPA-A-SHU-1113 (680-96111-1) and 4Q13 CPA Trip Blank (680-96111-3) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/20/2013 and 11/21/2013.

Surrogate recovery for the following sample was outside the upper control limit: 4Q13 CPA Trip Blank (680-96111-3). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Sample CPA-A-SHU-1113 (680-96111-1)[50X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

DISSOLVED GASES

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/15/2013.

No difficulties were encountered during the dissolved gases analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Sample CPA-A-SHU-F(0.2)-1113 (680-96111-2) was analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/14/2013 and analyzed on 11/16/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

DEC 1 0 2013

TestAmerica Savannah

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Job ID: 680-96111-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

METALS (ICP)

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/13/2013 and analyzed on 11/14/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

ALKALINITY

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/26/2013.

No difficulties were encountered during the alkalinity analysis.

All quality control parameters were within the acceptance limits.

CHLORIDE

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/21/2013.

No difficulties were encountered during the chloride analysis.

All quality control parameters were within the acceptance limits.

NITRATE-NITRITE AS NITROGEN

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/13/2013.

No difficulties were encountered during the nitrate-nitrite analysis.

All quality control parameters were within the acceptance limits.

SULFATE

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/19/2013.

Sample CPA-A-SHU-1113 (680-96111-1)[20X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the sulfate analysis.

All quality control parameters were within the acceptance limits.

TOTAL ORGANIC CARBON

Sample CPA-A-SHU-1113 (680-96111-1) was analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 11/23/2013.

No difficulties were encountered during the TOC analysis.

All quality control parameters were within the acceptance limits.

DISSOLVED ORGANIC CARBON (DOC)

Sample CPA-A-SHU-F(0.2)-1113 (680-96111-2) was analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 11/22/2013.

DEC 1 0 2013

TestAmerica Savannal

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Job ID: 680-96111-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

No difficulties were encountered during the DOC analysis.

All quality control parameters were within the acceptance limits.

DEC 1 0 2013

TestAmerica Savannah

Sample Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-96111-1	CPA-A-SHU-1113	Water	11/12/13 14:15	11/13/13 09:36
680-96111-2	CPA-A-SHU-F(0.2)-1113	Water	11/12/13 14:15	11/13/13 09:36
680-96111-3	4Q13 CPA Trip Blank	Water	11/12/13 00:00	11/13/13 09:36

DEC 1 0 2013

Method Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SAV
415.1	DOC	MCAWW	TAL SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

DEC 1 0 2013

TestAmerica Savannah

Definitions/Glossary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Qualifiers

GC/MS VOA

Qualifier

Qualifier Description

Ū

Indicates the analyte was analyzed for but not detected.

X Surrogate is outside control limits

GC VOA

Qualifier Qualifier Description

Indicates the analyte was analyzed for but not detected.

Metals

Qualifier Qualifier Description

ũ Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier

Qualifier Description

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

%R

Listed under the "D" column to designate that the result is reported on a dry weight basis Percent Recovery

CNF

Contains no Free Liquid

DER

Dil Fac

Duplicate error ratio (normalized absolute difference)

DL, RA, RE, IN

Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC MDA **EDL**

Decision level concentration Minimum detectable activity **Estimated Detection Limit**

MDC Minimum detectable concentration

MDL ML

Method Detection Limit Minimum Level (Dioxin)

NC

Not Calculated

ND

Not detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC

Quality Control Relative error ratio

RER RL

Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TestAmerica Savannah

Detection Summary

Result Qualifier

330

3600

200

1800

4.7

43

1.9

43

550

27

380

69

Result Qualifier

9600

Client: Solutia Inc.

Analyte

Benzene

Ethane

Iron

Chlorobenzene

Methane (TCD)

Manganese

Chloride

Sulfate

Analyte

Alkalinity

1,2-Dichlorobenzene

1,4-Dichlorobenzene

Total Organic Carbon

Carbon Dioxide, Free

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

Lab Sample ID: 680-96111-1

SDG: KPS102

Recoverable

Total/NA

Total/NA

Total/NA

Prep Type

Total/NA

Total/NA

Client Sample ID: CPA-A-SHU-1113

423						
	Prep Type	Method	: D	Dil Fac	MDL Unit	RL
	Total/NA	8260B)	50	ug/L	50
	Total/NA	8260B)	50	ug/L	50
	Total/NA	8260B)	50	ug/L	50
	Total/NA	8260B)	50	ug/L	50
	Total/NA	RSK-175	l	1	ug/L	1.1
	Total/NA	RSK-175	ſ	1	ug/L	0.58
	Total	6010C	1	1	mg/L	0.050
188	Recoverable					
- 33	Total	6010C	í	1	ma/l	0.010

20

Dil Fac D

mg/L

mg/L

mg/L

Unit

mg/L

mg/L

Client Sample ID: CPA-A-SHU-F(0.2)-1113

Lab	Sample	ID:	680-96111-2
-----	--------	-----	-------------

325.2

375.4

415.1

Method

310.1

310.1

Analyte	Result Qualifier	RL	MDL Unit	Dil Fac D	Method	Prep Type
Iron, Dissolved	42	0.050	mg/L	1	6010C	Dissolved
Manganese, Dissolved	1,8	0.010	mg/L	1	6010C	Dissolved
Dissolved Organic Carbon	8.5	1.0	mg/L	1	415.1	Dissolved

1.0

100

1.0

5.0

5.0

Client Sample ID: 4Q13 CPA Trip Blank

Lab Sample ID: 680-96111-3

No Detections.

DEC 1 0 2013
TestAmerica Savannah

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Client Sample ID: CPA-A-SHU-1113

Date Collected: 11/12/13 14:15 Date Received: 11/13/13 09:36 Lab Sample ID: 680-96111-1

Matrix: Water

Method: 8260B - Volatile Or Analyte	-	Qualifier	RL	MDL	Unit	Ð	Prepared	Analyzed	Dil Fac
Benzene	330	*********************	50		ug/L			11/21/13 15:08	50
Chlorobenzene	3600		50		ug/L			11/21/13 15:08	50
1,2-Dichlorobenzene	200		50		ug/L			11/21/13 15:08	50
1,3-Dichlorobenzene	50	U	50		ug/L			11/21/13 15:08	50
1,4-Dichlorobenzene	1800		50		ug/L			11/21/13 15:08	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130					11/21/13 15:08	50
Dibromofluoromethane	94		70 - 130					11/21/13 15:08	50
Toluene-d8 (Surr)	101		70 - 130					11/21/13 15:08	50
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dii Fac
Ethane	4.7		1.1		ug/L			11/15/13 15:09	1
Ethylene	1.0	U	1.0		ug/L			11/15/13 15:09	1
Methane (TCD)	9600		0,58		ug/L			11/15/13 15:09	1
Method: 6010C - Metals (ICI	P) - Total Recoverat	ole							
Analyte		Qualifier	RL	₩DL	Unit	D	Prepared	Analyzed	Dii Fac
ron	43		0.050		mg/L		11/13/13 15:13	11/14/13 18:47	1
Manganese ,	1.9	•	0.010		mg/L		11/13/13 15:13	11/14/13 18:47	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	43		1.0		mg/L			11/21/13 09:28	1
Nitrate as N	0.050	U	0.050		mg/L			11/13/13 16:35	1
Sulfate	550		100		mg/L			11/19/13 16:07	20
	27		1.0		mg/L			11/23/13 08:00	1
Total Organic Carbon			RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
_	Result	Qualifier	KL		O THE	-			Dirac
Total Organic Carbon Analyte Alkalinity	Result 380	Qualifier	5.0		mg/L			11/26/13 13:26	1

DEC 1 0 2013

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Client Sample ID: CPA-A-SHU-F(0.2)-1113

Date Collected: 11/12/13 14:15 Date Received: 11/13/13 09:36 Lab Sample ID: 680-96111-2

Matrix: Water

	Method: 6010C - Metals (ICP) - Diss	solved								
-	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Iron, Dissolved	42	hard the state of the control of the state o	0.050		mg/L	_	11/14/13 17:25	11/16/13 07:42	1
	Manganese, Dissolved	1.8		0.010		mg/L		11/14/13 17:25	11/16/13 07:42	1

 General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	8.5		1.0	*,,	mg/L	****	****	11/22/13 21:13	1

DEC 1 0 2013

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Client Sample ID: 4Q13 CPA Trip Blank

Date Collected: 11/12/13 00:00 Date Received: 11/13/13 09:36 Lab Sample ID: 680-96111-3

Matrix: Water

Method: 8260B - Volatile Or	ganic Compounds	(GC/MS)						
Analyte	Result	Qualifier	RL-	MDL Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	Ū	1.0	ug/L			11/20/13 10:24	1
Chlorobenzene	1.0	U	1.0	ug/L			11/20/13 10:24	1
1,2-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 10:24	1
1,3-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 10:24	1
1,4-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 10:24	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 130				11/20/13 10:24	1
Dibromofluoromethane	132) _X	70 - 130				11/20/13 10:24	1
Toluene-d8 (Surr)	87		70 130				11/20/13 10:24	1

DEC 1 0 2013

TestAmerica Savannah

Surrogate Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

				Percent Surro	gate Recovery (Acceptance Limits)
		BFB	DBFM	TOL	
_ab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)	
580-96111-1	CPA-A-SHU-1113	95	94	101	
880-96111-3	4Q13 CPA Trip Blank	106	132 X	97	
CS 680-304112/3	Lab Control Sample	107	125	103	
CS 680-304391/4	Lab Control Sample	87	94	101	
CSD 680-304112/4	Lab Control Sample Dup	110	118	103	
CSD 680-304391/5	Lab Control Sample Dup	89	97	102	
MB 680-304112/7	Method Blank	104	127	95	
MB 680-304391/8	Method Blank	91	108	96	

Surrogate Legend

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

DEC 1 0 2013

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-304112/7

Matrix: Water

Analysis Batch: 304112

Client	Sample ID: Method Blank
	Prep Type: Total/NA

	MB	MB							
nalyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
nzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
ilorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1

		МВ	MB					W AND
	Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	2000
	4-Bromofluorobenzene	104		70 - 130	Note an account and the Add to the account of the a	11/20/13 09:53	1	200
	Dibromofluoromethane	127		70 - 130		11/20/13 09:53	1	27,23.2
-	Toluene-d8 (Surr)	95		70 - 130		11/20/13 09:53	1	

Lab Sample ID: LCS 680-304112/3

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	50.0	50.6		ug/L		101	74 - 123	***************************************
Chlorobenzene	50.0	53.9		ug/L		108	79 - 120	
1,2-Dichlorobenzene	50.0	50.5		ug/L		101	77 - 124	
1,3-Dichlorobenzene	50.0	48.9		ug/L		98	79 - 123	
1,4-Dichlorobenzene	50.0	51.5		ug/L		103	76 - 124	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	107		70 - 130
Dibromofluoromethane	125		70 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCSD 680-304112/4

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	50.0	51.6		ug/L		103	74 - 123	2	30
Chlorobenzene	50.0	50.9		ug/L		102	79 - 120	6	30
1,2-Dichtorobenzene	50.0	51,6		цg/L		103	77 - 124	2	30
1,3-Dichtorobenzene	50.0	50.2		ug/L		100	79 - 123	3	30
1,4-Dichlorobenzene	50,0	51.7		ug/L		103	76 - 124	0	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	110		70 - 130
Dibromofluoromethane	118		70 - 130
Toluene-d8 (Surr)	103		70 - 130

TestAmerica Savannáh

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-304391/8

Matrix: Water

Analysis Batch: 304391

Client Sample ID: Method Blank

Prep Type: Total/NA

ŧ		MP	MD							
1	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
i	Benzene	1.0	Ū	1.0		ug/L			11/21/13 13:38	1
1	Chlorobenzene	1,0	U	1.0		ug/L			11/21/13 13;38	1
	1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/21/13 13:38	1
4	1,3-Dichlorobenzene	1.0	U	1,0		ug/L			11/21/13 13:38	1
1	1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/21/13 13;38	1
ì										

MB MB Dil Fac Analyzed Surrogate %Recovery Qualifier Limits Prepared 11/21/13 13:38 70 - 130 4-Bromofluorobenzene 91 11/21/13 13:38 Dibromofluoromethane 108 70 - 130 Toluene-d8 (Surr) 96 70 - 130 11/21/13 13:38

Lab Sample ID: LCS 680-304391/4 Client Sample ID: Lab Control Sample Matrix: Water

Prep Type: Total/NA Analysis Batch: 304391

•	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	50.0	47.5		ug/L		95	74 - 123	,,-,,,
Chlorobenzene	50.0	48.4		ug/L		97	79 - 120	
1,2-Dichlorobenzene	50.0	43.3		ug/L		٠ 87	77 - 124	
1,3-Dichlorobenzene	50.0	40.6		ug/L		81	79 - 123	
1,4-Dichtorobenzene	50.0	41.8		ug/L		84	76 - 124	

LCS LCS Limits Surrogate %Recovery Qualifier 4-Bromofluorobenzene 87 70 - 130 70 - 130 Dibromofluoromethane 94 Toluene-d8 (Surr) 70 - 130 101

Lab Sample ID: LCSD 680-304391/5 Client Sample ID: Lab Control Sample Dup Matrix: Water Prep Type: Total/NA

Analysis Batch: 304391

Spike LCSD LCSD %Rec. RPD %Rec Limits Limit Analyte Added Result Qualifier Unit 47.8 74 - 123 30 Benzene 50.0 ug/L 96 79 - 120 Chlorobenzene 50.0 49.6 99 30 ug/L 77 - 124 87 1,2-Dichlorobenzene 50.0 43.4 ug/L 0 30 1,3-Dichlorobenzene 50.0 41.2 ug/L 82 79 - 123 30 76 - 124 1,4-Dichlorobenzene ug/L

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	89	*	70 - 130
Dibromofluoromethane	97		70 - 130
Toluene-d8 (Surr)	102		70 - 130

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

SDG: KPS102

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-303419/8

Matrix: Water

Ethane

Ethylene

Methane

Analysis Batch: 303419

Citent Sample ID: Method Blank
Prep Type: Total/NA

MB MB Result Qualifier MDL Unit Prepared Analyzed Oil Fac 1.1 U 1.1 ug/L 11/15/13 11:11 1.0 11/15/13 11:11 1.0 U ug/L 11/15/13 11:11 ug/L 0.58 U 0.58 11/15/13 11:11 0.58 U 0.58 ug/L

Lab Sample ID: LCS 680-303419/11

Matrix: Water

Methane (TCD)

Analysis Batch: 303419

1	Allalysis Datcii. 303415								
		Spike	LCS	LCS				%Rec.	
	Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
	Methane (TCD)	1920	2210	-101/111/-110/1	ug/L		115	75 - 125	

Lab Sample ID: LCS 680-303419/9

Matrix: Water

Analysis Batch: 303419

		Spike	LCS	LCS				%Rec.	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
Ethane	A1124/A1174/2004/A1124/A1124/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1174/A1	288	295	***************************************	ug/L	_	102	75 - 125	PRIORISMONIO LEGISLANDO
Ethylene		269	276		ug/L		102	75 - 125	
Methane	,	154	` 150		ug/L	•	97	75 - 125	`

Lab Sample ID: LCSD 680-303419/10

Matrix: Water

	Analysis Batch: 303419										
1		Spike	LCSD	LCSD				%Rec.		RPD)
į	Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limi	t
	Ethane	288	303		ug/L		105	75 - 125	2	30	
-	Ethylene	269	279		ug/L		104	75 - 125	1	. 30)
1	Methane	154	154		ug/L		100	75 - 125	3	30)

Lab Sample ID: LCSD 680-303419/12

Matrix: Water

Analysis Batch: 303419									
	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Methane (TCD)	1920	2180	***************************************	ug/L		113	75 - 125	1	30

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 6

Matrix: Water

Analysis Batch: 3034

680-303079/1-A	Client Sample ID: Method Blank
	Prep Type: Total Recoverable
420	Prep Batch: 303079
MB MB	

	MID	MD									
Analyte	Result	Qualifier	RL	MDL	Unit		D	Prepared	Analyzed	Dil Fac	
Iron	0.050	Ū	0.050		mg/L			11/13/13 15:13	11/14/13 17:17	1	
Manganese	0.010	U	0.010		mg/L			11/13/13 15:13	11/14/13 17:17	1	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Lab Sample ID: LCS 680-303079/2-AClient Sample ID: Lab Control SampleMatrix: WaterPrep Type: Total RecoverableAnalysis Batch: 303420Prep Batch: 303079

LCS LCS Spike Analyte Added Result Qualifier Unit %Rec Limits iron 5.00 4.96 mg/L 99 75 - 125 101 75 - 125 Manganese 0.500 0,506 mg/L

Lab Sample ID: MB 680-303335/1-A

Matrix: Water

Analysis Batch: 303580

Client Sample ID: Method Blank Prep Type: Total Recoverable

Prep Batch: 303335

MR MR Prepared Dil Fac Analyte Result Qualifier RL MDL Unit Analyzed Iron, Dissolved 0,050 U 0.050 mg/L 11/14/13 17:25 11/16/13 07:33 Manganese, Dissolved 0.010 U 0.010 mg/L 11/14/13 17:25 11/16/13 07:33

Lab Sample ID: LCS 680-303335/2-A

Matrix: Water

Analysis Batch: 303580

Client Sample ID: Lab Control Sample Prep Type: Total Recoverable

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Type: Total/NA

Prep Batch: 303335

Spike LCS LCS Analyte Limits Added Result Qualifier Unit D %Rec 75 - 125 Iron, Dissolved 5,00 4 94 mg/L 99 Manganese, Dissolved 0.500 0.496 mg/L 99 75 - 125

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-305221/5

Matrix: Water

Client Sample ID: Method Blank
Prep Type: Total/NA

Macrix. Trace.

Analysis Batch: 305221

	MB	MB							
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	Ū	5,0	ESTATE OF STREET STREET, CONTRACTOR OF	mg/L			11/26/13 13:10	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/26/13 13:10	1

Lab Sample ID: LCS 680-305221/6

Matrix: Water

Analysis Batch: 305221

•	Spike	LCS	LCS				%Rec.		
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Alkalinity	250	238		mg/L	-	95	80 . 120	***************************************	***************************************

Lab Sample ID: LCSD 680-305221/32 Client Sample ID: Lab Control Sample Dup

Matrix: Water

Analysis Batch: 305221

,	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added		Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Alkatinity	250	221		mg/L		88	80 - 120	- /	30

DEC 1 0 2013
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc. TestAmerica Job ID: 680-96111-1 Project/Site: WGK - CPA GW 4Q13 SDG: KPS102 Method: 325.2 - Chloride Lab Sample ID: MB 680-304432/39 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 304432 MB MB Analyte Result Qualifier MDL Unit Analyzed Dil Fac RL Chloride 1.0 Ū 1.0 mg/L 11/21/13 11:05 Lab Sample ID: LCS 680-304432/19 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA Analysis Batch: 304432 Spike LCS LCS %Rec. Added Result Qualifier Limits Analyte Unit D %Rec Chloride 85 - 115 50.0 49.9 mg/L 100 Method: 353.2 - Nitrogen, Nitrate-Nitrite Lab Sample ID: MB 680-303116/13 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 303116 MB MB Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac Nitrate as N 0.050 U 0.050 mg/L 11/13/13 16:17 Lab Sample ID: LCS 680-303116/14 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA Analysis Batch: 303116 LCS LCS %Rec. Spike Analyte Added D %Rec Limits Result Qualifier Unit Nitrate as N 0.497 0.499 100 90 - 110 mg/L Nitrate Nitrite as N 90.110 0.997 1.00 mg/L 101 Nitrite as N 0.500 0.504 mg/L 101 90 - 110 Method: 375.4 - Sulfate Lab Sample ID: MB 680-304073/25 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 304073 MB MB Analyte Result Qualifier RL Unit Analyzed Dil Fac Prepared Sulfate 5.0 5.0 mg/L 11/19/13 15:45 Lab Sample ID: LCS 680-304073/28 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA

DEC 1 0 2013
TestAmerica Savannah

%Rec.

Limits

75 - 125

%Rec

101

D

Unit

mg/L

Spike

Added

20.0

LCS LCS

20.1

Result Qualifier

Analysis Batch: 304073

Analyte

Sulfate

QC Sample Results

TestAmerica Job ID: 680-96111-1 Client: Solutia Inc. Project/Site: WGK - CPA GW 4Q13 SDG: KPS102 Method: 415.1 - DOC Client Sample ID: Method Blank Lab Sample ID: MB 680-304592/2-A Prep Type: Dissolved Matrix: Water Analysis Batch: 304878 мв мв RL MDL Unit Analyzed Dil Fac Analyte Result Qualifier Dissolved Organic Carbon 1.0 U 1,0 mg/L 11/22/13 19:46 Client Sample ID: Lab Control Sample Lab Sample ID: LCS 680-304592/1-A Matrix: Water Prep Type: Dissolved Analysis Batch: 304878 Spike LCS LCS %Rec. Result Qualifier Limits Added Unit %Rec 80 - 120 Dissolved Organic Carbon 20.0 18.8 mg/L 94 Method: 415.1 - TOC Client Sample ID: Method Blank Lab Sample ID: MB 680-304875/26 Prep Type: Total/NA Matrix: Water Analysis Batch: 304875 MB MB Dil Fac Analyte Result Qualifier RL MDL Unit Prepared Analyzed Total Organic Carbon 1.0 U 1,0 mg/L 11/23/13 00:57 Client Sample ID: Lab Control Sample Lab Sample ID: LCS 680-304875/34

LCS LCS

18,7

Result Qualifier

Unit

mg/L

Spike

Added

20.0

Matrix: Water

Total Organic Carbon

Analyte

Analysis Batch: 304875

Prep Type: Total/NA

%Rec.

Limits

BO - 120

%Rec

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

GC/MS VOA					
Analysis Batch: 30411	2				
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96111-3	4Q13 CPA Trip Blank	Total/NA	Water	8260B	
LCS 680-304112/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-304112/4	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-304112/7	Method Blank	Total/NA	Water	8260B	
Analysis Batch: 30439	1				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	8260B	
LCS 680-304391/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-304391/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-304391/8	Method Blank	Total/NA	Water	82608	
GC VOA					**************************************
Analysis Batch: 30341	9	******			
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	RSK-175	
LCS 680-303419/11	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-303419/9	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-303419/10	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-303419/12	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-303419/8	Method Blank	Total/NA	Water	RSK-175	-
Metals					
Prep Batch: 303079					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total Recoverable	Water	3005A	
LCS 680-303079/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-303079/1-A	Method Blank	Total Recoverable	Water	3005A	
Prep Batch: 303335					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-2	CPA-A-SHU-F(0.2)-1113	Dissolved	Water	3005A	
LCS 680-303335/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-303335/1-A	Method Blank	Total Recoverable	Water	3005A	
Analysis Batch: 30342	0				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total Recoverable	Water	6010C	303079
LCS 680-303079/2-A	0FA-A-0110-1110				
	Lab Control Sample	Total Recoverable	Water	6010C	303079
MB 680-303079/1-A		Total Recoverable Total Recoverable	Water Water	6010C 6010C	
MB 680-303079/1-A	Lab Control Sample Method Blank				303079 303079
MB 680-303079/1-A	Lab Control Sample Method Blank				
MB 680-303079/1-A Analysis Batch: 30358	Lab Control Sample Method Blank	Total Recoverable	Water	6010C	303079
MB 680-303079/1-A Analysis Batch: 30358 Lab Sample ID	Lab Control Sample Method Blank 0 Client Sample ID	Total Recoverable Prep Type	Water Matrix	6010C Method	303079 Prep Batch

DEC 1 0 2013
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

General Chemistry					
Analysis Batch: 30311	6				
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	353.2	
LCS 680-303116/14	Lab Control Sample	Total/NA	Water	353.2	
MB 680-303116/13	Method Blank	Total/NA	Water	353.2	
Analysis Batch: 30407	3				
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	375.4	50-112-541-450-1741-00-0-00-0-0-112-01
LCS 680-304073/28	Lab Control Sample	Total/NA	Water	375.4	
MB 680-304073/25	Method Blank	Total/NA	Water	375.4	
Analysis Batch: 30443	2				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96111-1	CPA-A-SHU-1113	Tolai/NA	Water	325.2	
LCS 680-304432/19	Lab Control Sample	Total/NA	Water	325.2	
MB 680-304432/39	Method Blank	Total/NA	Water	325.2	
iltration Batch: 30459	2				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
LCS 680-304592/1-A	Lab Control Sample	Dissolved	Water	FILTRATION	
MB 680-304592/2-A	Method Blank	Dissolved	Water	FILTRATION	
nalysis Batch: 30487	5 .		,		`
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	415.1	
LCS 680-304875/34	Lab Control Sample	Total/NA	Water	415.1	
MB 680-304875/26	Method Blank	Total/NA	Water	415.1	
nalysis Batch: 30487	8				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
680-96111-2	CPA-A-SHU-F(0.2)-1113	Dissolved	Water	415.1	AAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
LCS 680-304592/1-A	Lab Control Sample	Dissolved	Water	415,1	30459
MB 680-304592/2-A	Method Blank	Dissolved	Water	415,1	30459
nalysis Batch: 30522	1				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
680-96111-1	CPA-A-SHU-1113	Total/NA	Water	310.1	
LCS 680-305221/6	Lab Control Sample	Total/NA	Water	310.1	•
LCSD 680-305221/32	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-305221/5	Method Blank	Total/NA	Water	310.1	

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Client Sample ID: CPA-A-SHU-1113

Date Collected: 11/12/13 14:15 Date Received: 11/13/13 09:36

Lab Sample ID: 680-96111-1

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		50	304391	11/21/13 15:08	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	303419	11/15/13 15:09	AJMC	TAL SAV
Total Recoverable	Prep	3005A			303079	11/13/13 15:13	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	303420	11/14/13 18:47	BCB	TAL SAV
Total/NA	Analysis	353,2		1	303116	11/13/13 16:35	CRW	TAL SAV
Total/NA	Analysis	375.4		20	304073	11/19/13 16:07	JME	TAL SAV
Total/NA	Analysis	325.2		1	304432	11/21/13 09:28	JME	TAL SAV
Total/NA	Analysis	415.1		1	304875	11/23/13 08:00	CMP	TAL SAV
Total/NA	Analysis	310.1		1	305221	11/26/13 13:26	LBH	TAL SAV

Client Sample ID: CPA-A-SHU-F(0.2)-1113

Date Collected: 11/12/13 14:15

Date Received: 11/13/13 09:36

Lab Sample ID: 680-96111-2

Matrix: Water

Batch Batch Dilution Batch Prepared Prep Type Туре Method Run Factor Number or Analyzed Analyst Dissolved Prep 3005A 303335 11/14/13 17:25 DAS TAL SAV Dissolved TAL SAV Analysis 6010C 1 303580 11/16/13 07:42

Client Sample ID: 4Q13 CPA Trip Blank

Analysis

415.1

Date Collected: 11/12/13 00:00

Date Received: 11/13/13 09:36

ah	Sami	nle	ID:	680-9611	1-3
_0.0	Call	~ ~		000-JUL	

TAL SAV

304878 11/22/13 21:13 CMP

Matrix: Water

 •••	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	304112	11/20/13 10:24	JD1	TAL SAV

Laboratory References:

Dissolved

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858













TestAmerica

Chain of Custody Record

Savannah 5102 LaRoche Avenue

Savannah, GA 31404 nhone 912 354 7888 few 912 352 0165				•			T. Cont. A. Strand	Total & money I also make a Trans
Client Contact	Project Manager: Bob Billman		Site Contac	Site Contact: Michael Corbett	Γ	Total State of State	COC No:	COC No:
URS Corporation	Tel/Fax: (314) 743-4108		Lab Contac	Lab Contact: Michele Kersev	Τ	Carrier: POS TX	jo	COCs
1001 Highlands Plaza Drive West, Suite 300	Analysis Turnaround Time			-			Job No.	
St. Louis, MO 63110	Calendar (C) or Work Days (W)			*\$ <i>L</i> (
	TAT if different from Below Spraderd	E						
(314) 429-0462 FAX	2 weeks				10B		SDG No.	
Project Name: 4Q13 CPA GW Sampling	T T		8101		09 /			
Site: Solutia WG Krummrich Facility	2 days			2.275	նզ այ			
PO#	. 1 day		0971	323°	W/o4			
Sample Identification	Sample Sample Sample Date Time Type Ma	# of Matrix Cont	YOCs by F	AlléCO2 I Chloride I Dissolved Mitrate by	TOC by 4		Samp	Sample Specific Notes:
CPA-A - SH4-1113	11/2/13 1415 G Wa	Water 12	3 1	1. 1 3 2	1			
CPA- A - S [1] F(0.2)-1113	11/12/13 14/5 C Wa	Water 2	x		1 1			***************************************
. CPA1113	G . Wa	Water 12	3 1	1 1 3 2	1			
CPAF(0.2)-1113	G Wa	Water 2	×		1 1			
. CPA1113	G Wa	Water 12	3 1	1 1 3 2	1			
CPAF(0.2)-1113	ew G Wa	Water 2	х		1 1			λρο ₁ s
CPA1113	G Wa	Water 12	3 1	1 1 3 2	1			Sn _O
CPAF(0.2)-1113	G Wa	Water 2	×		1 1			o uis
CPA1113	G Wa	Water 12	3 1	1 1 3 2	1			40
CPA	G Wa	Water 2	×		1 1			1196
			·					-099
4Q13 CPA Trip Blank #		Water 2	2					
= HCl; 3= H2SO4; 4=HNO3;	5=NaOH; 6= Other		2 4	1 1 1 3.1	2 4 2			
Possible Hazard Identification	Poison B Inknown		Sample	le Disposal (A fe Retum To Client	e may be a	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month,	e retained longer ti] Archive For	nan 1 month) Months
Special Instructions/QC Requirements & Comments:		**		(•		,	140
Relimbushed Die LUM at the	URS	Date/Time: 154	Kent of	15 X 30	305	Company S	-	3 8936
Relinquished by:		Date/Time:	Received by:	C		Company:	Date/Time.	>
Relinquished by:	Сотрану: Дан	Date/Time:	, Received by:	þý:		Сотрапу:	Date/Time:	
								I

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-96111-1

SDG Number: KPS102

Login Number: 96111

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seats, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	,
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica Savannah

Page 24 of 25

DEC 1 0 2013

Certification Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96111-1

SDG: KPS102

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-15
A2LA	ISO/IEC 17025		399.01	02-28-15
Alabama	State Program	4	41450	06-30-14
Arkansas DEQ	State Program	6	88-0692	02-01-14
California	NELAP	9	3217CA	07-31-14
Colorado	State Program	8	N/A	12-31-13 *
Connecticut	State Program	1	PH-0161	03-31-15
Florida	NELAP	4	E87052	06-30-14
GA Dept. of Agriculture	State Program	4	N/A	12-31-13 *
Georgia	State Program	4	N/A	06-30-14
Georgia	State Program	4	803	06-30-14
Guam	State Program	9	09-005r	06-17-14
Hawaii	State Program	9	N/A	06-30-14
Illinois	NELAP	5	200022	11-30-13 *
Indiana	State Program	5	N/A	06-30-14
lowa	State Program	7	353	07-01-15
Kentucky	State Program	4	90084	12-31-13 *
Kentucky (UST)	State Program	4	18	06-30-14
_ouisiana	NELAP	6	30690	06-30-14
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-13 *
Massachusetts `	State Program	1	` M-GA006	06-30-14`
Michigan	State Program	5	9925	06-30-14
Mississippi	State Program	4	N/A	06-30-14
Montana	State Program	8	CERT0081	01-01-14 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-14
New Jersey	NELAP	2	GA769	06-30-14
New Mexico	State Program	6	N/A	06-30-14
New York	NELAP	2	10842	04-01-14
North Carolina DENR	State Program	4	269	12-31-13 *
North Carolina DHHS	· •	4	13701	07-31-14
Oklahoma	State Program	6	9984	08-31-14
	State Program NELAP	3	68-00474	06-30-14
Pennsylvania Puerto Rico				
	State Program	2	GA00006	01-01-14 *
South Carolina	State Program	4	98001 TN00004	06-30-14
Tennessee -	State Program	4	TN02961	06-30-14
Texas	NELAP	6	T104704185-08-TX	11-30-14
JSDA 	Federal	•	SAV 3-04	04-07-14
Virginia 	NELAP	3	460161	06-14-14
Washington	State Program	10	C1794	06-10-14
West Virginia	State Program	3	9950C	12-31-13 *
West Virginia DEP	State Program	3	94	06-30-14
Wisconsin	State Program	5	999819810	08-31-14
Wyoming	State Program	8	8TMS-L	06-30-14

DEC 1 0 2013

^{*} Expired certification is currently pending renewal and is considered valid.

4Q 2013 CPA Data Review

Laboratory SDG: KPS103

Data Reviewer: Melissa Mansker Peer Reviewer: Elizabeth Kunkel

Date Reviewed: 12/11/2013

Guidance: USEPA National Functional Guidelines for Superfund Organic Methods Data Review 2008. USEPA National Functional Guidelines for Superfund

Inorganic Data Review 2010

Work Plan: Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia

2009)

Sample Ide	entification
CPA-A-MHU-1113	CPA-A-MHU-F(0.2)-1113
CPA-A-DHU-1113	CPA-A-DHU-F(0.2)-1113
CPA-B-SHU-1113	CPA-B-SHU-F(0.2)-1113
CPA-B-MHU-1113	CPA-B-MHU-F(0.2)-1113
CPA-B-MHU-1113-EB	4Q13 Trip Blank #2
CPA-B-DHU-1113	CPA-B-DHU-F(0.2)1113

1.0 Data Package Completeness

Were all items delivered as specified in the QAPP and COC as appropriate? Yes

2.0 Laboratory Case Narrative \ Cooler Receipt Form

Were problems noted in the laboratory case narrative or cooler receipt form?

Yes, the laboratory case narrative indicated the VOC surrogate recovery for dibromofluoromethane was outside evaluation criteria in sample 4Q13 CPA Trip Blank #2. The benzene MSD recovery was outside evaluation criteria in sample CPA-A-MHU-1113. Samples were diluted to high levels of target analytes. Although not indicated in the laboratory case narrative, chlorobenzene was detected in the equipment blank. These issues are addressed further in the appropriate sections below.

The cooler receipt form indicated that two of two coolers were received by the laboratory at temperatures of 0.2°C and 0.6°C , which are outside the $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ criteria. The samples were received in good condition; therefore no qualification of data was required. Two out of three VOA vials for matrix spike sample CPA-A-MHU-1113 MS were received by the laboratory with headspace. The remaining vials without headspace contained sufficient sample to complete all requested analyses; therefore no qualification of data was required.

3.0 Holding Times

Were samples extracted/analyzed within applicable limits?

Yes

4.0 Blank Contamination

Were any analytes detected in the Method Blanks, Field Blanks or Trip Blanks? Yes

Blank ID	Parameter	Analyte	Concentration/Amount
CPA-B-MHU-1113-EB	VOCs	Chlorobenzene	5.0 ug/L

Analytical data reported non-detect or at concentrations greater than five times (5X) the associated blank concentration did not require qualification. No qualification of data was required.

5.0 Laboratory Control Sample

Were LCS recoveries within evaluation criteria?

Yes

6.0 Surrogate Recoveries

Were surrogate recoveries within evaluation criteria?

No

Sample ID	Parameter	Surrogate	Recovery	Criteria
4Q13 CPA Trip Blank #2	VOCs	Dibromofluoromethane	131	70-130

Analytical data reported as non-detect and associated with surrogate recoveries above evaluation criteria, indicating a possible high bias, did not require qualification. Sample 4Q13 CPA Trip Blank #2 is a quality control sample and is not qualified. No qualification of data was required.

7.0 Matrix Spike and Matrix Spike Duplicate Recoveries

Were MS/MSD samples collected as part of this SDG?

Yes, sample CPA-A-MHU-1113 was spiked and analyzed for VOCs, and although not requested, sulfate. Although not requested, sample CPA-B-SHU-1113 was spiked and analyzed for nitrogen, sample CPA-B-SHU-F(0.2)-1113 was spiked and analyzed for dissolved organic carbon, and sample CPA-A-DHU-1113 was spiked and analyzed for total organic carbon.

Were MS/MSD recoveries within evaluation criteria?

No

MS/MSD ID	Parameter	Analyte	MS/MSD Recovery (%)	RPD	MS/MSD/ RPD Criteria
CPA-A-MHU-1113	VOCs	Benzene	82/ 67	6	74-123/30

USEPA National Functional Guidelines for Organic Data Review indicates that organic data does not require qualification based on MS/MSD data alone and LCS recoveries were within evaluation criteria. No qualification of data was required.

8.0 Internal Standard (IS) Recoveries

Were internal standard area recoveries within evaluation criteria?

Yes

9.0 Laboratory Duplicate Results

Were laboratory duplicate samples collected as part of this SDG?

Yes, sample CPA-A-DHU-1113 was duplicated and analyzed for sulfate, and CPA-B-SHU-1113 was duplicated and analyzed for total organic carbon.

Were laboratory duplicate sample RPDs within criteria?

Yes

10.0 Field Duplicate Results

Were field duplicate samples collected as part of this SDG?

No

11.0 Sample Dilutions

For samples that were diluted and nondetect, were undiluted results also reported?

Not applicable; analytes were detected in samples that were diluted.

12.0 Additional Qualifications


Were additional qualifications applied?

No

SDG KPS103

Results of Samples from Monitoring Wells:

CPA-A-MHU CPA-A-DHU CPA-B-SHU CPA-B-MHU CPA-B-DHU



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Savannah 5102 LaRoche Avenue Savannah, GA 31404 Tel: (912)354-7858

TestAmerica Job ID: 680-96178-1 TestAmerica Sample Delivery Group: KPS103 Client Project/Site: WGK - CPA GW 4Q13

For: Solutia Inc. 575 Maryville Centre Dr. Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele RKersey

Authorized for release by: 11/27/2013 4:38:31 PM

Michele Kersey, Project Manager I (912)354-7858 michele.kersey@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

DEC 11 2013

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Sample Summary	6
Method Summary	7
Definitions	8
Detection Summary	_
Client Sample Results	12
Surrogate Summary	24
QC Sample Results	
QC Association	35
Chronicle	
Chain of Custody	39
Chain of Custody	43
Receipt Checklists	45
Certification Summary	46

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Job ID: 680-96178-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: WGK - CPA GW 4Q13

Report Number: 680-96178-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/14/2013 9:42 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 0.2° C and 0.6° C.

Except:

Method(s) 8260B: The following sample(s) was received with headspace in the sample vial: 2 of 3 vials for -1MS contains headspace CPA-A-MHU-1113 MS (680-96178-1 MS).

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7), CPA-B-MHU-1113-EB (680-96178-9), 4Q13 CPA Trip Blank #2 (680-96178-10) and CPA-B-DHU-1113 (680-96178-11) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/20/2013 and 11/21/2013.

Surrogate recovery for the following sample was outside the upper control limit: 4Q13 CPA Trip Blank #2 (680-96178-10). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

A full list spike was utilized for this method. Due to the large number of spiked analytes, there is a high probability that one or more analytes will recover outside acceptance limits. The MSD associated with batch 304112 had one analyte outside control limits; therefore, re-analysis was not performed. These results have been reported and qualified.

Refer to the QC report for details.

Samples CPA-A-MHU-1113 (680-96178-1)[5X], CPA-A-DHU-1113 (680-96178-3)[5X], CPA-B-SHU-1113 (680-96178-5)[200X], CPA-B-MHU-1113 (680-96178-7)[1000X] and CPA-B-DHU-1113 (680-96178-11)[500X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

DEC 1 1 2013

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Job ID: 680-96178-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

DISSOLVED GASES

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/19/2013.

No difficulties were encountered during the dissolved gases analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Samples CPA-A-MHU-F(0.2)-1113 (680-96178-2), CPA-A-DHU-F(0.2)-1113 (680-96178-4), CPA-B-SHU-F(0.2)-1113 (680-96178-6), CPA-B-MHU-F(0.2)-1113 (680-96178-8) and CPA-B-DHU-F(0.2)-1113 (680-96178-12) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/14/2013 and analyzed on 11/16/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/14/2013 and analyzed on 11/16/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

ALKALINITY

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/26/2013.

No difficulties were encountered during the alkalinity analysis.

All quality control parameters were within the acceptance limits.

CHLORIDE

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/21/2013.

Samples CPA-B-SHU-1113 (680-96178-5)[2X] and CPA-B-MHU-1113 (680-96178-7)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the chloride analysis.

All quality control parameters were within the acceptance limits.

NITRATE-NITRITE AS NITROGEN

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/14/2013.

No difficulties were encountered during the nitrate-nitrite analysis.

DEC 1 1 2013

TestAmerica Savannah

Page 4 of 46

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KP\$103

Job ID: 680-96178-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

All quality control parameters were within the acceptance limits.

SULFATE

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/25/2013.

Samples CPA-A-MHU-1113 (680-96178-1)[5X], CPA-A-DHU-1113 (680-96178-3)[5X], CPA-B-SHU-1113 (680-96178-5)[10X], CPA-B-MHU-1113 (680-96178-7)[5X] and CPA-B-DHU-1113 (680-96178-11)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the sulfate analysis.

All quality control parameters were within the acceptance limits.

TOTAL ORGANIC CARBON

Samples CPA-A-MHU-1113 (680-96178-1), CPA-A-DHU-1113 (680-96178-3), CPA-B-SHU-1113 (680-96178-5), CPA-B-MHU-1113 (680-96178-7) and CPA-B-DHU-1113 (680-96178-11) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 11/23/2013.

No difficulties were encountered during the TOC analysis.

All quality control parameters were within the acceptance limits.

DISSOLVED ORGANIC CARBON (DOC)

Samples CPA-A-MHU-F(0.2)-1113 (680-96178-2), CPA-A-DHU-F(0.2)-1113 (680-96178-4), CPA-B-SHU-F(0.2)-1113 (680-96178-6), CPA-B-MHU-F(0.2)-1113 (680-96178-8) and CPA-B-DHU-F(0.2)-1113 (680-96178-12) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 11/23/2013 and 11/26/2013.

No difficulties were encountered during the DOC analysis.

All quality control parameters were within the acceptance limits.

DEC 1 1 2013

TestAmerica Savannah

Page 5 of 46

Sample Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-96178-1	CPA-A-MHU-1113 /	Water	11/13/13 10:05	11/14/13 09:42
680-96178-2	CPA-A-MHU-F(0.2)-1113	Water	11/13/13 10:05	11/14/13 09:42
680-96178-3	CPA-A-DHU-1113 🗸 🎤	Water	11/13/13 11:35	11/14/13 09:42
680-96178-4	CPA-A-DHU-F(0.2)-1113**	Water	11/13/13 11:35	11/14/13 09:42
680-96178-5	CPA-B-SHU-1113 💆 🎤	Water	11/13/13 13:45	11/14/13 09:42
680-96178-6	CPA-B-SHU-F(0.2)-1113	Water	11/13/13 13:45	11/14/13 09:42
680-96178-7	CPA-B-MHU-1113 /	Water	11/13/13 14:50	11/14/13 09:42
680-96178-8	CPA-B-MHU-F(0.2)-1113	Water	11/13/13 14:50	11/14/13 09:42
680-96178-9	CPA-B-MHU-1113-EB //	Water	11/13/13 14:05	11/14/13 09:42
680-96178-10	4Q13 CPA Trip Blank #2	Water	11/13/13 00:00	11/14/13 09:42
680-96178-11	CPA-B-DHU-1113	Water	11/13/13 16:05	11/14/13 09:42
680-96178-12	CPA-B-DHU-F(0.2)-1113 V	Water	11/13/13 16:05	11/14/13 09:42

6.5

DEC 1 1 2013

Method Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SAV
415.1	DOC	MCAWW	TAL SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

DEC 1 1 2013

Definitions/Glossary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Qualifiers

GC/MS VOA

Qualifier Qualifier Description

Ū Indicates the analyte was analyzed for but not detected,

Х Surrogate is outside control limits

F MS/MSD Recovery and/or RPD exceeds the control limits

GC VOA

Qualifier Qualifier Description

Indicates the analyte was analyzed for but not detected.

Metals

Qualifier Qualifier Description

Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier Qualifier Description

ΰ Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery CNE Contains no Free Liquid

DER Duplicate error ratio (normalized absolute difference)

Dil Fac

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision level concentration MDA Minimum detectable activity EDL Estimated Detection Limit MDC Minimum detectable concentration

MDL Method Detection Limit ML Minimum Level (Dioxin) NC Not Calculated

ND Not detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

Quality Control QC RER Relative error ratio

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEO Toxicity Equivalent Quotient (Dioxin)

DEC 1 1 2013

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

Lab Sample ID: 680-96178-2

Lab Sample ID: 680-96178-3

SDG: KPS103

Client Sample ID: CPA-A	ent Sample ID: CPA-A-MHU-1113							: 680-96178-
Analyte	Result	Qualifier	RL.	MDL	Unit	Dil Fac D	Method	Prep Type
Benzene	410		5.0		ug/L	5	8260B	Total/NA
Chiorobenzene	210		5.0		ug/L	5	8260B	Total/NA
Ethane	13		1.1		ug/L	1	RSK-175	Total/NA
Methane (TCD)	17000		390		ug/L	1	RSK-175	Total/NA
Iron	1.7		0,050		mg/L	1	6010C	Total
								Recoverable
Manganese	0.76		0.010		mg/L	1	6010C	Total
								Recoverable
Chloride	32		1.0		mg/L	1	325.2	Total/NA
Total Organic Carbon	7.2		1.0		mg/L	1	415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac D	Method	Prep Type
Alkalinity	600		5.0	,,,,	mg/L	1	310.1	Total/NA
Carbon Dioxide, Free	29		5,0		mg/L	1	310,1	Total/NA

Client Sample ID: CPA-A-MHU-F(0.2)-1113

of all charleston	Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Ргер Туре
-	Iron, Dissolved	1.9		0.050		mg/L	1		6010C	Dissolved
	Manganese, Dissolved	0.89		0.010		mg/L	1		6010C	Dissolved
į	Dissolved Organic Carbon	6.7		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-A-DHU-1113

Analyte	Result (Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Велгепе	120		5.0	**************	ug/L	5	_	8260B	Total/NA
Chlorobenzene	330		5.0		ug/L	5		8260B	Total/NA
1,2-Dichlorobenzene	460		5.0		ug/L	5		8260B	Total/NA
1,3-Dichlorobenzene	54		5.0		ug/L	. 5		8260B	Total/NA
1,4-Dichlorobenzene	470		5.0		ug/L	5		8260B	Total/NA
Ethane	3.9		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	2900		390		ug/L	1		RSK-175	Total/NA
fron	6.6		0.050		mg/L	1		6010C	Total
									Recoverable
Manganese	0.35		0.010		mg/L	1		6010C	Total
									Recoverable
Chloride	54		1.0		mg/L	1		325.2	Total/NA
Sulfate	93		25		mg/L	5		375.4	Total/NA
Total Organic Carbon	4.3		1.0		mg/L	1		415.1	Total/NA
Analyte	Result (Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	450	***************************************	5.0		mg/L	1	_	310.1	Total/NA
Carbon Dioxide, Free	24		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-A-DHU-F(0.2)-1113

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	۵	Method	Ргер Туре
Iron, Dissolved	5.7	# h h h h h h m m de e h m m m de de e de	0.050	L	mg/L	1		6010C	Dissolved
Manganese, Dissolved	0.30		0,010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	4.5		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-B-SHU-1113

Lab Sample ID: 680-96178-5

Lab Sample ID: 680-96178-4

This Detection Summary does not include radiochemical test results,

DEC 1 1 2013 TestAmerica Savannáh

Page 9 of 46

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chlorobenzene	29000		200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	220		200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	320		200		ug/L	200		8260B	Total/NA
Methane	110		0,58		ug/L	1		RSK-175	Total/NA
Iron	43		0,050		mg/L	1		6010C	Total
					-				Recoverabl
Manganese	3.4		0.010		mg/L	1		6010C	Total
011.11						_			Recoverable
Chloride	150		2.0		mg/L	2		325.2	Total/NA
Suffate	290		50		mg/L	10		375.4	Total/NA
Total Organic Carbon	3,5		1.0		mg/L	1		415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	510		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	220		5.0		mg/L	1		310.1	Total/NA
lient Sample ID: CPA-B-S	SHU-F(0.2)-111	3				L	ab	Sample ID	: 680-96178
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Ргер Туре
ron, Dissolved	44		0,050		mg/L		_	6010C	Dissolved
Manganese, Dissolved	3.6		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	3.5		1.0		mg/L	1		415.1	Dissolved
	1HU-1113 、					La	эb	Sample ID	: 680-96178
lient Sample ID: CPA-B-N		Qualifier	RI		Unit				
Analyte		Qualifier	RL 1000	MDL	Unit ug/L	Li Dil Fac 1000		Sample ID Method 8260B	Prep Type
lient Sample ID: CPA-B-N Analyte Benzene Chlorobenzene	Result	Qualifier		MDL	Unit ug/L ug/L	Dil Fac		Method	
Analyte Benzene Chlorobenzene	Result 130000	Qualifier	1000	MDL	ug/L ug/L	Dil Fac 1000		Method 8260B	Prep Type Total/NA
Analyte Benzene Chlorobenzene Ethane	Result 130000 41000	Qualifier	1000 1000	MDL	ug/L ug/L ug/L	Dil Fac 1000 1000		Method 8260B 8260B	Prep Type Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD)	Result 130000 41000 160	Qualifier	1000 1000 1.1	MDL	ug/L ug/L	Dil Fac 1000 1000		Method 8260B 8260B RSK-175	Prep Type Total/NA Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD)	Result 130000 41000 160 19000	Qualifier	1000 1000 1.1 390	MDL	ug/L ug/L ug/L ug/L	Dil Fac 1000 1000 1		Method 8260B 8260B RSK-175 RSK-175	Prep Type Total/NA Total/NA Total/NA Total/NA Total
Analyte Benzene	Result 130000 41000 160 19000	Qualifier	1000 1000 1.1 390	MDL	ug/L ug/L ug/L ug/L	Dil Fac 1000 1000 1		Method 8260B 8260B RSK-175 RSK-175	Prep Type Total/NA Total/NA Total/NA Total/NA Total
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese	Result 130000 41000 160 19000 36	Qualifier	1000 1000 1.1 390 0.050	MDL	ug/L ug/L ug/L ug/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1		Method 8260B 8260B RSK-175 RSK-175 6010C	Prep Type Total/NA Total/NA Total/NA Total/NA Total Recoverab Total Recoverab
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese	Result 130000 41000 160 19000 36 2.2	Qualifier	1000 1000 1.1 390 0.050 0.010	MDL	ug/L ug/L ug/L ug/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 1		Method 8260B 8260B RSK-175 RSK-175 6010C 6010C	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total Recoverab
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate	Result 130000 41000 1600 19000 36 2.2 210 72	Qualifier	1000 1000 1.1 390 0.050 0.010 5.0 25	MDL	ug/L ug/L ug/L ug/L mg/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 1 5		Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4	Prep Type Total/NA Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate	Result 130000 41000 160 19000 36 2.2	Qualifier	1000 1000 1.1 390 0.050 0.010	MDL	ug/L ug/L ug/L ug/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 1		Method 8260B 8260B RSK-175 RSK-175 6010C 6010C	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total Recoverab
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron	Result 130000 41000 160 19000 36 2.2 210 72 18	Qualifier	1000 1000 1.1 390 0.050 0.010 5.0 25		ug/L ug/L ug/L ug/L mg/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 1 5	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4	Prep Type Total/NA Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon Analyte	Result 130000 41000 160 19000 36 2.2 210 72 18		1000 1000 1.1 390 0.050 0.010 5.0 25 1.0		ug/L ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 1 5 5	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon	Result 130000 41000 160 19000 36 2.2 210 72 18 Result		1000 1000 1.1 390 0,050 0.010 5.0 25 1.0		ug/L ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L Unit	Dil Fac 1000 1000 1 1 1 1 1 5 5	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1 Method	Prep Type Total/NA Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total Reciple Total/NA Total/NA Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon Analyte Alkalinity	Result 130000 41000 160 19000 36 2.2 210 72 18 Result 410 170	Qualifier	1000 1000 1.1 390 0.050 0.010 5.0 25 1.0 RL		ug/L ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L unit	Dil Fac 1000 1000 1 1 1 1 5 5 1 Dil Fac 1 1	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1 Method 310.1	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon Analyte Alkalinity Carbon Dioxide, Free	Result 130000 41000 160 19000 36 2.2 210 72 18 Result 410 170	Qualifier	1000 1000 1.1 390 0.050 0.010 5.0 25 1.0 RL	RL	ug/L ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L unit	Dil Fac 1000 1000 1 1 1 1 5 5 1 Dil Fac 1 1	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1 Method 310.1	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon Analyte Alkalinity Carbon Dioxide, Free	Result 130000 41000 160 19000 36 2.2 210 72 18 Result 410 170	Qualifier 3	1000 1000 1.1 390 0.050 0.010 5.0 25 1.0 RL 5.0 5.0	RL	ug/L ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L ug/L mg/L mg/L mg/L	Dil Fac 1000 1000 1 1 1 1 5 5 1 Dil Fac 1 1	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1 Method 310.1 310.1	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA Total/NA Total/NA Total/NA Total/NA Prep Type Total/NA Total/NA
Analyte Benzene Chlorobenzene Ethane Methane (TCD) Iron Manganese Chloride Sulfate Total Organic Carbon Analyte Alkalinity Carbon Dioxide, Free	Result 130000 41000 160 19000 36 2.2 210 72 18 Result 410 170 1HU-F(0.2)-111	Qualifier 3	1000 1000 1.1 390 0.050 0.010 5.0 25 1.0 RL 5.0 5.0	RL	ug/L ug/L ug/L mg/L mg/L mg/L mg/L mg/L mg/L ug/L Unit mg/L	Dil Fac 1000 1000 1 1 1 1 5 5 1 Dil Fac 1 1 Dil Fac	D	Method 8260B 8260B RSK-175 RSK-175 6010C 6010C 325.2 375.4 415.1 Method 310.1 310.1	Prep Type Total/NA Total/NA Total/NA Total Recoverab Total Recoverab Total/NA Total/NA Total/NA Total/NA Total/NA Prep Type Total/NA Total/NA Prep Type

This Detection Summary does not include radiochemical test results.

Analyte

Chlorobenzene

TestAmerica Savannah

Prep Type

Total/NA

1.0

MDL Unit

ug/L

Dil Fac D

Method

8260B

Result Qualifier

5,0

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: 4Q13 CPA Trip Blank #2

Lab Sample ID: 680-96178-10

No Detections.

Client Sample ID: CPA-B-DHU-1113	Lab Sample ID: 680-96178-11
----------------------------------	-----------------------------

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	520		500	and the second second second	ug/L	500	_	8260B	Total/NA
Chlorobenzene	39000		500		ug/L	500		8260B	Total/NA
1,2-Dichlorobenzene	23000		500		ug/L	500		8260B	Total/NA
1,3-Dichlorobenzene	1800		500		ug/L	500		8260B	Total/NA
1,4-Dichlorobenzene	35000		500		ug/L	500		8260B	Total/NA
Methane	30		0.58		ug/L	1		RSK-175	Total/NA
Iron	9,6		0.050		mg/L	1		6010C	Total
Manganese	0,55		0,010		mg/L	1		6010C	Recoverable Total
·					-				Recoverable
Chloride	65		1.0		mg/L	1		325.2	Total/NA
Sulfate	100		25		mg/L	5		375,4	Total/NA
Total Organic Carbon	5.2		1.0		mg/L	1		415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	330		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	21		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-B-DHU-F(0.2)-1113

Lab Sample ID: 680-96178-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Ргер Туре
Iron, Dissolved	9,2		0,050	*****	mg/L	1		6010C	Dissolved
Manganese, Dissolved	0,53		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	5.4		1,0		mg/L	1		415.1	Dissolved

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

DEC 1 1 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-MHU-1113

Date Collected: 11/13/13 10:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-1

Matrix: Water

Method: 8260B - Volatile Or: Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	410	***************************************	5.0		ug/L			11/20/13 17:35	
Chlorobenzene	210		5.0		ug/L			11/20/13 17:35	5
1,2-Dichlorobenzene	5.0	U	5.0		ug/L			11/20/13 17:35	5
1,3-Dichlorobenzene	5.0	U	5.0		ug/L			11/20/13 17:35	5
1,4-Dichlorobenzene	5.0	U	5.0		ug/L			11/20/13 17:35	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130					11/20/13 17:35	
Dibromofluoromethane	102		70 - 130					11/20/13 17:35	
Toluene-d8 (Surr)	99		70 - 130					11/20/13 17:35	
Method: RSK-175 - Dissolve	ed Gases (GC)								
Апаlyte	Result	Qualifier	RL	MDL	Ųnit	D	Prepared	Analyzed	Dil Fac
Ethane	13		1.1		ug/L			11/19/13 15:47	
Ethylene	1.0	U	1.0		ug/L			11/19/13 1 <i>5</i> :47	
Methane (TCD)	17000		390		ug/L			11/19/13 15:47	•
Method: 6010C - Metals (ICF) - Total Recoverab	ole						•	
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1.7		0.050		mg/L		11/14/13 17:25	11/16/13 08:42	
Manganese	. 0.76		0.010 ,		mg/L		11/14/13 17:25	11/16/13 08:42	•
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Ųnit	D	Prepared	Analyzed	Dil Fac
Chloride	32		1.0		mg/L			11/21/13 09:35	
Nitrate as N	0.050	Ų	0.050		mg/L			11/14/13 17:37	•
Sulfate	25	U	25		mg/L			11/25/13 12:03	
Total Organic Carbon	7.2		1.0		mg/L			11/23/13 10:45	
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	600		5.0		mg/L			11/26/13 22:34	
Carbon Dioxide, Free	29		5.0		mg/L			11/26/13 22:34	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-MHU-F(0.2)-1113

Date Collected: 11/13/13 10:05 Date Received: 11/14/13 09:42

Dissolved Organic Carbon

Lab Sample ID: 680-96178-2

11/23/13 02:22

Matrix: Water

Method: 6010C - Metals (ICP) - Diss	solved								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	1.9		0.050		mg/L		11/14/13 17:25	11/16/13 0 8:47	1
Manganese, Dissolved	0.89		0.010		mg/L		11/14/13 17:25	11/16/13 08:47	1
General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

1.0

mg/L

6.7

3

ij

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-DHU-1113

Date Collected: 11/13/13 11:35 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-3

Matrix: Water

Method: 8260B - Volatile Or Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	120		5.0	***************************************	ug/L			11/21/13 15:39	5
Chlorobenzene	330		5.0		ug/L			11/21/13 15:39	5
1,2-Dichlorobenzene	460		5.0		ug/L			11/21/13 15:39	5
1,3-Dichlorobenzene	54		5.0		ug/L			11/21/13 15:39	5
1,4-Dichlorobenzene	470		5.0		ug/L			11/21/13 15:39	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130				***************************************	11/21/13 15:39	5
Dibromofluoromethane	93		70 - 130					11/21/13 15:39	5
Toluene-d8 (Surr)	102		70 - 130					11/21/13 15:39	5
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	3.9	***************************************	1.1		ug/L			11/19/13 16:00	1
Ethylene	1.0	U	1.0		ug/L			11/19/13 16:00	1
Methane (TCD)	2900		390		ug/L			11/19/13 16:00	1
Method: 6010C - Metals (ICF	P) - Total Recoverat	le							
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	6.6		0.050		mg/L		11/14/13 17:25	11/16/13 08:51	1
Manganese	. 0.35		,0.010		mg/L	×	11/14/13 17:25	11/16/13 08:51	, 1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chtoride	54	7	1.0		mg/L			11/21/13 09:35	1
Nitrate as N	0.050	บ	0.050		mg/L			11/14/13 17:38	1
Sulfate	93		25		mg/L			11/25/13 12:05	5
Total Organic Carbon	4.3		1.0		mg/L			11/23/13 11:16	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	450		5.0		mg/L			11/26/13 22:48	1
Amaninty									

TestAmerica Savannah

DEC 1 1 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-DHU-F(0.2)-1113

Date Collected: 11/13/13 11:35 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-4

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	5.7		0.050		mg/L	 _	11/14/13 17:25	11/16/13 09:05	1
Manganese, Dissolved	0.30		0.010		mg/L		11/14/13 17:25	11/16/13 09:05	1

į	General	Chemistry	*	Dissolved
1	A 1			

÷	Ochoral Chambery Dissolved										- 83
į	Analyte	Resuit	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	85
Total Control	Dissolved Organic Carbon	4.5		1,0		mg/L			11/23/13 02:37	1	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-SHU-1113

Date Collected: 11/13/13 13:45 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	200	U	200		ug/L			11/20/13 13:42	20
Chlorobenzene	29000		200		ug/L			11/20/13 13:42	20
1,2-Dichlorobenzene	220		200		ug/L			11/20/13 13:42	20
1,3-Dichlorobenzene	200	U	200		ug/L			11/20/13 13:42	20
1,4-Dichlorobenzene	320		200		ug/L			11/20/13 13:42	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene	107		70 - 130				,	11/20/13 13:42	20
Dibromofluoromethane	123		70 - 130					11/20/13 13:42	20
Toluene-d8 (Surr)	98		70 - 130					11/20/13 13:42	20
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Ethane	1.1	V	1.1		ug/L	The state of the s	PATER REPORT REPORTS OF MANAGEMENT AND AND ADDRESS OF THE PATER AND ADD	11/19/13 16:13	
Ethylene	1.0	U	1.0		ug/L			11/19/13 16:13	
Methane	110		0.58		ug/L			11/19/13 16:13	
· Method: 6010C - Metals (ICF	^o) - Total Recoverat	ole							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil F
Iron	43		0.050		mg/L		11/14/13 17:25	11/16/13 09:10	
Manganese .	3.4		0.010		mg/L	•	11/14/13 17:25	11/16/13 09:10	
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	DitFa
Chloride	150		2.0		mg/L			11/21/13 10:43	
Nitrate as N	0.050	U	0.050		mg/L			11/14/13 17:42	
Sulfate	290		50		mg/L			11/25/13 12:11	
Total Organic Carbon	3.5		1.0		mg/L			11/23/13 11:58	
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil F
Alkalinity	510		5.0		mg/L			11/26/13 21:45	
Carbon Dioxide, Free	220		5.0		mg/L			11/26/13 21:45	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-SHU-F(0.2)-1113

Date Collected: 11/13/13 13:45 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-6

Matrix: Water

Analyte	Result	Qualifier	RŁ	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	44		0.050		mg/L		11/14/13 17:25	11/16/13 09:15	1
Manganese, Dissolved	3.6		0.010		mg/L		11/14/13 17:25	11/16/13 09:15	1
General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	9 F	***************************************	1.0		mall			14/26/43 00:47	4

8

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-MHU-1113

Date Collected: 11/13/13 14:50 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-7

Matrix: Water

Method: 8260B - Volatile Org Analyte	-	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	130000		1000		ug/L			11/20/13 14:04	1000
Chlorobenzene	41000		1000		ug/L			11/20/13 14:04	1000
1,2-Dichlorobenzene	1000	υ	1000		ug/L			11/20/13 14:04	1000
1,3-Dichlorobenzene	1000	U	1000		ug/L			11/20/13 14:04	1000
1,4-Dichlorobenzene	1000	U	1000		ug/Ł			11/20/13 14:04	1000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107	****************	70.130					11/20/13 14:04	1000
Dibromofluoromethane	128		70 - 130					11/20/13 14:04	1000
Toluene-d8 (Surr)	102		70 - 130					11/20/13 14:04	1000
Method: RSK-175 - Dissolved	d Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	160		1,1	-,,,,	ug/L			11/19/13 16:26	1
Ethylene	1.0	ប	1.0		ug/L			11/19/13 16:26	1
Methane (TCD)	19000		390		ug/L			11/19/13 16:26	1
Method: 6010C - Metals (ICP	- Total Recoverab	ole							
Analyte	,	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	36		0.050		mg/L		11/14/13 17:25	11/16/13 09:19	1
Manganese .	2.2		0.010		mg/L、		11/14/13 17:25	11/16/13 09:19	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	210		5.0		mg/L		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11/21/13 10:51	5
Nitrate as N	0.050	U	0.050		mg/L			11/14/13 17:48	1
Sulfate	72		25		mg/L			11/25/13 12:07	5
Total Organic Carbon	18		1.0		mg/L			11/23/13 12:29	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	410		5.0		mg/L			11/26/13 22:00	1
Alkalinky									

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-MHU-F(0.2)-1113

Date Collected: 11/13/13 14:50 Date Received: 11/14/13 09:42

Dissolved Organic Carbon

Lab Sample ID: 680-96178-8

11/23/13 02:51

Matrix: Water

Method: 6010C - Metals (ICP) - D	issolved								
Analyte	Result	Qualifier	RL	MDL	Unit)	Prepared	Analyzed	Dil Fac
Iron, Dissolved	34	LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	0.050	Manager and Control of the State of the Stat	mg/L	 	11/14/13 17:25	11/16/13 09:24	1
Manganese, Dissolved	2.1		0.010		mg/L		11/14/13 17:25	11/16/13 09:24	1
General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit)	Prepared	Analyzed	Dil Fac

1.0

mg/L

17

1.

3

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-MHU-1113-EB

Date Collected: 11/13/13 14:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-9

Matrix: Water

Method: 8260B - Volatile Org	anic Compounds (GC/MS)						
Analyte	Result Qualifier	RL	MDL Unit	ם	Prepared	Analyzed	Dil Fac
Вепгеле	1.0 U	1.0	ug/L			11/20/13 11:52	1
Chlorobenzene	(5.0)	1.0	ug/L			11/20/13 11:52	1
1,2-Dichlorobenzene	1.0 ∪	1.0	ug/∟			11/20/13 11:52	1
1,3-Dichlorobenzene	1.0 U	1.0	ug/L			11/20/13 11:52	1
1,4-Dichtorobenzene	1.0 U	1.0	ug/L			11/20/13 11:52	1

Surrogate	%Recovery	Qualifier Lim		Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105	70 -		***************************************	11/20/13 11:52	1
Dibromofluoromethane	119	70 -	130		11/20/13 11:52	1
Toluene-d8 (Surr)	98	70.	130		11/20/13 11:52	1

Client: Solutia Inc.

1,4-Dichlorobenzene

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: 4Q13 CPA Trip Blank #2

Date Collected: 11/13/13 00:00 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-10

11/20/13 10:45

Matrix: Water

Method: 8260B - Volatile Organic (Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1,0	***************************************	ug/L			11/20/13 10:45	1
Chlorobenzene	1.0	U	1.0		ug/L			11/20/13 10:45	1
1,2-Dichlorobenzene	1.0	ប	1.0		ug/L			11/20/13 10:45	1
1,3-Dichlorobenzene	1.0	U	1,0	•	ug/L			11/20/13 10:45	1

1.0 U

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103	70 - 130	***************************************	11/20/13 10:45	1
Dibromofluoromethane	(131)X	70 - 130		11/20/13 10:45	1
Toluene-d8 (Surr)	97	70 - 130		11/20/13 10:45	1

1.0

ug/L













Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-DHU-1113

Date Collected: 11/13/13 16:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-11

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	520		500		ug/L	****		11/20/13 14:27	500
Chlorobenzene	39000		500		ug/L			11/20/13 14:27	500
1,2-Dichlorobenzene	23000		500		ug/L			11/20/13 14:27	500
1,3-Dichlorobenzene	1800		500		ug/L			11/20/13 14:27	500
1,4-Dichlorobenzene	35000		500		ug/L			11/20/13 14:27	500
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene	100	***************************************	70 - 130					11/20/13 14:27	500
Dibromofluoromethane	123		70 130					11/20/13 14:27	50
Toluene-d8 (Surr)	97		70 - 130	•				11/20/13 14:27	500
Method: RSK-175 - Dissolv	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	Ū	1.1		ug/L			11/19/13 16:39	
Ethylene	1.0	ប	1,0		ug/L			11/19/13 16:39	
Methane	30		0.58		ug/L			11/19/13 16:39	•
Method: 6010C - Metais (IC	P) - Total Recoverat	ole							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	9.6		0.050		mg/L		11/14/13 17:25	11/16/13 09:29	
Manganese 、	0.55		0.010		mg/L		11/14/13 17:25	11/16/13 09:29	
General Chemistry									
	Resuit	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Analyte	Result 65	Qualifier	RL 1.0	MDL	Unit mg/L	D	Prepared	Analyzed 11/21/13 09:53	Dil Fa
Analyte Chloride		· · · · · · · · · · · · · · · · · · ·		MDL		<u>D</u>	Prepared		
Analyte Chloride Nitrate as N	65	· · · · · · · · · · · · · · · · · · ·	1.0	MDL	mg/L	<u>D</u>	Prepared	11/21/13 09:53	
Analyte Chloride Vitrate as N Sulfate	65 0.050	· · · · · · · · · · · · · · · · · · ·	1.0 0.050	MDL	mg/L mg/L	<u>D</u>	Prepared	11/21/13 09:53 11/14/13 17:49	
Analyte Chforide Vitrate as N Sulfate Fotal Organic Carbon	65 0.050 100 5.2	· · · · · · · · · · · · · · · · · · ·	1.0 0.050 25		mg/L mg/L mg/L	<u>D</u>	Prepared Prepared	11/21/13 09:53 11/14/13 17:49 11/25/13 12:07	
General Chemistry Analyte Chforide Nitrate as N Sulfate Total Organic Carbon Analyte	65 0.050 100 5.2	υ	1.0 0.050 25 1.0		mg/L mg/L mg/L mg/L	_		11/21/13 09:53 11/14/13 17:49 11/25/13 12:07 11/23/13 12:43	Dil Fac

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-DHU-F(0.2)-1113

Date Collected: 11/13/13 16:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-12

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	9.2		0.050		mg/L		11/14/13 17:25	11/16/13 09:33	1
Manganese, Dissolved	0.53		0.010		mg/L		11/14/13 17:25	11/16/13 09:33	1

General Chemistry - Dissolved									Ç.
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	5.4	***************************************	1.0		mg/L	*****		11/26/13 10:34	1

a

8

Surrogate Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 8260B - Volatile Organic Compounds (GC/MS)

Prep Type: Total/NA Matrix: Water

				Percent Sur	rogat
		BFB	DBFM	TOL	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)	
680-96178-1	CPA-A-MHU-1113	97	102	99	
680-96178-1MS	CPA-A-MHU-1113 MS	101	118	112	
680-96178-1MSD	CPA-A-MHU-1113 MSD	100	112	106	
680-96178-3	CPA-A-DHU-1113	98	93	102	
680-96178-5	CPA-B-SHU-1113	107	123	98	
680-96178-7	CPA-B-MHU-1113	107	128	102	
680-96178-9	CPA-B-MHU-1113-EB	105	119	98	
680-96178-10	4Q13 CPA Trip Blank #2	103	131 X	97	
680-96178-11	CPA-B-DHU-1113	100	123	97	
LCS 680-304112/3	Lab Control Sample	107	125	103	
LCS 680-304117/4	Lab Control Sample	92	108	101	
LCS 680-304391/4	Lab Control Sample	87	94	101	
LCSD 680-304112/4	Lab Control Sample Dup	110	118	103	
LCSD 680-304117/5	Lab Control Sample Dup	93	109	107	
LCSD 680-304391/5	Lab Control Sample Dup	89	97	102	
MB 680-304112/7	Method Blank	104	127	95	
MB 680-304117/8	Method Blank	94	117	97	
MB 680-304391/8	Method Blank	91	108	96	

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

TestAmerica Savannah

DEC 1 1 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 8260B - Volatile Organic Compounds (GC/MS)

10 11

Lab Sample ID: MB 680-304112/7

Matrix: Water

1,4-Dichlorobenzene

Analyte

Benzene

Analysis Batch: 304112

Client Sample ID: Method Blan	ık
Drop Tunos Total/N	Ι.Α.

11/20/13 09:53

Prep Type: Total/NA

мв мв MDL Unit Analyzed Dil Fac Result Qualifier RL Prepared 11/20/13 D9:53 10 Ü 1.0 υα/L 11/20/13 09:53 Chlorobenzene 1.0 U 1.0 ug/L 1,2-Dichlorobenzene 1.0 U 1.0 ug/L 11/20/13 09:53 1,3-Dichlorobenzene 1.0 U 1.0 ug/L 11/20/13 09:53

ug/L

MB MB Surrogate %Recovery Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene 70 - 130 11/20/13 09:53 104 Dibromofluoromethane 127 70 - 130 11/20/13 09:53 11/20/13 09:53 70 - 130 Toluene-d8 (Surr) 95

1.0

Client Sample ID: Lab Control Sample Lab Sample ID: LCS 680-304112/3 Matrix: Water Prep Type: Total/NA

Analysis Batch: 304112

Spike LCS LCS %Rec. Analyte Added Result Qualifier Unit %Rec Limits 50.6 101 74 - 123 Benzene 50.0 ug/L Chiorobenzene 108 79 . 120 50.0 53.9 ug/L 101 77 - 124 1,2-Dichlorobenzene 50.0 50.5 ug/L 79 - 123 1,3-Dichlorobenzene 50.0 48.9 ug/L 98 51.5 ug/L 103 76 - 124 1,4-Dichlorobenzene 50.0

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 107 70 - 130 Dibromofluoromethane 125 70 - 130 Toluene-d8 (Surr) 103 70 - 130

Lab Sample ID: LCSD 680-304112/4 Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA Matrix: Water

Analysis Batch: 304112

•	Spike	LCSD	LCSD		%Rec.		RPD
Analyte	Added	Result	Qualifier Unit	D %Rec	Limits	RPD	Limit
Benzene	50.0	51.6	ug/L	103	74 - 123	2	30
Chlorobenzene	50.0	50.9	ug/L	102	79 . 120	6	30
1,2-Dichlorobenzene	50.0	51.6	ug/L	103	77 - 124	2	30
1,3-Dichlorobenzene	50.0	50.2	ug/L	100	79 - 123	3	30
1,4-Dichlorobenzene	50.0	51.7	ug/L	103	76 - 124.	0	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	110		70 - 130
Dibromofluoromethane	118		70 - 130
Toluene-d8 (Surr)	103		70 - 130

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 680-96178-1MS

Matrix: Water

Analysis Batch: 304112

Client	Sample	ID:	CPA-	A	-MHU	-1113	MS
			Prot		Type	Total	/N/A

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	490	***************************************	250	698		ug/L		82	74 - 123	
Chlorobenzene	240		250	457		ug/L		85	79 - 120	
1,2-Dichlorobenzene	5.0		250	221		ug/L		67	77 - 124	
1,3-Dichlorobenzene	5.0		250	228		ug/L		91	79 - 123	
1,4-Dichlorobenzene	29		250	230		ug/L		80	76 - 124	
	MS	MS								
5	04.00	0								

%Recovery Qualifier 4-Bromofluorobenzene 101 70 - 130 Dibromofluoromethane 118 70 - 130 Toluene-d8 (Sum) 70 - 130 112

Client Sample ID: CPA-A-MHU-1113 MSD

Prep Type: Total/NA

Analysis Batch: 304112											
	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	490		250	659	F	ug/L		(67)	74 - 123	6	30
Chlorobenzene	240		250	459		ug/L		86	79 - 120	0	30
1,2-Dichlorobenzene	` 5.0		250 `	232		ug/L	•	91	77 - 124	5	, 30
1,3-Dichlorobenzene	5.0		250	230		ug/L		92	79 - 123	1	30
1,4-Dichlorobenzene	29		250	239		ug/L		84	76 - 124	4	30

MSD MSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 70 - 130 100 Dibromofluoromethane 112 70 - 130 Toluene-d8 (Surr) 106 70 - 130

Lab Sample ID: MB 680-304117/8

Lab Sample ID: 680-96178-1MSD

Matrix: Water

Matrix: Water

Analysis Batch: 304117

Client Sample ID: Method Blank	
Drop Type: Total/MA	

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene .	. 1.0	U	1,0		ug/L		,	11/20/13 12:40	1
Chlorobenzene	1.0	U	1.0		ug/L			11/20/13 12:40	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 12:40	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 12:40	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 12:40	1

	MB I	MB		
Surrogate	%Recovery	Qualifier Limits	Prepared Analyzed	Dil Fac
4-Bromofluorobenzene	94	70 - 130	11/20/13 12:40	1
Dibromofluoromethane	117	70 - 130	11/20/13 12:40	1
Toluene-d8 (Surr)	97	70.130	11/20/13 12:40	1

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-304117/4 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA Analysis Batch: 304117

%Rec. Spike LCS LCS %Rec Limits Analyte Added Result Qualifier Unit D Benzene 50.B 102 74 - 123 50.0 ug/L Chlorobenzene 50.0 51.B ug/L 104 79 - 1201,2-Dichlorobenzene 50.0 43.1 ug/L 86 77 - 124 1,3-Dichlorobenzene 50.0 43.6 ug/L в7 79 - 123 1,4-Dichlorobenzene 50.0 ug/L В9 76 - 124

LCS LCS Surrogate %Recovery Qualifier Limits 70 - 130 4-Bromofluorobenzene 92 Dibromofluoromethane 70 - 130 108 Toluene-d8 (Surr) 101 70 - 130

Client Sample ID: Lab Control Sample Dup Lab Sample ID: LCSD 680-304117/5

Matrix: Water Prep Type: Total/NA Analysis Batch: 304117

44 5

Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit %Rec Limits RPD Limit 74 - 123 30 Benzene 50.0 54.4 ug/L 109 108 79 - 120 30 Chlorobenzene 50.0 54 1 ug/L 77 . 124 1,2-Dichlorobenzene 50.0 45.5 ug/L 91 5. 30 1,3-Dichlorobenzene 50.0 44.6 ug/L В9 79 - 123 2 30 92 76 - 124 30 1,4-Dichlorobenzene 50.0 46.0 ug/L

LCSD LCSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 93 70 - 130 Dibromofluoromethane 109 70 - 130 Toluene-d8 (Surr) 107 70 - 130

Client Sample ID: Method Blank Lab Sample ID: MB 680-304391/8 Prep Type: Total/NA Matrix: Water

Analysis Batch: 304391

MB MB Dil Fac Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Benzene 1.0 Ū 1.0 ug/L 11/21/13 13:38 1.0 U 11/21/13 13:38 Chlorobenzene 1.0 ug/L 1.0 U 1.0 11/21/13 13:38 1.2-Dichlorobenzene ug/L 11/21/13 13:38 1.0 U ug/L 1,3-Dichlorobenzene 1.0 11/21/13 13:38 1,4-Dichlorobenzene 1.0 U 1.0 ug/L

ΜB Limits Dil Fac %Recovery Qualifier Prepared Analyzed Surrogate 70 - 130 11/21/13 13:38 4-Bromofluorobenzene 91 11/21/13 13:38 Dibromofluoromethane 108 70 - 130 Toluene-d8 (Surr) 96 70 - 130 11/21/13 13:38

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-304391/4

Matrix: Water

Analysis Batch: 304391

Client Sample	ID: Lab Control Sample
	Prep Type: Total/NA

-	-	Spike	LCS	LCS			%Rec.	
	Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	
-	Benzene	50.0	47.5	ug/L		95	74 - 123	
	Chlorobenzene	50.0	48.4	ug/L		97	79 - 120	
200	1,2-Dichlorobenzene	50,0	43.3	ug/L.		87	77 - 124	
4	1,3-Dichlorobenzene	50.0	40.6	ug/L.		81	79 - 123	
	1,4-Dichlorobenzene	50,0	41.8	ug/L		84	76 - 124	
2								

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	87		70 - 130
Dibromofluoromethane	94		70 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 680-304391/5

Matrix: Water

Analysis Batch: 304391

Client Sample ID: Lab	Control Sample Dup
	D Y T-4-1014

Prep Type: Total/NA

	•	Spike	LCSD	LCSD			%Rec.		RPD
-	Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	RPD	Limit
-	Benzene	50.0	47,8	ug/L		96	74 - 123	0	30
-	Chlorobenzene	50.0	49.6	ug/L		99	79 - 120	2	30
	1,2-Dichlorobenzene	50,0	43.4	ug/L ^		87	77 - 124	٠ ٥	30
-	1,3-Dichlorobenzene	50.0	41.2	ug/L		82	79 - 123	1	30
	1,4-Dichlorobenzene	50.0	42.1	ug/L		84	76 - 124	1	30
i									

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	89		70 - 130
Dibromofluoromethane	97		70 - 130
Toluene-d8 (Surr)	102		70 - 130

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-303827/3

Matrix: Water

Analysis Batch: 303827

Client Sample ID: Method Blank	
Prep Type: Total/NA	

мв мв Analyte Result Qualifier RL MDL Unit Prepared Analyzed Dil Fac Ethane 1.1 U 1.1 ug/L 11/19/13 13:21 Ethylene 1.0 U 1.0 ug/L 11/19/13 13:21 Methane 0.58 U 0.58 ug/L 11/19/13 13:21 Methane (TCD) 390 U 390 ug/L 11/19/13 13:21

Lab Sample ID: LCS 680-303827/4 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA

Analysis Batch: 303827							
	Spike	LCS	LCS			%Rec.	
Analyte	Added	Result	Qualifier	Unit D	%Rec	Limits	
Ethane	288	346		ug/L	120	75 - 125	### TO A THE PARTY OF THE PARTY
Ethylene	269	320		ug/L	119	75 - 125	
Methane	154	176		ug/L	115	75 - 125	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 680-303827/6 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA Analysis Batch: 303827 Spike LCS LCS %Rec.

Analyte Added Result Qualifier Unit D %Rec Limits Methane (TCD) 1920 ug/L 110 75 - 125 2120

Lab Sample ID: LCSD 680-303827/5 Client Sample ID: Lab Control Sample Dup Matrix: Water Prep Type: Total/NA Analysis Batch: 303827 Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit D %Rec RPD Limit Ethane 288 305 ug/L 106 75 - 125 13 30

Ethylene 105 269 283 ug/L 75 . 125 12 30 Methane 154 157 ug/L 102 75 - 125 12 Lab Sample ID: LCSD 680-303827/7 Client Sample ID: Lab Control Sample Dup

Matrix: Water Prep Type: Total/NA Analysis Batch: 303827 Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit %Rec Limits Limit Methane (TCD) 1920 2120 ug/L 110 75 - 125 30

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-303335/1-A Client Sample ID: Method Blank Matrix: Water Prep Type: Total Recoverable Analysis Batch: 303580 Prep Batch: 303335

мв мв Analyte Result Qualifier Prepared Dil Fac RL MDL Unit Analyzed Iron 0.050 U 0.050 11/14/13 17:25 11/16/13 07:33 ma/L 11/14/13 17:25 Iron, Dissolved 0.050 U 0.050 11/16/13 07:33 mg/L Manganese 0.010 U 0.010 mg/L 11/14/13 17:25 11/16/13 07:33 Manganese, Dissolved 11/14/13 17:25 11/16/13 07:33 0.010 U 0.010 mg/L

Lab Sample ID: LCS 680-303335/2-A Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total Recoverable Analysis Batch: 303580 Prep Batch: 303335

Spike LCS LCS %Rec. Limits Analyte Added Result Qualifier Unit %Rec qq 75 125 iron 5 00 4 94 mg/L Iron, Dissolved 5.00 4.94 mg/L 99 75 - 125 99 75 - 125 Manganese 0.500 0.496 mg/L 99 75 - 125 Manganese, Dissolved 0.500 0.496 mg/L

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-305275/3 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 305275 MB MB

Result Qualifier RL Analyte RL Unit Prepared Analyzed Dil Fac Alkalinity 5.0 mg/L 11/26/13 21:10 5.0 U 11/26/13 21:10 Carbon Dioxide, Free 5.0 U 5.0 mg/L



		QC	Samp	ole F	Resu	its								
Client: Solutia Inc.										٦	TestAme	rica Job ID:	680-96	6178-1
Project/Site: WGK - CPA GW 4Q13												S	SDG: K	PS103
Lab Sample ID: LCS 680-305275/4									Cli	ent	Sample	ID: Lab Co	ntrol S	ample
Matrix: Water											•	Prep Ty	pe: To	tal/NA
Analysis Batch: 305275														
•			Spike		LCS	LCS						%Rec.		
Analyte			Added		Result	Quali	fier	Unit		D	%Rec	Limits		
Alkalinity		117700000	250		223			mg/L			89	80 - 120		
Lab Sample ID: LCSD 680-305275/30								С	lient S	Sam	ple ID: I	_ab Control	Samp	le Dur
Matrix: Water												Prep Ty	pe: To	tal/N/
Analysis Batch: 305275														
			Spike		LCSD	LCS)					%Rec.		RPI
Analyte			Added		Result	Quali	fier	Unit		D	%Rec	Limits	RPD	Limi
Alkalinity	A. J. F. F. A. B. A. B.		250	Promate Ration V anno	231			mg/L			92	80 120	4	3
Method: 325.2 - Chloride											······································			
Lab Sample ID: MB 680-304432/39											Client S	ample ID: N	/ lethod	l Blani
Matrix: Water												Prep Ty	pe: To	tal/N/
Analysis Batch: 304432														
		MB												
Analyte		Qualifier		RL		MDL			D	Р	repared	Analyzo		Dil Fa
Chloride	1.0	U		1.0			mg/L					11/21/13 1	1:05	
Lab Sample ID: LCS 680-304432/19									Cli	ient	Sample	ID: Lab Co	ntrol S	Sample
Matrix: Water											,	Prep Ty		
Analysis Batch: 304432														
,			Spike		LCS	LCS						%Rec.		
Analyte			Added		Result	Qual	ifier	Unit		D	%Rec	Limits		
Chloride			50.0	1-7400114	49,9	kanal kalada da		mg/L	***************************************	****	100	85 . 115	***************************************	
Lab Sample ID: MB 680-304433/47											Client S	Sample ID: I	Method	l Blan
Matrix: Water												Prep Ty	ype: To	otal/N
Analysis Batch: 304433														
•	MB	MB												
Analyte	Result	Qualifier		RL.		MDL	Unit		D	P	repared	Analyz		Dil Fa
Chloride	1.0	U		1.0			mg/L					11/21/13 1	11:05	
Lab Sample ID: LCS 680-304433/28									CI	ient	Sample	D: Lab Co	ntrol S	Sampl
Matrix: Water												Prep T	ype: To	otal/N/
Analysis Batch: 304433														
			Spike		LCS	LCS						%Rec.		

TestAmerica Savannah

Prep Type: Total/NA

%Rec

Prepared

D

100

Limits

85 - 115

Client Sample ID: Method Blank

Analyzed

11/14/13 16:51

DEC 11

Dil Fac

RL

0.050

Added

мв мв Result Qualifier

0.050 U

50.0

Result Qualifier

MDL Unit

mg/L

49.8

Unit

mg/L

Analyte

Chloride

Analyte

Nitrate as N

Matrix: Water

Analysis Batch: 303346

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-303346/13

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Lab Sample ID: LCS 680-303346/14					Clien	t Sample	e ID: Lab C	ontrol Sample
Matrix: Water							Prep 1	ype: Total/NA
Analysis Batch: 303346								
	Spike	LCS	rc2				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Nitrate as N	0.497	0.504		mg/L		102	90 - 110	PPPROXIMATE SUCTOMORAL SUCTOMORALS
Nitrate Nitrite as N	0.997	1.01		mg/L		101	90 - 110	
Nitrite as N	0.500	0.502		mg/L		100	90 - 110	

Client Sample ID: Method Blank Lab Sample ID: MB 680-303347/13 Prep Type: Total/NA Matrix: Water

Analysis Batch: 303347

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	i	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	υ	0.050		mg/L				11/14/13 17:39	1

Client Sample ID: Lab Control Sample Lab Sample ID: LCS 680-303347/14 Prep Type: Total/NA Matrix: Water

Analysis Batch: 303347

	Spike	LCS	LCS		%Rec.	
Analyte	Added	Result	Qualifier Unit	D %Rec	Limits	
Nitrate as N	0.497	0.491	mg/L	99	90 - 110	
Nitrate Nitrite as N	0.997	0.995	mg/L	100	90 - 110	
Nitrite as N	0.500	0.504	mg/L	101	90 - 110	
 i						

Client Sample ID: CPA-B-SHU-1113 Lab Sample ID: 680-96178-5 MS Prep Type: Total/NA Matrix: Water

Analysis Batch: 303347

		Sample	Sample	Spike	MS	MS				%Rec.	
	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
	Nitrate as N	0.050	Ü	0.497	0.493	ANTENATORIO ACTUATORIA	mg/L	_	99	90 - 110	
Company of	Nitrate Nitrite as N	0.050		0.997	0.999		mg/L		99	90 - 110	
Contract of the Contract of th	Nitrite as N	0.050		0.500	0.506		mg/L		97	90 - 110	

Client Sample ID: CPA-B-SHU-1113 Lab Sample ID: 680-96178-5 MSD Prep Type: Total/NA Matrix: Water

1	Analysis Batch: 303347											
		Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
1	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1	Vitrate as N	0.050	U	0.497	0,496	***************************************	mg/L		100	90 - 110	1	10
١	Nitrate Nitrite as N	0.050		0.997	1.00		mg/L		99	90 - 110	0	10
١	Vitrite as N	0.050		0.500	0.505		mg/L		97	90 - 110	0	10

Method: 375.4 - Sulfate

Lab Sample ID: MB 680-304985/5							Client Sa	ample ID: Metho	d Blank
Matrix: Water								Prep Type: 1	otal/NA
Analysis Batch: 304985									
	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	Ū	5.0	****	mg/L	************ ***** ***		11/25/13 11:21	1

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method: 375.4 - Sulfate (Contir	nued)	.,										***************************************		
Lab Sample ID: LCS 680-304985/18										Clien	t Sample	D: Lab C	ontrol :	Sample
Matrix: Water												Prep ⁻	Гу ре: Т	otal/NA
Analysis Batch: 304985														
				Spike		LCS	LCS					%Rec.		
Analyte	-	*************	**************************************	Added		Result	Qual	ilier	Unit	D	%Rec	Limits		
Sulfate				20.0		20.0			mg/L		100	75 - 125		
Lab Sample ID: 680-96178-1 MS										Cli	ent Sam	ple ID: CP.		
Matrix: Water												Prep 7	Type: T	otal/NA
Analysis Batch: 304985														
	Sample		-	Spike			MS					%Rec.		
Analyte	Result		ifier	Added		Result	Qual	ifier	Unit	D	%Rec	Limits		
Sulfate	25	U		100		97.6			mg/L		98	75 - 125		
Lab Sample ID: 680-96178-1 MSD										Cli	ent Sam	ple ID: CP	A-A-MH	IU-1113
Matrix: Water												Prep	Type: T	otai/NA
Analysis Batch: 304985														
	Sample	Sam	ple	Spike		MSD	MSD					%Rec.		RPD
Analyte	Result	Qua	ifier	Added		Result	Qual	ifter	Unit	D	%Rec	Limits	RPD	Limit
Sulfate	25	U		100		98.9	121111011		mg/L		99	75 - 125	1	30
Lab Sample ID: 680-96178-3 DU Matrix: Water										CI	ient Sam	ple ID: CP	A-A-DH Type: T	
Analysis Batch: 304985														
`	Sample	Sam	ple'			DU	DU					`		RPD
Analyte	Result		•			Result	Qual	ifler	Unit	D			RPD	Limit
Sulfate	93					89.3			mg/L		-		4	30
Method: 415.1 - DOC														
 Lab Sample ID: MB 680-304592/2-A											Client S	Sample ID:	Metho	d Blank
Matrix: Water												•	ype: Dis	
Analysis Batch: 304878													, ,	
Analysis Batelli 504070		мв	мв											
Analyte	R	esult	Qualifier		RL		MDL	Unit		D	Prepared	Analy	zed	Dil Fac
Dissolved Organic Carbon		1.0			1.0	***************************************		mg/L				11/22/13		1
Lab Sample ID: LCS 680-304592/1-/	Δ									Clier	nt Samni	e ID: Lab (Control	Sample
Matrix: Water	`									0.1.0.1	ic Gumpi		ype: Dis	
												riep i	ype. Dis	330:460
Analysis Batch: 304878				Spike		LCS	LCS					%Rec.		
Analyte				Added		Result		ifier	Unit	D	%Rec	Limits		
Dissolved Organic Carbon				20.0	A	18.8			mg/L		94	80 - 120		
: Lab Sample ID: MB 680-305399/2-A											Client	Sample ID	Motho	d Riank
•											Onent.			
Matrix: Water												Lighi	ype: Di	3301760
Analysis Batch: 305394		МВ	мв											
	-		MID Qualifier		RL			Unit		D	Prepared	Analy	nad	Dil Fac
Analyte														

TestAmerica Savannah

DEC 1 1 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Lab Sample ID: LCS 680-305399/1-A							Clic	nt Sample	e ID: Lab Coi	ntro! C	amnia
Matrix: Water	`						Cite	iir aaiiihit	יט: במט כסו Prep Typ		•
Analysis Batch: 305394									1 (op .) p	o. D.a.	
•			Spike	LCS	LCS				%Rec.		
Analyte			Added	Resul	t Qualifier	Unit		%Rec	Limits		
Dissolved Organic Carbon			20.0	18.9)	mg/L		95	80 - 120		4771333333
Lab Sample ID: 680-96178-6 MS						C	Client S	ample ID	: CPA-B-SHL	J-F{0.2	}-111:
Matrix: Water									Prep Typ	e: Diss	solve
Analysis Batch: 305394											
	· · ·	Sample	Spike		MS				%Rec.		
Analyte		Qualifier	Added		t Qualifier	Unit			Limits		
Dissolved Organic Carbon	3,5		20.0	22.2	!	mg/L		93	80 - 120		
Lab Sample ID: 680-96178-6 MSD						(Client S	ample ID	: CPA-B-SHL		
Matrix: Water									Ргер Тур	e: Diss	solve
Analysis Batch: 305394											
	•	Sample	Spike		MSD		_		%Rec.		RPI
Analyte	//	Qualifier	Added		t Qualifier	Unit			Limits	RPD	Lim
Dissolved Organic Carbon	3.5		20.0	22.6)	mg/L		95	80 - 120	2	2
lethod: 415.1 - TOC		- ^									
	·····										
Lab Sample ID: MB 680-304875/26								Client 9	Sample ID: N	lethod	Blan
•		•						Client S	Sample ID: M Prep Ty		
Lab Sample ID: MB 680-304875/26 Matrix: Water Analysis Batch: 304875		`						Client S	• •		
Matrix: Water		мв мв			`			Client S	• •		
Matrix: Water ` Analysis Batch: 304875	R	MB MB esult Qualifier		RL	MDL Unit		D	Client S	• •	ре: То	tal/N
Matrix: Water	R		norm habitoterroccer	RL 1.0	MDL Unit	***************************************	D		Prep Ty	pe: To	tal/NA
Matrix: Water ` Analysis Batch: 304875 Analyte Total Organic Carbon	R	esult Qualifier	**************************************			***************************************		Prepared	Analyze 11/23/13 06	pe: To	Dil Fa
Matrix: Water Analysis Batch: 304875 ^{Analyte}	R	esult Qualifier	norm samutorimore					Prepared	Analyze 11/23/13 00 e ID: Lab Co	pe: To	Dil Fa
Matrix: Water ` Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water	R	esult Qualifier	h ora			1 004 + 19 - 19 - 19 - 19 - 19 - 19 - 19 - 19		Prepared	Analyze 11/23/13 06	pe: To	Dil Fa
Matrix: Water `Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34	R	esult Qualifier	Spike	1.0				Prepared	Analyze 11/23/13 00 e ID: Lab Co	pe: To	Dil Fa
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875	R	esult Qualifier	Spike Added	1.0 LCS	mg/L	Unit		Prepared nt Sample	Analyze 11/23/13 00 e ID: Lab Col	pe: To	Dil Fa
Matrix: Water ` Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water	R	esult Qualifier	•	1.0 LCS	mg/L G LCS t Qualifier	Unit mg/L	Clie	Prepared nt Sample	Analyze Analyze 11/23/13 00 e ID: Lab Coi Prep Ty %Rec.	pe: To	Dil Fa
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon	R	esult Qualifier	Added	1.0 LCS Resul	mg/L G LCS t Qualifier		Clie	Prepared nt Sample Necc 94	Analyze Analyze 11/23/13 00 e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120	pe: To	Dil Fa ample tal/NA
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875	R	esult Qualifier	Added	1.0 LCS Resul	mg/L G LCS t Qualifier		Clie	Prepared nt Sample Necc 94	Analyze Analyze 11/23/13 00 e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120 Sample ID: M	pe: To d D:57 ntrol S pe: To	Dil Fa ample tal/NA
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62	R	esult Qualifier	Added	1.0 LCS Resul	mg/L G LCS t Qualifier		Clie	Prepared nt Sample Necc 94	Analyze Analyze 11/23/13 00 e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120	pe: To d D:57 ntrol S pe: To	Dil Fa ample tal/NA
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876		esult Qualifier 1.0 U	Added	LCS Resul	mg/L S LCS t Qualifier		Clie	nt Sample NRec 94 Client S	Analyze Analyze 11/23/13 0i e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120 Sample ID: M	pe: To d D:57 ntrol S pe: To lethod pe: To	Dil Fa
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876 Analyte		esult Qualifier 1.0 U	Added	LCS Resul 18.7	mg/L LCS t Qualifier	mg/L	Clie	Prepared nt Sample Necc 94	Analyze Analyze 11/23/13 0i e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120 Sample ID: M Prep Ty	pe: To d D:57 ntrol S pe: To lethod pe: To	Dil Fa
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876 Analyte		esult Qualifier 1.0 U	Added	LCS Resul	mg/L S LCS t Qualifier	mg/L	Clie	nt Sample NRec 94 Client S	Analyze Analyze 11/23/13 0i e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120 Sample ID: M	pe: To d D:57 ntrol S pe: To lethod pe: To	Dil Fa ample ample Blant tal/N/
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876		esult Qualifier 1.0 U	Added	LCS Resul 18.7	mg/L LCS t Qualifier	mg/L	Clie	Prepared O %Rec 94 Client S	Analyze Analyze 11/23/13 0i e ID: Lab Cor Prep Ty %Rec. Limits 80 - 120 Sample ID: M Prep Ty	pe: To d D:57 ntrol S pe: To lethod pe: To d	Dil Fa ampl ampl Blan tal/N/
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876 Analyte Total Organic Carbon		esult Qualifier 1.0 U	Added	LCS Resul 18.7	mg/L LCS t Qualifier	mg/L	Clie	Prepared O %Rec 94 Client S	Analyze 11/23/13 00 e ID: Lab Corprep Ty %Rec. Limits 80 - 120 Sample ID: M Prep Ty Analyze 11/23/13 10	pe: To d D:57 ntrol S pe: To d D:31	Dil Fa ample Blant tal/N/
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304876/64 Matrix: Water		esult Qualifier 1.0 U	Added 20.0	1.0 LCS Resul 18.7	MDL Unit mg/L	mg/L	Clie	Prepared O %Rec 94 Client S	Analyze 11/23/13 00 e ID: Lab Con Prep Ty %Rec. Limits 80 - 120 Sample ID: M Prep Ty Anelyze 11/23/13 10 e ID: Lab Con Prep Ty	pe: To d D:57 ntrol S pe: To d D:31	Dil Fa ample Blant tal/N/
Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304875/34 Matrix: Water Analysis Batch: 304875 Analyte Total Organic Carbon Lab Sample ID: MB 680-304876/62 Matrix: Water Analysis Batch: 304876 Analyte Total Organic Carbon Lab Sample ID: LCS 680-304876/64		esult Qualifier 1.0 U	Added	LCS Resul 18.7	mg/L LCS t Qualifier	mg/L	Clie	Prepared O %Rec 94 Client S	Analyze 11/23/13 00 e ID: Lab Coprep Ty %Rec. Limits 80 - 120 Sample ID: M Prep Ty Anelyze 11/23/13 10	pe: To d D:57 ntrol S pe: To d D:31	Dil Face

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Method:	415.	1 - TO	C (Co	ntinued)
---------	------	--------	-------	----------

Lab Sample ID: 680-96178-3 MS Matrix: Water							Clie	ent Sam	pie ID: CPA-A-DHU-1113
Analysis Batch: 304876									Prep Type: Total/NA
,	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Ad ded	Result	Qualifier	Unit	D	%Rec	Limits
Total Organic Carbon	4,3	***************************************	20.0	23.4	L	mg/L		95	80 - 120

- 1	Lab Sample ID: 680-96178-3 MS	SD						Cli	ent San	nple (D; CP.	A-A-DH(J-1113
	Matrix: Water									Prep 1	ype: To	tal/NA
	Analysis Batch: 304876											
-		Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
40000	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1	Total Organic Carbon	4.3		20.0	23.5		mg/L	1.113	96	80 - 120	0	25

Lab Sample ID: 680-96178-5 D Matrix: Water Analysis Batch: 304876	U						Client Sa	mple ID: CP/ Prep T	ላ- B-Sዝl ype: To	
	Sample	Sample		DU	DU					RPD
Analyte	Result	Qualifier		Result	Qualifier	Unit	D		RPD	Limit
Total Organic Carbon	3.5		,	3.31	,	mg/L			6	25

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

GC/MS VOA

Analysis Bat	ch: 304112	
--------------	------------	--

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96178-1MS	CPA-A-MHU-1113 MS	Total/NA	Water	8260B	
680-96178-1MSD	CPA-A-MHU-1113 MSD	Total/NA	Water	8260B	
680-96178-5	CPA-B-SHU-1113	Total/NA	Water	8260B	
680-96178-7	CPA-B-MHU-1113	Total/NA	Water	8260B	
680-96178-9	CPA-B-MHU-1113-EB	Total/NA	Water	8260B	
680-96178-10	4Q13 CPA Trip Blank #2	Total/NA	Water	8260B	
680-96178-11	CPA-B-DHU-1113	Total/NA	Water	8260B	
LCS 680-304112/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-304112/4	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-304112/7	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 304117

- Control	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
Carried Street	680-96178-1	CPA-A-MHU-1113	Total/NA	Water	8260B	
Section 1	LCS 680-304117/4	Lab Control Sample	Total/NA	Water	8260B	\$;
	LCSD 680-304117/5	Lab Control Sample Dup	Total/NA	Water	8260B	
and the same	MB 680-304117/8	Method Blank	Total/NA	Water	8260B) E

Analysis Batch: 304391

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96178-3	CPA-A-DHU-1113	Total/NA	Water	8260B	*************************************
LCS 680-304391/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-304391/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-304391/8	Method Blank	Total/NA	Water	82608	

GC VOA

Analysis Batch: 303827

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96178-1	CPA-A-MHU-1113	Total/NA	Water	RSK-175	
680-96178-3	CPA-A-DHU-1113	Total/NA	Water	RSK-175	
680-96178-5	CPA-B-SHU-1113	Total/NA	Water	RSK-175	
680-96178-7	CPA-B-MHU-1113	Total/NA	Water	RSK-175	
680-96178-11	CPA-B-DHU-1113	Total/NA	Water	RSK-175	
LCS 680-303827/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-303827/6	Lab Control Sample	Totai/NA	Water	RSK-175	*
LCSD 680-303827/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-303827/7	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-303827/3	Method Blank	Totat/NA	Water	RSK-175	

Metals

Prep Batch: 303335

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96178-1	CPA-A-MHU-1113	Total Recoverable	Water	3005A	
680-96178-2	CPA-A-MHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96178-3	CPA-A-DHU-1113	Total Recoverable	Water	3005A	
680-96178-4	CPA-A-DHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96178-5	CPA-B-SHU-1113	Total Recoverable	Water	3005A	
680-96178-6	CPA-B-SHU-F(0.2)-1113	Dissolved	Water	3005A	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Metals (Continued)

Prep Batch: 303335 (Continued	Prep	Batch:	303335	(Continued
-------------------------------	------	--------	--------	------------

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96178-7	CPA-B-MHU-1113	Total Recoverable	Water	3005A	
680-96178-8	CPA-B-MHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96178-11	CPA-B-DHU-1113	Total Recoverable	Water	3005A	
680-96178-12	CPA-B-DHU-F(0.2)-1113	Dissolved	Water	3005A	
LCS 680-303335/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-303335/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 303580

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96178-1	CPA-A-MHU-1113	Total Recoverable	Water	6010C	303335
680-96178-2	CPA-A-MHU-F(0.2)-1113	Dissolved	Water	6010C	303335
680-96178-3	CPA-A-DHU-1113	Total Recoverable	Water	6010C	303335
680-96178-4	CPA-A-DHU-F(0.2)-1113	Dissolved	Water	6010C	303335
680-96178-5	CPA-B-SHU-1113	Total Recoverable	Water	6010C	303335
680-96178-6	CPA-B-SHU-F(0.2)-1113	Dissolved	Water	6010C	303335
680-96178-7	CPA-B-MHU-1113	Total Recoverable	Water	6010C	303335
680-96178-8	CPA-B-MHU-F(0.2)-1113	Dissolved	Water	6010C	303335
680-96178-11	CPA-B-DHU-1113	Total Recoverable	Water	6010C	303335
680-96178-12	CPA-B-DHU-F(0.2)-1113	Dissolved	Water	6010C	303335
LCS 680-303335/2-A	Lab Control Sample	Total Recoverable	Water	6010C	303335
MB 680-303335/1-A	Method Blank	Total Recoverable	Water	6010C	303335

General Chemistry

Analysis Batch: 303346

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method Prep Batch
680-96178-1	CPA-A-MHU-1113	Total/NA	Water	353.2
680-96178-3	CPA-A-DHU-1113	Total/NA	Water	353.2
LCS 680-303346/14	Lab Control Sample	Total/NA	Water	353.2
MB 680-303346/13	Method Blank	Total/NA	Water	353.2

Analysis Batch: 303347

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96178-5	CPA-B-SHU-1113	Total/NA	Water	353.2	
680-96178-5 MS	CPA-B-SHU-1113	Total/NA	Water	353.2	
680-96178-5 MSD	CPA-B-SHU-1113	Total/NA	Water	353.2	
680-96178-7	CPA-B-MHU-1113	Total/NA	Water	353.2	
680-96178-11	CPA-B-DHU-1113	Total/NA	Water	353.2	
LCS 680-303347/14	Lab Control Sample	Totai/NA	Water	353.2	
MB 680-303347/13	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 304432

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96178-1	CPA-A-MHU-1113	Total/NA	Water	325.2	
680-96178-3	CPA-A-DHU-1113	Totai/NA	Water	325.2	
680-96178-5	CPA-B-SHU-1113	Total/NA	Water	325.2	
LCS 680-304432/19	Lab Control Sample	Total/NA	Water	325.2	
MB 680-304432/39	Method Blank	Total/NA	Water	325,2	

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

General Chemistry (Continued) Analysis Batch: 304433 Lab Sample ID Client Sample ID Prep Type Matrix Method Prep Batch 680-96178-7 CPA-B-MHU-1113 Total/NA Water 325.2 680-96178-11 CPA-B-DHU-1113 Total/NA Water 325.2 LCS 680-304433/28 Lab Control Sample Total/NA Water 325.2 MB 680-304433/47 Method Blank Total/NA Water 325.2 Filtration Batch: 304592 Lab Sample ID Client Sample ID Prep Type Matrix Method Prep Batch LCS 680-304592/1-A Water **FILTRATION** Dissolved Lab Control Sample MB 680-304592/2-A Method Blank Dissolved Water FILTRATION Analysis Batch: 304875 Lab Sample ID Client Sample ID Prep Type Matrix Method Prep Batch 680-96178-1 CPA-A-MHU-1113 Total/NA Water 415.1 LCS 680-304875/34 Lab Control Sample Total/NA Water 415.1 MB 680-304875/26 Method Blank Total/NA Water 415.1 Analysis Batch: 304876 Lab Sample ID Client Sample ID Matrix Method Prep Batch Prep Type 680-96178-3 CPA-A-DHU-1113 Total/NA Water 415.1 680-96178-3 MS CPA-A-DHU-1113 Total/NA Water 415.1 680-96178-3 MSD CPA-A-DHU-1113 Total/NA Water 415.1 680-96178-5 CPA-B-SHU-1113 · Total/NA Water 415.1 680-96178-5 DU CPA-B-SHU-1113 Total/NA Water 415.1 680-96178-7 Water CPA-B-MHU-1113 Total/NA 415.1 680-96178-11 CPA-B-DHU-1113 Total/NA Water 415 1 LCS 680-304876/64 Lab Control Sample Total/NA Water 415.1 MB 680-304876/62 Method Blank Total/NA Water 415.1 Analysis Batch: 304878 Lab Sample ID Client Sample ID Matrix Method Prep Type Prep Batch 680-96178-2 CPA-A-MHU-F(0.2)-1113 Dissolved Water 415.1 680-96178-4 CPA-A-DHU-F(0.2)-1113 Dissolved Water 415.1 680-96178-8 CPA-B-MHU-F(0.2)-1113 Dissolved Water 415.1 LCS 680-304592/1-A Lab Control Sample Dissolved Water 415.3 304592 MB 680-304592/2-A Method Blank Dissolved Water 415.1 304592 Analysis Batch: 304985 Lab Sample ID Client Sample ID Prep Type Matrix Method Prep Batch 680-96178-1 CPA-A-MHU-1113 Water 375,4 Total/NA 680-96178-1 MS CPA-A-MHU-1113 Total/NA Water 375.4 680-96178-1 MSD CPA-A-MHU-1113 Total/NA Water 375,4 680-96178-3 CPA-A-DHU-1113 Total/NA Water 375,4 680-96178-3 DU Water CPA-A-DHU-1113 Total/NA 375.4 680-96178-5 Water 375.4 CPA-B-SHU-1113 Total/NA 680-96178-7 CPA-B-MHU-1113 Total/NA Water 375.4 680-96178-11 CPA-B-DHU-1113 Total/NA Water 375.4 LCS 680-304985/18 Lab Control Sample Total/NA Water 375.4 MB 680-304985/5 Method Blank Total/NA Water 375.4

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

General Chemistry (Continued)

Ana	lvsis	Batch:	305275
, ,,,,,	.,	- acom	

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96178-1	CPA-A-MHU-1113	Total/NA	Water	310.1	
680-96178-3	CPA-A-DHU-1113	Total/NA	Water	310.1	
680-96178-5	CPA-B-SHU-1113	Total/NA	Water	310.1	
680-96178-7	CPA-B-MHU-1113	Total/NA	Water	310.1	
680-96178-11	CPA-B-DHU-1113	Total/NA	Water	310.1	
LCS 680-305275/4	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-305275/30	Lab Control Sample Dup	Total/NA	Water	310.1	
M8 680-305275/3	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 305394

Lab Sample ID	Client Sample (D	Ргер Туре	Matrix	Method	Prep Batch
680-96178-6	CPA-B-SHU-F(0,2)-1113	Dissolved	Water	415.1	
680-96178-6 MS	CPA-B-SHU-F(0.2)-1113	Dissolved	Water	415.1	
680-96178-6 MSD	CPA-B-SHU-F(0.2)-1113	Dissolved	Water	415.1	
680-96178-12	CPA-B-DHU-F(0.2)-1113	Dissolved	Water	415.1	
LCS 680-305399/1-A	Lab Control Sample	Dissolved	Water	415.1	305399
MB 680-305399/2-A	Method Blank	Dissolved	Water	415.1	305399

Filtration Batch: 305399

	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix		Method	Prep Batch
	LCS 680-305399/1-A	Lab Control Sample	Dissolved	Water		FILTRATION	***************************************
-	MB 680-305399/2-A	Method Błank	Dissolved	Water	•	FILTRATION	•

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-MHU-1113

Date Collected: 11/13/13 10:05 Date Received: 11/14/13 09:42

Lab Sample ID: 680-96178-1

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	304117	11/20/13 17:35	JD1	TAL SAV
Total/NA	Analysis	R\$K-175		1	303827	11/19/13 15:47	AJMC	TAL SAV
Total Recoverable	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	303580	11/16/13 08:42	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303346	11/14/13 17:37	CRW	TAL SAV
Total/NA	Analysis	325.2		1	304432	11/21/13 09:35	JME	TAL SAV
Total/NA	Analysis	415.1		1	304875	11/23/13 10:45	CMP	TAL SAV
Total/NA	Analysis	375.4		5	304985	11/25/13 12:03	JME	TAL SAV
Total/NA	Analysis	310.1		1	305275	11/26/13 22:34	LBH	TAL SAV

Client Sample ID: CPA-A-MHU-F(0.2)-1113

Date Collected: 11/13/13 10:05

Date Received: 11/14/13 09:42

Lab Sample ID: 680-96178-2

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
Dissolved	Analysis	6040C		.1	303580	11/16/13 08:47	BGB	TAL SAV
Dissolved	Analysis	415.1		1	304878	11/23/13 02:22	CMP	TAL SAV

Client Sample ID: CPA-A-DHU-1113

Date Collected: 11/13/13 11:35

Date Received: 11/14/13 09:42

Lab Sample ID: 680-96178-3

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	304391	11/21/13 15:39	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	303827	11/19/13 16:00	AJMC	TAL SAV
Total Recoverable	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	303580	11/16/13 08:51	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303346	11/14/13 17:38	CRW	TAL SAV
Total/NA	Analysis	325.2		1	304432	11/21/13 09:35	JME	TAL SAV
Total/NA	Analysis	415.1		1	304876	11/23/13 11:16	CMP	TAL SAV
Total/NA	Analysis	375.4		5	304985	11/25/13 12:05	JME	TAL SAV
Total/NA	Analysis	310.1		1	305275	11/26/13 22:48	LBH	TAL SAV

Client Sample ID: CPA-A-DHU-F(0.2)-1113

Date Collected: 11/13/13 11:35

Date Received: 11/14/13 09:42

Lab Sample ID: 680-96178-4

Matrix: Water

1		Batch	Batch		Dilution	Batch	Prepared		
-	Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
	Dissolved	Prep	3005A	##000076-000-00-00-00-00-00-00-00-00-00-00-00-0	HATTINGS STREET, STREE	303335	11/14/13 17:25	DAS	TAL SAV
	Dissolved	Analysis	6010C		1	303580	11/16/13 09:05	BCB	TAL SAV

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-A-DHU-F(0.2)-1113

Date Collected: 11/13/13 11:35 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-4

Matrix: Water

Batch Dilution Batch Prepared Prep Type Туре Method Run Factor Number or Analyzed Analyst Lab Dissolved Analysis 415.1 304878 11/23/13 02:37 CMP TAL SAV

Client Sample ID: CPA-B-SHU-1113 Lab Sample ID: 680-96178-5

Date Collected: 11/13/13 13:45 Matrix: Water

Date Received: 11/14/13 09:42

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
otai/NA	Analysis	8260B		200	304112	11/20/13 13:42	JD1	TAL SAV
otal/NA	Analysis	RSK-175		1	303827	11/19/13 16:13	AJMC	TAL SAV
otal Recoverable	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
otal Recoverable	Analysis	6010C		1	303580	11/16/13 09:10	BCB	TAL SAV
otal/NA	Analysis	353.2		1	303347	11/14/13 17:42	CRW	TAL SAV
otal/NA	Analysis	325.2		2	304432	11/21/13 10:43	JME	TAL SAV
otal/NA	Analysis	415.1		1	304876	11/23/13 11:58	CMP	TAL SAV
otal/NA	Analysis	375.4		10	304985	11/25/13 12:11	JME	TAL SAV
otal/NA	Analysis	310.1		1	305275	11/26/13 21:45	LBH	TAL SAV

Client Sample ID: CPA-B-SHU-F(0.2)-1113 Lab Sample ID: 680-96178-6

Date Collected: 11/13/13 13:45 Matrix: Water

Date Received: 11/14/13 09:42

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A	Figure 1 of Records and American	F-1-11-11-11-11-11-11-11-11-11-11-11-11-	303335	11/14/13 17:25	DAS	TAL SAV
Dissolved	Analysis	6010C		1	303580	11/16/13 09:15	BCB	TAL SAV
Dissolved	Analysis	415.1		1	305394	11/26/13 09:47	CMP	TAL SAV

Client Sample ID: CPA-B-MHU-1113 Lab Sample ID: 680-96178-7
Date Collected: 11/13/13 14:50 Matrix: Water

Date Collected: 11/13/13 14:50 Date Received: 11/14/13 09:42

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1000	304112	11/20/13 14:04	JD1	TAL SAV
otal/NA	Analysis	RSK-175		1	303827	11/19/13 16:26	AJMC	TAL SAV
otal Recoverable	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
otal Recoverable	Analysis	6010C		1	303580	11/16/13 09:19	BCB	TAL SAV
tai/NA	Analysis	353.2		1	303347	11/14/13 17:48	CRW	TAL SAV
al/NA	Analysis	325.2		5	304433	11/21/13 10:51	JME	TAL SAV
tal/NA	Analysis	415.1		1	304876	11/23/13 12:29	CMP	TAL SAV
al/NA	Analysis	375.4		5	304985	11/25/13 12:07	JME	TAL SAV
/NA	Analysis	310.1		1	305275	11/26/13 22:00	LBH	TAL SAV

TestAmerica Savannah

vec 1 1 2013 MM

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Client Sample ID: CPA-B-MHU-F(0.2)-1113

Date Collected: 11/13/13 14:50 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-8

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A	***************************************	***************************************	303335	11/14/13 17:25	DAS	TAL SAV
Dissolved	Analysis	6010C		1	303580	11/16/13 09:24	BCB	TAL SAV
Dissolved	Analysis	415.1		1	304878	11/23/13 02:51	CMP	TAL SAV

Client Sample ID: CPA-B-MHU-1113-EB

Date Collected: 11/13/13 14:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-9

Matrix: Water

Batch Dilution Batch Prepared Method Prep Type Type Factor Number or Analyzed Run Analyst Total/NA 8260B Analysis 304112 11/20/13 11:52 TAL SAV JD1

Client Sample ID: 4Q13 CPA Trip Blank #2

Date Collected: 11/13/13 00:00

Lab Sample ID: 680-96178-10

Matrix: Water

Date Received: 11/14/13 09:42

ľ		Batch	Batch		Dilution	Batch	Prepared		
Total Control	Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
	Total/NA	Analysis	8260B	***************************************	1	304112	11/20/13 10:45	JD1	TAL SAV

Client Sample ID: CPA-B-DHU-1113

Date Collected: 11/13/13 16:05 Date Received: 11/14/13 09:42 Lab Sample ID: 680-96178-11

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	·	500	304112	11/20/13 14:27	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	303827	11/19/13 16:39	AJMC	TAL SAV
Total Recoverable	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	303580	11/16/13 09:29	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303347	11/14/13 17:49	CRW	TAL SAV
Total/NA	Analysis	325.2		1	304433	11/21/13 09:53	JME	TAL SAV
Total/NA	Analysis	415.1		1	304876	11/23/13 12:43	CMP	TAL SAV
Total/NA	Analysis	375.4		5	304985	11/25/13 12:07	JME	TAL SAV
Total/NA	Analysis	310.1		1	305275	11/26/13 22:24	LBH	TAL SAV

Client Sample ID: CPA-B-DHU-F(0.2)-1113

Date Collected: 11/13/13 16:05

Lab Sample ID: 680-96178-12

Matrix: Water

Date Received: 11/14/13 09:42

		Batch	Batch		Dilution	Batch	Prepared		
- Louis	Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
	Dissolved	Prep	3005A			303335	11/14/13 17:25	DAS	TAL SAV
***********	Dissolved	Analysis	6010C		1	303580	11/16/13 09:33	ВСВ	TAL SAV
	Dissolved	Analysis	415.1		1	305394	11/26/13 10:34	CMP	TAL SAV

TestAmerica Savannah

DEC 1 1 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

.

Chain of Custody Record

5102 LaRoche Avenue Savaman, GA 31404

Savannah

TestAmerica

71562962,00004 09:41 TestAmerica Laboratories, Inc. Sample Specific Notes: Date/Time: (1//4) 680-96178 Chain of Custody Date/Time: Date/Time: SDG No. SOC 26 Company: Сощралу: Company Carrier: *** 00C PA 4121 Massived Fearin by 6010B Site Contact: Michael Corbett LOC PA 4121 Lab Contact: Michele Kersey H 7 Dissolved Gases by RSK 175 m b.275 yet alattin2/2.255 yet obitotel --Received by: Received by: THICOT BY 310.1 ,... 10105 yd nivîdy 1610U 3 3 AOC2 PX 8300 m 3 hanke basoniy Date/Time: 11/13/13 1800 # of Cont 17 77 12 Date/Time: Date/Time: Water 3 Matrix Water Water Water Water ड्डे 3 Water Water Water Water Calendar (C) or Work Days (W)
TAT if different from Below Spandari Analysis Turnaround Time Sample Project Manager: Bob Billman **2**0 [] \mathcal{D} Ġ Ç Ö Ü ψ Ü Ü Ġ 2 weeks 2 days i week day Tel/Fax: (314) 743-4108 135 8 元50 150 909 900 1135 1345 623 Sample 535 11/13/13 Snosi Eleili Sample Date Company: Company: Company: 02A-A-NHU-1113-MSD Stan Irritani CPA-B-MHU-1113-EB CPA-A-MHU-1113-MS pecial Instructions/QC Requirements & Comments: CPA- 8 - MILLE(02)-1113" - MHUF(0.2)-1113 CPA- A - DHILF(0.2)-1113 CPA- B-SHUF10127-1113 CPA-PD-NHILLIIS -MHUIII CPA-B-SH/41113 CPA-A-DHU-1113 001 Highlands Plaza Drive West, Suite 300 St. Louis, MO 63110 Sample Identification Project Name: 4Q13 CPA GW Sampling Client Contact Ϋ́ Plammable phone 912.354.7858 fax 912.352.0165 Site: Solutia WG Krummich Facility CPA-A ossible Hazard Identification Non-Hazard JRS Corporation Relinquished by: 14) 429-0462

7,00070

620-36179

E

Chain of Custody Record

phone 912.354.7858 fax 912.352.0165

Savannah, GA 31404

5102 LaRoche Avenue

Savannah

TestAmerica

TestAmerica Laboratories, Inc.

71563963,00004 Sample Specific Notes: Months Carrier: Fedex COC No. Job No. DOC PA 412.1 -Dissolved FeMa by 6010D Site Contact: Michael Corbett Lab Contact: Michele Kersey COC PA 4121 S.ESE yd alaniN 74 N " w Dissolved Gases by RSK 175 m 'n 1 Chloride by 325.2/Sulfate by 375.4 VIF\C:05 P\ 310'1 Total Pethin by 6010D ĩ VOCs by 8260 m " ы ۲٦ И × × × 12 13 ဌ 7 N c4 ď Matrix Water Water Water Water Water Water Water Water Water Analysis Turnaround Time
Calendar (C) or Work Days (W)
TAT if different from Below Standar Sample aown Project Manager: Bob Billman G Ġ G O G ڻ ن Ö Ö 2 weeks 2 days i week l day Tel/Fax: (314) 743-4108 Sample Time S 11/13/13 Sample Date Skin Irritani Special Instructions/QC Requirements & Comments: CPA- B. DHUF1027-1113 -F(0.2)-1113 F(0.2) 1113 CPA- B- DHK-1113 -1113 001 Highlands Plaza Drive West, Suite 300 Sample Identification Project Name: 4Q13 CPA GW Sampling Client Contact Site: Solutia WG Krummich Facility 4 ð 5 ď St. Louis, MO 63110 (314) 429-0100 JRS Corporation ö

0.2°C, 0.6°C

Date/Time: Date/Time:

Received by:

Date/Time:

Company:

Relinquished by:

DEC 1 1 2013

URS

Company: Company:

24:60

Company: Company: Company: 680-76179

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-96178-1

SDG Number: KPS103


List Source: TestAmerica Savannah

Login Number: 96178

List Number: 1

Creator: Contreras, Cesar A

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	,
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Certification Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96178-1

SDG: KPS103

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-15
A2LA ·	ISO/IEC 17025		399.01	02-28-15
Alabama	State Program	4	41450	06-30-14
Arkansas DEQ	State Program	6	88-0692	02-01-14
California	NELAP	9	3217CA	07-31-14
Colorado	State Program	8	N/A	12-31-13 *
Connecticut	State Program	1	PH-0161	03-31-15
Florida	NELAP	4	E87052	06-30-14
GA Dept. of Agriculture	State Program	4	N/A	12-31-13 *
Georgia	State Program	4	N/A	06-30-14
Georgia	State Program	4	803	06-30-14
Guam	State Program	9	09-005r	06-17-14
Hawaii	State Program	9	N/A	06-30-14
Illinois	NELAP	5	200022	11-30-13 *
Indiana	State Program	5	N/A	06-30-14
lowa	State Program	7	353	07-01-15
Kentucky	State Program	4	90084	12-31-13 *
Kentucky (UST)	State Program	4	18	06-30-14
Louisiana	NELAP	6	30690	06-30-14
Маіле	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-13 *
Massachusetts `	State Program	1	' M-GA006	06-30-14
Michigan	State Program	5	9925	06-30-14
Mississippi	State Program	4	N/A	06-30-14
Montana	State Program	8	CERT0081	01-01-14 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-14
New Jersey	NELAP	2	GA769	06-30-14
New Mexico	State Program	6	N/A	06-30-14
New York	NELAP	2	10842	04-01-14
North Carolina DENR	State Program	4	269	12-31-13 *
North Carolina DHHS	State Program	4	13701	07-31-14
Okłahoma	State Program	6	9984	08-31-14
Pennsylvania	NELAP	3	68-00474	06-30-14
Puerto Rico	State Program	2	GA00006	01-01-14 *
South Carolina	State Program	4	98001	06-30-14
Tennessee	State Program	4	TN02961	06-30-14
Texas	NELAP	6	T104704185-08-TX	11-30-14
USDA	Federal		SAV 3-04	04-07-14
Virginia	NELAP	3	460161	06-14-14
Washington	State Program	10	C1794	06-10-14
West Virginia	State Program	3	9950C	12-31-13 *
West Virginia DEP	State Program	3	94	06-30-14
Wisconsin	State Program	5	999819810	08-31-14
Wyoming	State Program	8	8TMS-L	06-30-14

^{*} Expired certification is currently pending renewal and is considered valid.

4Q 2013 CPA Data Review

Laboratory SDG: KPS104

Data Reviewer: Melissa Mansker Peer Reviewer: Elizabeth Kunkel

Date Reviewed: 12/12/2013

Guidance: USEPA National Functional Guidelines for Superfund Organic Methods Data Review 2008. USEPA National Functional Guidelines for Superfund

Inorganic Data Review 2010

Work Plan: Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia

2009)

Sample Identification			
CPA-C-SHU-1113	CPA-C-SHU-F(0.2)-1113		
CPA-C-MHU-1113	CPA-C-MHU-F(0.2)-1113		
CPA-C-DHU-1113	CPA-C-DHU-F(0.2)-1113		
CPA-C-MHU-1113-EB	CPA-C-DHU-1113-AD		
4Q13 CPA Trip Blank #3			

1.0 Data Package Completeness

Were all items delivered as specified in the QAPP and COC as appropriate?

Yes

2.0 Laboratory Case Narrative \ Cooler Receipt Form

Were problems noted in the laboratory case narrative or cooler receipt form?

Yes, the laboratory case narrative indicated the nitrate LCS recovery was outside evaluation criteria. Manganese MS/MSD recoveries in sample CPA-C-SHU-1113 and dissolved organic carbon MS/MSD recoveries in sample CPA-C-SHU-F(0.2)-1113, could not be evaluated because the sample concentrations were greater than four times (4X) the matrix spike concentration. Samples were diluted to high levels of target analytes. Although not indicated in the laboratory case narrative, VOCs were detected in the equipment blank. Calibration recoveries were outside evaluation criteria for nitrate in several samples. These issues are addressed further in the appropriate sections below.

The cooler receipt form indicated that one of one cooler was received by the laboratory at a temperature of 1.0°C, which is outside the 4°C \pm 2°C criteria. The samples were received in good condition; therefore no qualification of data was required. Dissolved organic carbon samples CPA-C-DHU-F(0.2)-1113 and CPA-C-SHU-F(0.2)-1113 were measured at a pH >2. Please see section 11.0 of this review for qualifications due to pH>2.

3.0 Holding Times

Were samples extracted/analyzed within applicable limits?

Yes

4.0 Blank Contamination

Were any analytes detected in the Method Blanks, Field Blanks or Trip Blanks? Yes

Blank ID	Parameter	Analyte	Concentration/Amount
CPA-C-MHU-1113-EB	VOCs	Chlorobenzene	15 ug/L
CPA-C-MHU-1113-EB	VOCs	1,2-Dichlorobenzene	62 ug/L
CPA-C-MHU-1113-EB	VOCs	1,3-Dichlorobenzene	6.5 ug/L
CPA-C-MHU-1113-EB	VOCs	1,4-Dichlorobenzene	69 ug/L

Analytical data reported non-detect or at concentrations greater than five times (5X) the associated blank concentration did not require qualification. No qualification of data was required.

5.0 Laboratory Control Sample

Were LCS recoveries within evaluation criteria?

No

LCS ID	Parameter	Analyte	LCS Recovery	LCS Criteria
LCS 680-303565/14	General chemistry	Nitrate	111	90-110

Analytical data that required qualification based on LCS data are included in the table below. Analytical data reported as non-detect and associated with LCS recoveries above evaluation criteria, indicating a possible high bias, did not require qualification.

Sample ID	Parameter	Analyte	Qualification
CPA-C-SHU-1113	General chemistry	Nitrate	J

6.0 Surrogate Recoveries

Were surrogate recoveries within evaluation criteria?

Yes

7.0 Matrix Spike and Matrix Spike Duplicate Recoveries

Were MS/MSD samples collected as part of this SDG?

Yes, although not requested, sample CPA-C-SHU-1113 was spiked and analyzed for total metals, sample CPA-C-DHU-1113 was spiked and analyzed for nitrate, and sample CPA-C-SHU-F(0.2)-1113 was spiked and analyzed for dissolved organic carbon.

Were MS/MSD recoveries within evaluation criteria?

Yes, however, manganese MS/MSD recoveries in sample CPA-C-SHU-1113, and dissolved organic carbon MS/MSD recoveries in sample CPA-C-SHU-F(0.2)-1113, could not be evaluated because the sample concentrations were greater than four times (4X) the matrix spike concentration. No qualification of data was required.

8.0 Internal Standard (IS) Recoveries

Were internal standard area recoveries within evaluation criteria?

Yes

9.0 Laboratory Duplicate Results

Were laboratory duplicate samples collected as part of this SDG?

Yes, sample CPA-C-SHU-1113 was duplicated and analyzed for total organic carbon.

Were laboratory duplicate sample RPDs within criteria?

Yes

10.0 Field Duplicate Results

Were field duplicate samples collected as part of this SDG?

Yes

Field ID	Field Duplicate ID
CPA-C-DHU-1113	CPA-C-DHU-1113-AD

Were field duplicates within evaluation criteria?

Yes

11.0 Sample Dilutions

For samples that were diluted and nondetect, were undiluted results also reported? Not applicable; analytes were detected in samples that were diluted.

12.0 Additional Qualifications

Were additional qualifications applied?

Yes, calibration recoveries were outside evaluation criteria for nitrate in the following samples; data qualifications are included below.

Sample ID	Parameter	Analyte	Qualification
CPA-C-MHU-1113	General chemistry	Nitrate	UJ
CPA-C-DHU-1113	General chemistry	Nitrate	UJ


Additionally, dissolved organic carbon and dissolved metals samples were received at a pH>2. The pH was appropriately adjusted for the dissolved metals samples. Analytical data requiring qualification are included in the following table.

Sample ID Parameter		Analyte	Qualification
CPA-C-DHU-F(0.2)-1113	General chemistry	Dissolved organic carbon	J
CPA-C-SHU-F(0.2)-1113	General chemistry	Dissolved organic carbon	J

SDG KPS104

Results of Samples from Monitoring Wells:

CPA-C-SHU CPA-C-MHU CPA-C-DHU



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Savannah 5102 LaRoche Avenue Savannah, GA 31404 Tel: (912)354-7858

TestAmerica Job ID: 680-96229-1 TestAmerica Sample Delivery Group: KPS104 Client Project/Site: WGK - CPA GW 4Q13

For: Solutia Inc. 575 Maryville Centre Dr. Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele Krusey

Authorized for release by: 12/9/2013 4:43:22 PM

Michele Kersey, Project Manager I (912)354-7858 michele.kersey@testamericainc.com

Reviewed on DEC 12 2013 Aff

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
= 1.1	2
Case Narrative	3
	6
Method Summary	7
	8
	9
	11
	20
	21
	27
	30
	33
	34
	35



Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1 SDG: KPS104

KPS104

Job ID: 680-96229-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: WGK - CPA GW 4Q13

Report Number: 680-96229-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/15/2013 9:31 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.0° C.

Except:

Method(s) 415.1: The following sample(s) were collected in properly preserved vials, however, the pH was outside the required criteria when verified by the laboratory: CPA-C-DHU-F(0.2)-1113 (680-96229-6).

Method(s) 415.1, SM 5310B: The following sample(s) were collected in properly preserved vials, however, the pH was outside the required criteria when verified by the laboratory: (680-96229-2 MSD), CPA-C-SHU-F(0.2)-1113 (680-96229-2).

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3), CPA-C-DHU-1113 (680-96229-5), CPA-C-MHU-1113-EB (680-96229-7), CPA-C-DHU-1113-AD (680-96229-8) and 4Q13 CPA Trip Blank #3 (680-96229-9) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/20/2013.

Samples CPA-C-SHU-1113 (680-96229-1)[200X], CPA-C-MHU-1113 (680-96229-3)[2500X], CPA-C-DHU-1113 (680-96229-5)[200X] and CPA-C-DHU-1113-AD (680-96229-8)[200X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the volatiles analysis.

All quality control parameters were within the acceptance limits.

DISSOLVED GASES

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/21/2013.

No difficulties were encountered during the dissolved gases analysis.

All quality control parameters were within the acceptance limits.

DEC 1 2 2013

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Job ID: 680-96229-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

METALS (ICP)

Samples CPA-C-SHU-F(0.2)-1113 (680-96229-2), CPA-C-MHU-F(0.2)-1113 (680-96229-4) and CPA-C-DHU-F(0.2)-1113 (680-96229-6) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/18/2013 and analyzed on 11/19/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/18/2013 and analyzed on 11/19/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

ALKALINITY

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/27/2013.

No difficulties were encountered during the alkalinity analysis.

All quality control parameters were within the acceptance limits.

CHLORIDE

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/21/2013.

Samples CPA-C-SHU-1113 (680-96229-1)[5X] and CPA-C-MHU-1113 (680-96229-3)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the chloride analysis.

All quality control parameters were within the acceptance limits.

NITRATE-NITRITE AS NITROGEN

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/15/2013.

The nitrate result is obtained from a calculation incorporating the nitrate+nitrite and nitrite results. Re-analysis is not performed if QC for the calculated analyte does not meet acceptance criteria, provided the QC results for the component analytes are acceptable. Data have been qualified to denote this situation.

Sample CPA-C-SHU-1113 (680-96229-1)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the nitrate-nitrite analysis.

All quality control parameters were within the acceptance limits.

SULFATE

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/25/2013.

Samples CPA-C-SHU-1113 (680-96229-1)[50X], CPA-C-MHU-1113 (680-96229-3)[20X] and CPA-C-DHU-1113 (680-96229-5)[5X]

DEC 1 2 2013 MM

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Job ID: 680-96229-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the sulfate analysis.

All quality control parameters were within the acceptance limits.

TOTAL ORGANIC CARBON

Samples CPA-C-SHU-1113 (680-96229-1), CPA-C-MHU-1113 (680-96229-3) and CPA-C-DHU-1113 (680-96229-5) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 11/29/2013.

Sample CPA-C-SHU-1113 (680-96229-1)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the TOC analysis.

All quality control parameters were within the acceptance limits.

DISSOLVED ORGANIC CARBON (DOC)

Samples CPA-C-SHU-F(0.2)-1113 (680-96229-2), CPA-C-MHU-F(0.2)-1113 (680-96229-4) and CPA-C-DHU-F(0.2)-1113 (680-96229-6) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 12/02/2013 and 12/04/2013.

No difficulties were encountered during the DOC analysis.

All quality control parameters were within the acceptance limits.

DEC 1 2 2013

Sample Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

10.	000-	30ZZ3-1	
S	DG:	KPS104	

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-96229-1	CPA-C-SHU-1113	Water	11/14/13 11:40	11/15/13 09:31
680-96229-2	CPA-C-SHU-F(0.2)-1113	Water	11/14/13 11:40	11/15/13 09:31
680-96229-3	CPA-C-MHU-1113	Water	11/14/13 14:30	11/15/13 09:31
680-96229-4	CPA-C-MHU-F(0.2)-1113	Water	11/14/13 14:30	11/15/13 09:31
680-96229-5	CPA-C-DHU-1113	Water	11/14/13 15:45	11/15/13 09:31
680-96229-6	CPA-C-DHU-F(0.2)-1113 🗸	Water	11/14/13 15:45	11/15/13 09:31
680-96229-7	CPA-C-MHU-1113-EB 🕜	Water	11/14/13 13:30	11/15/13 09:31
680-96229-8	CPA-C-DHU-1113-AD	Water	11/14/13 15:45	11/15/13 09:31
680-96229-9	4Q13 CPA Trip Blank #3 🗸	Water	11/14/13 00:00	11/15/13 09:31

Method Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

 11101104	 	000	00220	•
	S	DG:	KPS104	4

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353,2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415,1	TOC	MCAWW	TAL SAV
415.1	DOC	MCAWW	TAL SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175,

Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

DEC 1 2 2013

Definitions/Glossary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Qualifiers

GC/MS VOA

Qualifier

Qualifier Description

J

Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier

Qualifier Description

U Indicates the analyte was analyzed for but not detected.

Metals

Qualifier

Qualifier Description

4 NC HOD T

MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not

applicable.

Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
*	LCS or LCSD exceeds the control limits
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC exceeds the control limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
υ	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery

%R CNF

Contains no Free Liquid

DER Duplicate error ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL, RA, RE, IN

Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample Decision level concentration

DLC Decision level concentration
MDA Minimum detectable activity
EDL Estimated Detection Limit

MDC Minimum detectable concentration

MDL Method Detection Limit
ML Minimum Level (Dioxin)
NC Not Catculated

ND Not detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit
QC Quality Control
RER Relative error ratio

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

DEC 1 2 20

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

Lab Sample ID: 680-96229-1

Lab Sample ID: 680-96229-2

Lab Sample ID: 680-96229-3

SDG: KPS104

Client Sample ID: CPA-C-SHU-1113

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	1100		200	4747000 todayattananitasta	ug/L	200	****	8260B	Total/NA
Chlorobenzene	7200		200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	13000		200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	1100		200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	7200		200		ug/L	200		8260B	Total/NA
Methane (TCD)	550		390		ug/L	1		R\$K-175	Total/NA
iron	3.0		0.050		mg/L	1		6010C	Total
Manganese	4.9		0.010		mg/L	1		6010C	Recoverabl Total Recoverabl
Chloride	360		5.0		mg/L	5		325.2	Total/NA
Nitrate as N	2.1	^· J	0.10		mg/L	2		353.2	Total/NA
Sulfate	810		250		mg/L	50		375.4	Total/NA
Total Organic Carbon	310		5.0		mg/L	5		415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	490	more an experience of the second seco	5.0	d dad b	mg/L	1		310.1	Total/NA
Carbon Dìoxide, Free	130		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-SHU-F(0.2)-1113

į.m.									
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	0.21		0.050	***************************************	mg/L	1		6010C	Dissolved
Manganese, Dissolved	4.9		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	290	J	1.0	•	mg/L	1	•	415.1	Dissolved

Client Sample ID: CPA-C-MHU-1113

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	100000	**************************************	2500		ug/L	2500		8260B	Total/NA
Chlorobenzene	160000		2500		ug/L	2500		8260B	Total/NA
1,2-Dichlorobenzene	17000		2500		ug/L	2500		8260B	Total/NA
1,4-Dichlorobenzene	21000		2500		ug/L	2500		8260B	Total/NA
Ethane	6.8		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	13000		390		ug/L	1		RSK-175	Total/NA
fron	52		0.050		mg/L	1		6010C	Total
									Recoverable
Manganese	3.8		0.010		mg/L	1		6010C	Total
Chloride	700		10		mg/L	10		325,2	Recoverable Total/NA
Sulfate	350		100		mg/L	20		375.4	Total/NA
Total Organic Carbon	48		1.0		mg/L	1		415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	370	***************************************	5.0	*****************	mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	170		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-MHU-F(0.2)-1113

the feet facilities	An aly te	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
ALC: NO.	Iron, Dissolved	53		0.050		mg/L	1		6010C	Dissolved
100000000000000000000000000000000000000	Manganese, Dissolved	3.8		0.010		mg/L	1		6010C	Dissolved
	Dissolved Organic Carbon	44		1.0		mg/L	1		415.1	Dissolved

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Lab Sample ID: 680-96229-4

EC 1 2 2013 WM

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

Lab Sample ID: 680-96229-5

SDG: KPS104

Client Sample ID: CPA-C-DHU-1113

Analyte	Result (Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	4500		200		ug/L	200	•	8260B	Total/NA
Chiorobenzene	24000		200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	9300		200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	730		200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	14000		200		ug/L	200		8260B	Total/NA
Ethane	2.2		1.1		មg/L	1		RSK-175	Total/NA
Methane	150		0.58		ug/L	1		RSK-175	Total/NA
Iron	2.4		0.050		mg/L	1		6010C	Total
Manganese	0.58		0.010		mg/L	1		6010C	Recoverabl Total Recoverabl
Chloride	62		1.0		mg/L	1		325.2	Total/NA
Sulfate	63		25		mg/L	5		375.4	Total/NA
Total Organic Carbon	31		1.9		mg/L	1		415.1	Total/NA
Analyte	Result (Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	510		5,0		mg/L	1	*****	310.1	Total/NA
Carbon Dioxide, Free	31		5,0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-DHU-F(0.2)-1113

201									
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Ргер Туре
Iron, Dissolved	2.2		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	0,56		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	32	5	1,0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-C-MHU-1113-EB

:					v			y	. b
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chiorobenzene	15		1.0		ug/L	1		8260B	Totai/NA
1,2-Dichlorobenzene	62		1.0		ug/L	1		8260B	Total/NA
1,3-Dichlorobenzene	6.5		1.0		ug/L	1		8260B	Total/NA
1,4-Dichlorobenzene	69		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: CPA-C-DHU-1113-AD

Analyte		Qualifier	RL	MDL	Unit		D	Method	Ргер Турв
Benzene	4300		200		ug/L	200		8260B	Total/NA
Chlorobenzene	22000		200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	8000		200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	610		200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	12000		200		ug/L	200		8260B	Total/NA

Client Sample ID: 4Q13 CPA Trip Blank #3

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Lab Sample ID: 680-96229-8

Lab Sample ID: 680-96229-6

Lab Sample ID: 680-96229-7

Lab Sample ID: 680-96229-9

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-SHU-1113

Date Collected: 11/14/13 11:40 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-1

Matrix: Water

Method: 8260B - Volatile Or Analyte	•	(GC/MS) Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1100		200		ug/L			11/20/13 14:49	200
Chlorobenzene	7200		200		ug/L			11/20/13 14:49	200
1,2-Dichlorobenzene	13000		200		ug/L			11/20/13 14:49	200
1,3-Dichlorobenzene	1100		200		ug/L			11/20/13 14:49	200
1,4-Dichlorobenzene	7200		200		ug/L			11/20/13 14:49	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 130					11/20/13 14:49	200
Dibromofluoromethane	124		70 - 130					11/20/13 14:49	200
Toluene-d8 (Surr)	96		70 - 130					11/20/13 14:49	200
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1,1	U	1.1	Ψ.	ug/L	, ,		11/21/13 14:47	1
Ethylene	1.0	U	1.0		ug/L			11/21/13 14:47	1
Methane (TCD)	550		390		ug/L			11/21/13 14:47	1
Method: 6010C - Metals (ICI	P) - Total Recoverat	ole							
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.0		0.050		mg/L		11/18/13 11:24	11/19/13 19:04	1
Manganese	4.9		0.010		mg/L		11/18/13 11:24	11/19/13 19:04	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	360		5.0		mg/L			11/21/13 10:51	5
Nitrate as N	2.1	** J	0.10		mg/L			11/15/13 18:24	2
Sulfate	810	•	250		mg/L			11/25/13 12:44	50
Total Organic Carbon	310		5.0		mg/L			11/29/13 16:56	5
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	490		5.0	NAME OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER	mg/L			11/27/13 16;31	1
ranta in the j									

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-SHU-F(0.2)-1113

Date Collected: 11/14/13 11:40 Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-2

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved Analyte Result Qualifier RL

MDL Unit Prepared Analyzed Dil Fac Iron, Dissolved 0.21 0,050 mg/L 11/18/13 11:24 11/19/13 19:18 Manganese, Dissolved 4.9 0,010 mg/L 11/18/13 11:24 11/19/13 19:18

General Chemistry - Dissolved RL MDL Unit Dil Fac Analyte Result Qualifier Prepared Analyzed 1.0 Dissolved Organic Carbon 290 • mg/L 12/04/13 20:02

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-MHU-1113

Date Collected: 11/14/13 14:30 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-3

Matrix: Water

Method: 8260B - Volatile Or Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	100000		2500		ug/L			11/20/13 15:33	2500
Chlorobenzene	160000		2500		ug/L			11/20/13 15:33	2500
1,2-Dichlorobenzene	17000		2500		ug/L			11/20/13 15:33	2500
1,3-Dichlorobenzene	2500	U	2500		ug/L			11/20/13 15:33	2500
1,4-Dichlorobenzene	21000		2500		ug/L			11/20/13 15:33	250
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
1-Bromofluorobenzene	107		70 . 130					11/20/13 15:33	250
Dibromofluoromethane	120		70 - 130					11/20/13 15:33	250
Toluene-d8 (Surr)	100		70 - 130					11/20/13 15:33	250
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	Ð	Prepared	Analyzed	Dil Fa
thane	6.8		1.1		ug/L			11/21/13 14:34	
Ethylene	1.0	U	1.0		ug/L			11/21/13 14:34	
Methane (TCD)	13000		390		ug/L			11/21/13 14:34	
Method: 6010C - Metals (IC	P) - Total Recoverat	ole							
Analyte	Result	Qualifier	RL.	MDL	Unit	Ð	Prepared	Analyzed	Dil Fa
ron	52		0.050	***************************************	mg/L		11/18/13 11:24	11/19/13 19:22	
Manganese	. 3.8		. 0.010		mg/L		11/18/13 11:24	11/19/13 19:22	
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Chloride	700	_	10		mg/L			11/21/13 10:54	1
Vitrate as N	0.050	01. MZ	0.050		mg/L			11/15/13 18:21	
	350		100		mg/L			11/25/13 12:30	2
Sulfate			1.0		mg/L			11/29/13 17:25	
	48								
Fotal Organic Carbon		Qualifier	RL	RL	Unit	Ð	Prepared	Analyzed	Dil Fa
Sulfate Total Organic Carbon Analyte Alkalinity		Qualifier	RL 5.0	RL	Unit mg/L	<u>D</u>	Prepared	Analyzed 11/27/13 16:40	Dil Fa

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-MHU-F(0.2)-1113

Date Collected: 11/14/13 14:30

Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-4

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolve	d								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
fron, Dissolved	53		0.050	**************************************	mg/L		11/18/13 11:24	11/19/13 19:36	1
Manganese, Dissolved	3.8		0.010		mg/L		11/18/13 11:24	11/19/13 19:36	1
General Chemistry - Dissolved									

Analyte Result Qualifier MDL Unit Prepared Analyzed Dissolved Organic Carbon 1.0 mg/L 12/02/13 14:49 44

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-DHU-1113

Date Collected: 11/14/13 15:45 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-5

Matrix: Water

Method: 8260B - Volatile Orga Analyte	-	Qualifier	RL ,	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4500		200	1110L	ug/L		7 10 parco	11/20/13 15:11	200
Chlorobenzene	24000		200		ug/L			11/20/13 15:11	200
1,2-Dichlorobenzene	9300		200		ug/L			11/20/13 15:11	200
1,3-Dichlorobenzene	730		200		ug/L			11/20/13 15:11	200
1,4-Dichlorobenzene	14000		200		ug/L			11/20/13 15:11	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene	105	and the second control of the second of the	70 - 130					11/20/13 15:11	20
Dibromofluoromethane	129		70 - 130					11/20/13 15:11	20
Toluene-d8 (Surr)	106		70 - 130					11/20/13 15:11	20
Method: RSK-175 - Dissolved	Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	Đ	Prepared	Analyzed	Dil Fa
thane	2.2		1,1		ug/L			11/21/13 14:21	BOOKS TO STORE THE STORE
Ethylene	1.0	U	1.0		ug/L			11/21/13 14:21	
Methane	150		0.58		ug/L			11/21/13 14:21	
Method: 6010C - Metals (ICP)	- Total Recoverat	ile							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
ron	2.4	hard-barren and barrens	0.050		mg/L		11/18/13 11:24	11/19/13 19:41	
Manganese	0.58	•	0.010		mg/L .		11/18/13 11:24	11/19/13 19:41	
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
	62	_	1.0		mg/L			11/21/13 10:03	
			0.050		mg/L			11/15/13 18:18	
Chloride	0.050	U 1. 165			mg/L			11/25/13 12:32	
Chloride Nitrate as N		nv. (YC)	25		g. =				
Chloride Vilrate as N Sulfate	0.050	0 (V 2)	25 1.0		mg/L			11/29/13 17:39	
Chloride Nitrate as N Gulfate Fotal Organic Carbon	0.050 63 31	Qualifier		RL	-	D	Prepared	11/29/13 17:39 Analyzed	
Chloride Nitrate as N Sulfate Total Organic Carbon Analyte Alkalinity	0.050 63 31		1.0	RL	mg/L	D	Prepared		Dil Fac

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-DHU-F(0.2)-1113

Date Collected: 11/14/13 15:45 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-6

Matrix: Water

Method: 6010C - Metals (ICP) - Dis	solved								
Analyte	Result	Qualifier	RL	WDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	2.2		0.050		mg/L		11/18/13 11:24	11/19/13 19:55	1
Manganese, Dissolved	0.56		0.010		mg/L		11/18/13 11:24	11/19/13 19:55	1
General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	32	Ť	1.0		mg/L			12/02/13 15:03	1

R

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-MHU-1113-EB

Date Collected: 11/14/13 13:30 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-7

Matrix: Water

Method: 8260B - Volatile Or	ganic Compounds (GC/MS)						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0 U	1.0	ug/L			11/20/13 12:14	1
Chlorobenzene	15	1.0	ug/L			11/20/13 12:14	1
1,2-Dichlorobenzene	62	1.0	ug/L			11/20/13 12:14	1
1,3-Dichlorobenzene	6.5	1.0	ug/L			11/20/13 12:14	1
1,4-Dichlorobenzene	69	1.0	ug/L			11/20/13 12:14	1
Surrogate	%Recovery Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103	70 - 130		•		11/20/13 12:14	1
Dibromofluoromethane	127	70 - 130				11/20/13 12:14	1
Toluene-d8 (Surr)	QQ	70 130				11/20/13 12:14	1

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-DHU-1113-AD

Date Collected: 11/14/13 15:45 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-8

Matrix: Water

Method: 8260B - Volatile O	rganic Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4300	~~~~~~~	200		ug/L			11/20/13 16:18	200
Chlorobenzene	22000		200		ug/L			11/20/13 16:18	200
1,2-Dichlorobenzene	8000		200		ug/L			11/20/13 16:18	200
1,3-Dichlorobenzene	610		200		ug/L			11/20/13 16:18	200
1,4-Dichlorobenzene	12000		200		ug/L			11/20/13 16:18	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 130					11/20/13 16:18	200
Dibromofluoromethane	130		70 - 130					11/20/13 16:18	200
Toluene-d8 (Surr)	99		70 - 130					11/20/13 16:18	200

ន

Client: Solutia Inc.

Dibromofluoromethane

Toluene-d8 (Surr)

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: 4Q13 CPA Trip Blank #3

Date Collected: 11/14/13 00:00

Date Received: 11/15/13 09:31

Lab Sample	ID: 680-96229-9
------------	-----------------

11/20/13 11:07

11/20/13 11:07

Matrix: Water

Method: 8260B - Volatile Or								
Analyte	Result	Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0	ug/L			11/20/13 11:07	1
Chlorobenzene	1.0	υ	1.0	ug/L			11/20/13 11:07	1
1,2-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 11:07	1
1,3-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 11:07	1
1,4-Dichlorobenzene	1.0	U	1.0	ug/L			11/20/13 11:07	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106	(4)	70 130		,		11/20/13 11:07	1

70 - 130

70 - 130

130

97

8

Surrogate Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

				Percent Surro	gate Recovery (Acceptance Limits)
		BFB	DBFM	TOL	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)	
680-96229-1	CPA-C-SHU-1113	107	124	96	
680-96229-3	CPA-C-MHU-1113	107	120	100	
680-96229-5	CPA-C-DHU-1113	105	129	106	
680-96229-7	CPA-C-MHU-1113-EB	103	127	99	
680-96229-8	CPA-C-DHU-1113-AD	103	130	99	
680-96229-9	4Q13 CPA Trip Blank #3	106	130	97	
LCS 680-304112/3	Lab Control Sample	107	125	103	
LCSD 680-304112/4	Lab Control Sample Dup	110	118	103	
MB 680-304112/7	Method Blank	104	127	95	

Surrogate Legend

BFB = 4-Bromofluorobenzene

DBFM ≈ Dibromofluoromethane

TQL ≈ Toluene-d8 (Surr)

TestAmerica Savannah

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-304112/7

Matrix: Water

Analysis Batch: 304112

Client Sample	ID:	Meth	od	Blan	k
Pr	ep 1	Гуре:	Τo	tal/N/	4

i		MB	MB								
**********	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
i	Benzene	1.0	U	1.0		ug/L			11/20/13 09:53	1	
i	Chlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1	
į	1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1	
	1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1	
	1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1	
		440	***								

MB MB Surrogate Limits Prepared Analyzed Dil Fac %Recovery Qualifier 4-Bromofluorobenzene 104 70 - 130 11/20/13 09:53 Dibromofluoromethane 127 70 - 130 11/20/13 09:53 Toluene-d8 (Surr) 95 70 - 130 11/20/13 09:53

Lab Sample ID: LCS 680-304112/3

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	50.0	50.6		ug/L	- 140	101	74 - 123	
Chlorobenzene	50.0	53.9		ug/L		108	79 . 120	
1,2-Dichlorobenzene	50.0	50.5		มg/L		101	77 - 124	
1,3-Dichlorobenzene	50.0	48.9		ug/L		98	79 . 123	
1,4-Dichlorobenzene	50.0	51.5		ug/L		103	76 - 124	

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 107 70 - 130 70 - 130 Dibromofluoromethane 125 Toluene-d8 (Surr) 103 70 _ 130

Lab Sample ID: LCSD 680-304112/4

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

	Spike	LCSD	LCSD			%Rec.		RPD
Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	RPD	Limit
Benzene	50.0	51.6	ug/L		103	74 - 123	2	30
Chlorobenzene	50.0	50.9	ug/L		102	79 - 120	6	30
1,2-Dichlorobenzene	50.0	51.6	ug/L		103	77 - 124	2	30
1,3-Dichlorobenzene	50.0	50.2	ug/L		100	79 - 123	3	30
1,4-Dichlorobenzene	50.0	51.7	ug/L		103	76 - 124	0	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	110	V.,,	70 - 130
Dibromofluoromethane	118		70 - 130
Toluene-d8 (Surr)	103		70 - 130

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-304275/3

Matrix: Water

Client Sample ID: Method Blank
Prep Type: Total/NA

Analysis Batch: 304275

ŀ		MB	MB							ł
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
į	Ethane	1.1	Ū	1.1		ug/L	 		11/21/13 09:05	1
į	Ethylene	1.0	U	1.0		ug/L			11/21/13 09:05	1
**********	Methane	0.58	U	0.58		ug/L			11/21/13 09:05	1
1	Methane (TCD)	390	U	390		ug/L			11/21/13 09:05	1

Lab Sample ID: LCS 680-304275/4

Matrix: Water

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analysis Batch: 304275

20100100		Spike	LCS	LCS			%Rec.	
114000	Analyte	Added	Result	Qualifier Un	it D	%Rec	Limits	
11000	Ethane	288	346	ugi	L	120	75 - 125	
	Ethylene	269	326	ug/	'L	121	75 - 125	
1	Methane	154	175	ugi	L	113	75 - 125	

Lab Sample ID: LCS 680-304275/8

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 304275

 Spike
 LCS
 LCS
 WRec.

 Analyte
 Added
 Result
 Qualifier
 Unit
 D
 WRec
 Limits

 Methane (TCD)
 1920
 2270
 ug/L
 118
 75 - 125

Lab Sample ID: LCSD 680-304275/5

Matrix: Water

Analysis Batch: 304275

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

LCSD LCSD %Rec. Spike RPD Analyte Added Result Qualifier Limits Unit %Rec RPD Limit Ethane 288 ug/L 75 - 125 298 103 15 30 Ethylene 269 285 ug/L 106 75 - 125 13 30 Methane 154 150 ug/L 98 75 - 125 15 30

Lab Sample ID: LCSD 680-304275/9

Matrix: Water

Analysis Batch: 304275

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit Limits %Rec RPD Limit Methane (TCD) 1920 2080 108 75 - 125 ug/L 30

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-303771/1-A

Matrix: Water

Analysis Batch: 304177

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0,050	U	0.050		mg/L		11/18/13 11:24	11/19/13 18:55	1
Iron, Dissolved	0.050	U	0.050		mg/L		11/18/13 11:24	11/19/13 18:55	1
Manganese	0.010	U	0.010		mg/L		11/18/13 11:24	11/19/13 18:55	1
Manganese, Dissolved	0.010	U	0.010		mg/L		11/18/13 11:24	11/19/13 18:55	1

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Method: 6010C -	Metals (ICP)	(Continued)

	Lab Sample ID: LCS 680-303771/2-A Matrix: Water Analysis Batch: 304177					Client	•	Type: Tota	ontrol Sample Recoverable Batch: 303771
i		Spike	LCS	LCS				%Rec.	
	Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
	Iron	5.00	5,39	***************************************	mg/L	wiii:	108	75 - 125	PARTICIPATION AND AND ADDRESS OF THE PARTICIPATION AND ADDRESS OF
	Iron, Dissolved	5.00	5,39		mg/L		108	75 - 125	
	Manganese	0,500	0.541		mg/L		108	75 - 125	
	Manganese, Dissolved	0.500	0,541		mg/L		108	75 - 125	
C William						Clid	ant Sam	nla ID: CP/	_C_SHI{.1113

Matrix: Water Prep Type: Total Recoverable Analysis Batch: 304177

Prep Batch: 303771

- 1											-a.c 000
		Sample	Sample	Spike	MS	MS				%Rec.	
	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
-	Iron	3.0	THE CONTRACT OF THE CONTRACT O	5.00	8.14	***************************************	mg/L	****	102	75 - 125	
	Iron, Dissolved	3.0		5.00	8.14		mg/L		102	75 - 125	
	Manganese	4.9		0.500	5.47	4	mg/L		123	75 - 125	
	Manganese, Dissolved	4.9		0.500	5.47	4)	mg/L		123	75 - 125	
	i				•	Same of the last o					

Lab Sample ID: 680-96229-1 MSD Client Sample ID: CPA-C-SHU-1113 Matrix: Water

Prep Type: Total Recoverable Analysis Batch: 304177

Prep Batch: 303771

Allary 313 Datoll. 004171										i icp i	Jacon, c	,03771
	Sample	Sample	Spike		MSD	MSD				%Rec.		RPD
Analyte	` Result	Qualifier	Added	`	Result	Qualifier	Unit	Ď	%Rec	Limits	RPD	Limit
Iron	3.0	n_orrows	5,00		8.10		mg/L		101	75 - 125	Ô	20
Iron, Dissolved	3.0		5.00		8.10		mg/L		101	-75 - 125	0	20
Manganese	4.9		0.500		5.27	4	mg/L		81	75 125	4	20
Manganese, Dissolved	4.9		0.500		5.27	4	mg/L		81	75 125	4	20

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-305471/3	Client Sample ID: Method Blank
Matrix: Water	Prep Type: Total/NA
Analysis Batch: 305471	

	WR	MR							
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	Ū	5.0		mg/L			11/27/13 16:16	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/27/13 16:16	1

em	
Lab Sample ID: LCS 680-305471/4	Client Sample ID: Lab Control Sample
Matrix: Water	Prep Type: Total/NA
A Lucia D-4-L. 205474	

1	•			Spike	LCS	LCS				%Rec.		
i	Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
i	Alkalinity	V/8704444444444	,-,,	250	221		mq/L		88	80 - 120	Access to consider	***************************************

Lab Sample ID: LCSD 680-305471/22 Matrix: Water			Client Sample ID: Lab Control Sam Prep Type: T	
Analysis Batch: 305471				
	Spike	LCSD LCSD	%Rec.	RPD

Analyte Added Result Qualifier Unit %Rec Limits Limit Alkalinity 250 221 mg/L 88 80 - 120

		٠,	Jump	:0 1	CSui	113						
Client: Solutia Inc. Project/Site: WGK - CPA GW 4Q13										TestAme	rica Job ID: 680 SDG:	-96229- KPS10
Method: 325.2 - Chloride						· · · · · · · · · · · · · · · · · · ·	.,			······································		
Lab Sample ID: MB 680-304433/47	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							,,,,		Client S	ample ID: Metho	od Blan
Matrix: Water											Prep Type:	Totai/N
Analysis Batch: 304433												
Analyte		B MB t Qualifier		RL		MDL	Unit		D I	Prepared	Analyzed	Dil Fa
Chloride		U		1.0			mg/L		. – –		11/21/13 11:05	
: Lab Sample ID: LCS 680-304433/28									Clien	t Samnie	ID: Lab Contro	Samn
Matrix: Water									3	e od.iipio	Prep Type:	-
Analysis Batch: 304433			Caika		1.00	LCS					%Rec.	
Analyte			Spike Added		Result		liffor	Unit	D	%Rec	‰Rec. Limits	
Chloride			50.0		49.8	Qua		mg/L		100	85 - 115	
Lab Sample ID: MB 680-303565/13 Matrix: Water										Client S	ample ID: Metho	
Analysis Batch: 303565											Prep Type:	i otai/N
, many one Dates in October	ME	з мв										
Analyte	Resul	t Qualifier		RL		MDL	Unit		D	Prepared	Analyzed	Dil F
Nitrate as N	0,050	Ū^	0.	.050			mg/L				11/15/13 18:15	***************************************
Lab Sample ID: LCS 680-303565/14									Clier	ıt Sample	ID: Lab Contro	l Samp
Matrix: Water											Prep Type:	Total/N
Analysis Batch: 303565												
			Spike			LCS			_		%Rec.	
Analyte			Added		Result		lifier 	Unit	D	%Rec	Limits	***********
Nitrate as N			0.497		0.551	^ *		mg/L		(111)	90 - 110	
Nitrate Nitrite as N			0.997		1.05			mg/L		106	90 - 110	
Nitrite as N			0.500		0.501			mg/L		100	90 - 110	
Lab Sample ID: 680-96229-5 MS									CI	ient Sam	ple ID: CPA-C-D	
Matrix: Water											Prep Type:	Total/N
Analysis Batch: 303565												
A	Sample Sar	•	Spike			MS			_		%Rec.	
Analyte	Result Qu		Added		Result		lifier	Unit	<u>D</u>	%Rec	Limits	
Nitrate as N	0.050 U^	•	0.497		0.539	^		mg/L		108	90 - 110	
Nitrate Nitrite as N	0.050		0.997		1.04			mg/L		105	90 - 110	

TestAmerica Savannah

Prep Type: Total/NA

RPD

90.110

%Rec.

Limits

90 - 110

90 . 110

90 - 110

%Rec

10B

105

99

Client Sample ID: CPA-C-DHU-1113

RPD

Limit

10

10

10

0.500

Spike

Added

0.497

0.997

0.500

0.506

MSD MSD

0.536

1.04

0,508

Result Qualifier

mg/L

Unit

mg/L

mg/L

mg/L

Nitrite as N

Analyte

Nitrate as N

Nitrite as N

Nitrate Nitrite as N

Matrix: Water

Analysis Batch: 303565

Lab Sample ID: 680-96229-5 MSD

0,050

Sample Sample

0.050 U^*

0.050

0.050

Result Qualifier

Client: Solutia Inc. TestAmerica Job ID: 680-96229-1 Project/Site: WGK - CPA GW 4Q13 SDG: KPS104 Method: 375.4 - Sulfate Lab Sample ID: MB 680-304984/18 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 304984 MB MB Analyte Result Qualifier Unit Prepared Analyzed Suifate 5,0 U 5.0 11/25/13 11:17 mg/L Lab Sample ID: LCS 680-304984/17 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA Analysis Batch: 304984 LCS LCS %Rec. Spike Limits Analyte Added Result Qualifier Unit D %Rec Sulfate 20.0 20.1 mg/L 100 75 - 125 Method: 415.1 - DOC Lab Sample ID: MB 680-306028/2-A Client Sample ID: Method Blank Matrix: Water Prep Type: Dissolved Analysis Batch: 306025 MB MB Analyte Result Qualifier RL MDL Unit Analyzed Dil Fac Dissolved Organic Carbon 1.0 Ü 1.0 mg/L 12/02/13 13:49 Lab Sample ID: LCS 680-306028/1-A Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Dissolved Analysis Batch: 306025 Spike LCS LCS %Rec. Analyte Limits Added Result Qualifier Unit %Rec 80 - 120 Dissolved Organic Carbon 20.0 19.0 mg/L 95 Lab Sample ID: MB 680-306244/2-A Client Sample ID: Method Blank Matrix: Water Prep Type: Dissolved Analysis Batch: 306228 MB MB Analyzed Dil Fac Result Qualifier RL Prepared Dissolved Organic Carbon 1.0 Ū 1.0 mg/L 12/04/13 19:46 Lab Sample ID: LCS 680-306244/1-A Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Dissolved Analysis Batch: 306228 LCS LCS %Rec. Spike Analyte Limits Added Result Qualifier Unit %Rec Dissolved Organic Carbon 102 80 .. 120 20.0 20.3 mg/L Lab Sample ID: 680-96229-2 MS Client Sample ID: CPA-C-SHU-F(0.2)-1113 Matrix: Water Prep Type: Dissolved Analysis Batch: 306228 Spike MS MS %Rec. Sample Sample Result Qualifier Added Result Qualifier Unit %Red Limits

TestAmerica Savannah

80 - 120

-19

DEC 1 2 2013

20.0

287

4

mg/L

Dissolved Organic Carbon

290

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KP\$104

Method: 415.1 - DOC (Continued)

Lab Sample ID: 680-96229-2 MSD

Matrix: Water

Analysis Batch: 306228

Dissolved Organic Carbon

Sample Sample Result Qualifier

Spike Added 20.0

Result Qualifier 287

MSD MSD

Unit mg/L

Limits

%Rec.

Client Sample ID: CPA-C-SHU-F(0.2)-1113

Limit

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Dissolved

RPD

Method: 415.1 - TOC

Lab Sample ID: MB 680-305596/2

Matrix: Water

Analysis Batch: 305596

Total Organic Carbon

мв мв Result Qualifier 1.0 U

RL 1.0

Spike

Added

20.0

MDL Unit mg/L Prepared

Analyzed 11/29/13 13:30

Client Sample ID: Lab Control Sample

%Rec.

Client Sample ID: Method Blank

Dil Fac

Lab Sample ID: LCS 680-305596/5

Matrix: Water

Matrix: Water

Analysis Batch: 305596

Analyte Total Organic Carbon

Lab Sample ID: 680-96229-1 DU

Analysis Batch: 305596

Sample Sample Analyte Result Qualifier Total Organic Carbon 310

LCS LCS

DU DU

Qualifier

Result

314

Result Qualifier 19.6

Unit mg/L

Unit

mg/L

%Rec 98

Limits 80 - 120

Client Sample ID: CPA-C-SHU-1113 Prep Type: Total/NA

> RPD Limit 0.6 25

RPD

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

GC/MS VOA

Analysis Batch: 304112

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	82608	
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	8260B	
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	8260B	
680-96229-7	CPA-C-MHU-1113-EB	Total/NA	Water	8260B	
680-96229-8	CPA-C-DHU-1113-AD	Total/NA	Water	8260B	
680-96229-9	4Q13 CPA Trip Blank #3	Total/NA	Water	82608	
LCS 680-304112/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-304112/4	Lab Control Sample Dup	Total/NA	Water	82608	
MB 680-304112/7	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 304275

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	RSK-175	
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	RSK-175	
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	RSK-175	
LCS 680-304275/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-304275/8	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-304275/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-304275/9	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-304275/3	`Method Blank	` Total/NA	Wäter	RSK-175	•

Metals

Prep Batch: 303771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96229-1	CPA-C-SHU-1113	Total Recoverable	Water	3005A	
680-96229-1 MS	CPA-C-SHU-1113	Total Recoverable	Water	3005A	
680-96229-1 MSD	CPA-C-SHU-1113	Total Recoverable	Water	3005A	
680-96229-2	CPA-C-SHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96229-3	CPA-C-MHU-1113	Total Recoverable	Water	3005A	
680-96229-4	CPA-C-MHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96229-5	CPA-C-DHU-1113	Total Recoverable	Water	3005A	
680-96229-6	CPA-C-DHU-F(0.2)-1113	Dissolved	Water	3005A	
LCS 680-303771/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-303771/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 304177

Client Sample ID	Prep Type	Matrix	Method	Prep Batch
CPA-C-SHU-1113	Total Recoverable	Water	6010C	303771
CPA-C-SHU-1113	Total Recoverable	Water	6010C	303771
CPA-C-SHU-1113	Total Recoverable	Water	6010C	303771
CPA-C-SHU-F(0.2)-1113	Dissolved	Water	6010C	303771
CPA-C-MHU-1113	Total Recoverable	Water	6010C	303771
CPA-C-MHU-F(0.2)-1113	Dissolved	Water	6010C	303771
CPA-C-DHU-1113	Total Recoverable	Water	6010C	303771
CPA-C-DHU-F(0.2)-1113	Dissolved	Water	6010C	30377
Lab Control Sample	Total Recoverable	Water	6010C	30377
Method Blank	Total Recoverable	Water	6010C	30377
	CPA-C-SHU-1113 CPA-C-SHU-1113 CPA-C-SHU-1113 CPA-C-SHU-F(0.2)-1113 CPA-C-MHU-1113 CPA-C-MHU-F(0.2)-1113 CPA-C-DHU-1113 CPA-C-DHU-F(0.2)-1113 Lab Control Sample	CPA-C-SHU-1113 Total Recoverable CPA-C-SHU-1113 Total Recoverable CPA-C-SHU-1113 Total Recoverable CPA-C-SHU-F(0.2)-1113 Dissolved CPA-C-MHU-1113 Total Recoverable CPA-C-MHU-F(0.2)-1113 Dissolved CPA-C-DHU-1113 Total Recoverable CPA-C-DHU-F(0.2)-1113 Dissolved Lab Control Sample Total Recoverable	CPA-C-SHU-1113 Total Recoverable Water CPA-C-SHU-1113 Total Recoverable Water CPA-C-SHU-1113 Total Recoverable Water CPA-C-SHU-F(0.2)-1113 Dissolved Water CPA-C-MHU-F(0.2)-1113 Dissolved Water CPA-C-DHU-1113 Total Recoverable Water CPA-C-DHU-F(0.2)-1113 Dissolved Water Lab Control Sample Total Recoverable Water	CPA-C-SHU-1113 Total Recoverable Water 6010C CPA-C-SHU-1113 Total Recoverable Water 6010C CPA-C-SHU-1113 Total Recoverable Water 6010C CPA-C-SHU-F(0.2)-1113 Dissolved Water 6010C CPA-C-MHU-1113 Total Recoverable Water 6010C CPA-C-MHU-F(0.2)-1113 Dissolved Water 6010C CPA-C-DHU-1113 Total Recoverable Water 6010C CPA-C-DHU-F(0.2)-1113 Dissolved Water 6010C Lab Control Sample Total Recoverable Water 6010C

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

General Chemistry

Analysis Batch: 303	565
---------------------	-----

Project/site. WGK - Cr	A GW 4Q13				SDG: KPS104	
General Chemistry	<u> </u>					
Analysis Batch: 30356	55					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	SS SS SS
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	353.2	TOLOGO DE CONTRATA	-
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	353,2		West of
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	353,2		
680-96229-5 MS	CPA-C-DHU-1113	Total/NA	Water	353.2		
680-96229-5 MSD	CPA-C-DHU-1113	Total/NA	Water	353,2		
LCS 680-303565/14	Lab Control Sample	Total/NA	Water	353.2		
MB 680-303565/13	Method Blank	Total/NA	Water	353,2		
Analysis Batch: 30443	33					60000 60000
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	325,2		ENG
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	325.2		
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	325.2		120000 120000
LCS 680-304433/28	Lab Control Sample	Total/NA	Water	325.2		
MB 680-304433/47	Method Blank	Tota!/NA	Water	325.2		1000000
Analysis Batch: 30498	34					
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch	
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	375.4	***************************************	
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	375.4		
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	375.4		
LCS 680-304984/17	 Lab Control Sample 	Total/NA	` Water	375.4		26/38 34 U

Analysis Batch: 304433

i	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
	680-96229-1	CPA-C-SHU-1113	Total/NA	Water	325.2	
	680-96229-3	CPA-C-MHU-1113	Total/NA	Water	325.2	
	680-96229-5	CPA-C-DHU-1113	Total/NA	Water	325.2	· §
	LCS 680-304433/28	Lab Control Sample	Total/NA	Water	325.2	
į	MB 680-304433/47	Method Blank	Total/NA	Water	325.2	9

Analysis Batch: 304984

Lab Sample ID		Client Sample ID			Prep Type	Matrix	Method	Prep Batch
680-96229-1		CPA-C-SHU-1113		,,,,,	Total/NA	Water	 375.4	***************************************
680-96229-3		CPA-C-MHU-1113			Total/NA	Water	375.4	
680-96229-5		CPA-C-DHU-1113			Total/NA	Water	375.4	
LCS 680-304984/17	•	Lab Control Sample	,		Total/NA	' Water	375.4	
MB 680-304984/18		Method Blank			Total/NA	Water	375.4	

Analysis Batch: 305471

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method Prep Batch
680-96229-1	CPA-C-SHU-1113	Total/NA	Water	310.1
680-96229-3	CPA-C-MHU-1113	Total/NA	Water	310.1
680-96229-5	CPA-C-DHU-1113	Total/NA	Water	310.1
LCS 680-305471/4	Lab Control Sample	Total/NA	Water	310.1
LCSD 680-305471/22	Lab Control Sample Dup	Total/NA	Water	310.1
MB 680-305471/3	Method Blank	Total/NA	Water	310.1

Analysis Batch: 305596

	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
	680-96229-1	CPA-C-SHU-1113	Total/NA	Water	415.1	
	680-96229-1 DU	CPA-C-SHU-1113	Total/NA	Water	415.1	
	680-96229-3	CPA-C-MHU-1113	Total/NA	Water	415.1	
	680-96229-5	CPA-C-DHU-1113	Total/NA	Water	415.1	
	LCS 680-305596/5	Lab Control Sample	Total/NA	Water	415.1	
-	MB 680-305596/2	Method Blank	Total/NA	Water	415.1	

Analysis Batch: 306025

of souther to	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
-	680-96229-4	CPA-C-MHU-F(0.2)-1113	Dissolved	Water	415.1	
	680-96229-6	CPA-C-DHU-F(0.2)-1113	Dissolved	Water	415.1	
	LCS 680-306028/1-A	Lab Control Sample	Dissolved	Water	415.1	306028
	MB 680-306028/2-A	Method Blank	Dissolved	Water	415.1	306028

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

General Chemistry (Continued)

Filtration	Batch:	306028

A	Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
	LCS 680-306028/1-A	Lab Control Sample	Dissolved	Water	FILTRATION	***************************************
ş	MB 680-306028/2-A	Method Blank	Dissolved	Water	FILTRATION	

Analysis Batch: 306228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96229-2	CPA-C-SHU-F(0.2)-1113	Dissolved	Water	415.1	
680-96229-2 MS	CPA-C-SHU-F(0.2)-1113	Dissolved	Water	415.1	
680-96229-2 MSD	CPA-C-SHU-F(0.2)-1113	Dissolved	Water	415.1	
LCS 680-306244/1-A	Lab Control Sample	Dissolved	Water	415.1	306244
MB 680-306244/2-A	Method Blank	Dissolved	Water	415.1	306244

Filtration Batch: 306244

6	***					
-	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
	LCS 680-306244/1-A	Lab Control Sample	Dissolved	Water	FILTRATION	
- 1	MB 680-306244/2-A	Method Blank	Dissolved	Water	FILTRATION	

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-SHU-1113

Date Collected: 11/14/13 11:40 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-1

Matrix: Water

		Batch	Batch		Dilution	Batch	Prepared		
P	ер Туре	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
To	otal/NA	Analysis	8260B		200	304112	11/20/13 14:49	JD1	TAL SAV
To	otal/NA	Analysis	RSK-175		1	304275	11/21/13 14:47	TAR	TAL SAV
To	otal Recoverable	Prep	3005A			303771	11/18/13 11:24	BJB	TAL \$AV
To	otal Recoverable	Analysis	6010C		1	304177	11/19/13 19:04	BCB	TAL SAV
To	otal/NA	Analysis	353.2		2	303565	11/15/13 18:24	CRW	TAL SAV
To	otal/NA	Analysis	325.2		5	304433	11/21/13 10:51	JME	TAL SAV
To	otal/NA	Analysis	375.4		50	304984	11/25/13 12:44	JME	TAL SAV
To	otal/NA	Analysis	310.1		1	305471	11/27/13 16:31	LBH	TAL SAV
To	tal/NA	Analysis	415.1		5	305596	11/29/13 16:56	CMP	TAL SAV

Client Sample ID: CPA-C-SHU-F(0.2)-1113

Date Collected: 11/14/13 11:40

Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-2

Matrix: Water

atrix: Water

		Batch	Batch		Dilution	Batch	Prepared			
A COLOR	Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab	
	Dissolved	Prep	3005A			303771	11/18/13 11:24	BJB	TAL SAV	-
A CONTRACTOR	Dissolved	Analysis	6010C		1	304177	11/19/13 19:18	BCB	TAL SAV	,
	Dissolved	Analysis	415.1		1	306228	12/04/13 20:02	CMP	TAL SAV	

Client Sample ID: CPA-C-MHU-1113

Date Collected: 11/14/13 14:30

Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-3

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	82608		2500	304112	11/20/13 15:33	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	304275	11/21/13 14:34	TAR	TAL SAV
Total Recoverable	Prep	3005A			303771	11/18/13 11:24	вјв	TAL SAV
Total Recoverable	Analysis	6010C		1	304177	11/19/13 19:22	BCB	TAL SAV
Totai/NA	Analysis	353,2		. 1	303565	11/15/13 18:21	CRW	TAL SAV
Total/NA	Analysis	325.2		10	304433	11/21/13 10:54	JME	TAL SAV
Total/NA	Analysis	375.4		20	304984	11/25/13 12:30	JME	TAL SAV
Total/NA	Analysis	310.1		1	305471	11/27/13 16:40	LBH	TAL SAV
Total/NA	Analysis	415.1		1	305596	11/29/13 17:25	CMP	TAL SAV

Client Sample ID: CPA-C-MHU-F(0.2)-1113

Date Collected: 11/14/13 14:30

Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-4

Matrix: Water

1		Batch	Batch		Dilution	Batch	Prepared		
	Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
	Dissolved	Prep	3005A		A-(400)	303771	11/18/13 11:24	BJB	TAL SAV
and the same	Dissolved	Analysis	6010C		1	304 177	11/19/13 19:36	BCB	TAL SAV

TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: CPA-C-MHU-F(0.2)-1113

Date Collected: 11/14/13 14:30 Date Received: 11/15/13 09:31

Lab Sample ID: 680-96229-4

Matrix: Water

i		Daten	Daten		Philition	Balcii	Prepared		
i	Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
i	Dissolved	Analysis	415.1		1	306025	12/02/13 14:49	CMP	TAL SAV

Lab Sample ID: 680-96229-5

Matrix: Water

Client Sample ID: CPA-C-DHU-1113

Date Collected: 11/14/13 15:45 Date Received: 11/15/13 09:31

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	*******	200	304112	11/20/13 15:11	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	304275	11/21/13 14:21	TAR	TAL SAV
Total Recoverable	Prep	3005A			303771	11/18/13 11:24	вЈВ	TAL SAV
Total Recoverable	Analysis	6010C		1	304177	11/19/13 19:41	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303565	11/15/13 18:18	CRW	TAL SAV
Total/NA	Analysis	325.2		1	304433	11/21/13 10:03	JMÉ	TAL SAV
Total/NA	Analysis	375.4		5	304984	11/25/13 12:32	JME	TAL SAV
Total/NA	Analysis	310.1		1	305471	11/27/13 16:48	LBH	TAL SAV
Total/NA	Analysis	415.1		1	305596	11/29/13 17:39	CMP	TAL SAV

Client Sample ID: CPA-C-DHU-F(0.2)-1113

Date Collected: 11/14/13 15:45

Date Received: 11/15/13 09:31

Lab	Sample	ID:	680-96229-6	
-----	--------	-----	-------------	--

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A	A11.314.41516.444.441.41		303771	11/18/13 11:24	BJB	TAL SAV
Dissolved	Analysis	6010C		1	304177	11/19/13 19:55	BCB	TAL SAV
Dissolved	Analysis	415.1		1	306025	12/02/13 15:03	CMP	TAL SAV

Clie

Date Collected: 11/14/13 13:

Date Received: 11/15/13 09:31

ent Sample ID: CPA-C-MHU-1113-EB	Lab Sample ID: 680-96229-7
- Collected: 11/14/13 13:30	Matrix: Water

Batch Batch Dilution Batch Prepared Prep Type Type Method Run Factor Number or Analyzed Analyst Lab 304112 11/20/13 12:14 TAL SAV Total/NA Analysis 8260B JD1

Client Sample ID: CPA-C-DHU-1113-AD

Date Collected: 11/14/13 15:45

Date Received: 11/15/13 09:31

3-AD	Lab Sample ID: 680-96229-8

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	304112	11/20/13 16:18	JD1	TAL SAV

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Client Sample ID: 4Q13 CPA Trip Blank #3

Date Collected: 11/14/13 00:00 Date Received: 11/15/13 09:31 Lab Sample ID: 680-96229-9

Matrix: Water

The second		Batch	Batch		Dilution	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
-	Total/NA	Analysis	8260B		1	304112	11/20/13 11:07	JD1	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

12

.

TestAmerica Savannah

Chain of Custody Record

5102 LaRoche Avenue

Savannah

Savannah, GA 31404

TestAmerica SHE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

0,0 83 21563962.00004 Sample Specific Notes: Months Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Month COCS Date/Time: Company Company Company: be698989 operation by the state of the s ed Pe/Min by 6010B Site Contact: Michael Corbett Lab Contact: Michele Kersey Liede yd obrully m т Dissolved Gases by RSK 175 Thloride by 325.2/Sulfate by 375.4 Received by: NOCO2 by 310.1 fotal Fe/Mn by 6010B 3 3 3 3 W AOCs ph 8500 7 3 # of Cont. 12 17 17 ۲۲ 12 ત a Date/Time: Matrix Water Water Water Water Water Water Water Water Wafer 25.5c ag Calendar (C) or Work Days (W)
TAT if different from Below Standard Analysis Turnaround Time Sample Type Project Manager: Bob Billman 5 Ġ Ġ Ġ Ċ G G Ü ڻ T. 2 weeks 1 week 2 days l day Tel/Fax: (314) 743-4108 100 55 1338 1430 141311545 Sample CRS 1 (4) Sample Date Company: Company Skin Irritan CP4-C1-D411-1113-4D 394-C-MHU-113-EB pecial Instructions/QC Requirements & Comments: CPA. C.-MHUF(0.2)-1113 C CPA- C.SHU -F(0.2)-1113 CPA-C. DAUF(0.2)-1113 0.21-113 CPA-C-DHUILI CPA-C - MHUII3 CPA- C - ST-KK-1113 1001 Highlands Plaza Drive West, Suite 300 Sample Identification 4Q13 CPA Trip Blank # Phone Project Name: 4Q13 CPA GW Sampling Client Contact Preservation Used: 1 = Ice, 2= HCl; 3= shone 912.354.7858 fax 912.352.0165 Site; Solutia WG Krummich Facility ossible Hazard Identification St. Louis, MO 63110 JRS Corporation Non-Hazurd Relinquished by: 314) 429-0100 314) 429-0462 8

DEC 1 & 2013

680-96229 Chain of Custody

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-96229-1

SDG Number: KPS104

List Source: TestAmerica Savannah

Login Number: 96229 List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Certification Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96229-1

SDG: KPS104

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	***************************************
A2LA	DoD ELAP		399.01	02-28-15
A2LA	ISO/IEC 17025		399.01	02-28-15
Alabama	State Program	4	41450	06-30-14
Arkansas DEQ	State Program	6	88-0692	02-01-14
California	NELAP	9	3217CA	07-31-14
Colorado	State Program	8	N/A	12-31-13 *
Connecticut	State Program	1	PH-0161	03-31-15
Florida	NELAP	4	E87052	06-30-14
GA Dept. of Agriculture	State Program	4	N/A	12-31-13 *
Georgia	State Program	4	N/A	06-30-14
Georgia	State Program	4	803	06-30-14
Guam	State Program	9	09-005r	06-17-14
Hawaii	State Program	9	N/A	06-30-14
Illinois	NELAP	5	200022	11-30-13 *
Indiana	State Program	5	N/A	06-30-14
lowa	State Program	7	353	07-01-15
Kentucky	State Program	4	90084	12-31-13 *
Kentucky (UST)	State Program	4	18	06-30-14
_ouisiana	NELAP	6	30690	06-30-14
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-13 *
Massàchusetts	Stàte Program	1 '	M-GA006	` 06-30-14
Michigan	State Program	5	9925	06-30-14
Mississíppi	State Program	4	N/A	06-30-14
Montana	State Program	8	CERT0081	01-01-14 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-14
New Jersey	NELAP	2	GA769	06-30-14
New Mexico	State Program	6	N/A	06-30-14
New York	NELAP	2	10842	04-01-14
North Carolina DENR	State Program	4	269	12-31-13 *
North Carolina DHHS	State Program	4	13701	07-31-14
Oklahoma	State Program	6	9984	08-31-14
Релnsylvania	NELAP	3	68-00474	06-30-14
Puerto Rico	State Program	2	GA00006	01-01-14 *
South Carolina	State Program	4	98001	06-30-14
Гелпеssee	State Program	4 .	TN02961	06-30-14
Texas	NELAP	6	T104704185-08-TX	11-30-14
JSDA	Federal		SAV 3-04	04-07-14
/irginia	NELAP	3	460161	06-14-14
Washington	State Program	10	C1794	06-10-14
Vest Virginia	State Program	3	9950C	12-31-13 *
West Virginia DEP	State Program	3	94	06-30-14
Visconsin	State Program	5	999819810	08-31-14
Wyoming	State Program	В	8TMS-L	06-30-14

DEC 1 2 2013

^{*} Expired certification is currently pending renewal and is considered valid.

4Q 2013 CPA Data Review

Laboratory SDG: KPS105

Data Reviewer: Melissa Mansker Peer Reviewer: Elizabeth Kunkel

Date Reviewed: 12/13/2013

Guidance: USEPA National Functional Guidelines for Superfund Organic Methods Data Review 2008. USEPA National Functional Guidelines for Superfund

Inorganic Data Review 2010

Work Plan: Revised Long-Term Monitoring Program (LTMP) Work Plan (Solutia

2009)

Sample Identification					
CPA-D-SHU-1113	CPA-D-SHU-F(0.2)-1113				
CPA-D-MHU-1113	CPA-D-MHU-F(0.2)-1113				
CPA-D-DHU-1113	CPA-D-DHU-F(0.2)-1113				
CPA-D-DHU-1113-AD	4Q13 CPA Trip Blank #4				

1.0 Data Package Completeness

Were all items delivered as specified in the QAPP and COC as appropriate? Yes

2.0 Laboratory Case Narrative \ Cooler Receipt Form

Were problems noted in the laboratory case narrative or cooler receipt form?

Yes, the laboratory case narrative indicated the nitrate LCS recovery was outside evaluation criteria. The VOC surrogate recovery for dibromofluoromethane was outside evaluation criteria in sample 4Q13 CPA Trip Blank #4. Sulfate MS/MSD recoveries in sample CPA-D-MHU-1113 could not be evaluated because the sample concentrations were greater than four times (4X) the matrix spike concentration. Samples were diluted due to high levels of target analytes. Calibration recoveries were outside evaluation criteria for nitrate in several samples. These issues are addressed further in the appropriate sections below.

The cooler receipt form indicated that one of one cooler was received by the laboratory at a temperature of 1.8°C, which is outside the 4° C \pm 2°C criteria. The samples were received in good condition; therefore no qualification of data was required.

3.0 Holding Times

Were samples extracted/analyzed within applicable limits?

Yes

4.0 Blank Contamination

Were any analytes detected in the Method Blanks, Field Blanks or Trip Blanks?

No

5.0 Laboratory Control Sample

Were LCS recoveries within evaluation criteria?

No

LCS ID	Parameter	Analyte	LCS Recovery	LCS Criteria
LCS 680-303622/14	General chemistry	Nitrate	113	90-110

Analytical data that required qualification based on LCS data are included in the table below. Analytical data reported as non-detect and associated with LCS recoveries above evaluation criteria, indicating a possible high bias, did not require qualification.

Sample ID	Parameter	Analyte	Qualification	
CPA-D-SHU-1113	General chemistry	Nitrate	J	

6.0 Surrogate Recoveries

Were surrogate recoveries within evaluation criteria?

No

Sample ID	Parameter	Surrogate	Recovery	Criteria
4Q13 CPA Trip Blank #4	VOCs	Dibromofluoromethane	131	70-130

Analytical data reported as non-detect and associated with surrogate recoveries above evaluation criteria, indicating a possible high bias, did not require qualification. Sample 4Q13 CPA Trip Blank #4 is a quality control sample and is not qualified. No qualification of data was required.

7.0 Matrix Spike and Matrix Spike Duplicate Recoveries

Were MS/MSD samples collected as part of this SDG?

Yes, although not requested, sample CPA-D-DHU-F(0.2)-1113 was spiked and analyzed for dissolved metals, sample CPA-D-DHU-1113 was spiked and analyzed for nitrate, and sample CPA-D-MHU-1113 was spiked and analyzed for sulfate.

Were MS/MSD recoveries within evaluation criteria?

Nο

MS/MSD ID	Parameter	Analyte	MS/MSD Recovery (%)	RPD	MS/MSD/ RPD Criteria
CPA-D-MHU-1113	General chemistry	Sulfate	93/ 50	4	75-125/30

Sulfate MS/MSD recoveries in sample CPA-D-MHU-1113 could not be evaluated because the sample concentrations were greater than four times (4X) the matrix spike

concentration. No qualification of data was required.

8.0 Internal Standard (IS) Recoveries

Were internal standard area recoveries within evaluation criteria?

Yes

9.0 Laboratory Duplicate Results

Were laboratory duplicate samples collected as part of this SDG?

Yes, sample CPA-D-SHU-1113 was duplicated and analyzed for alkalinity and free carbon dioxide, sample CPA-D-DHU-1113 was duplicated and analyzed for sulfate, and sample CPA-D-MHU-F(0.2)-1113 was duplicated and analyzed for dissolved organic carbon.

Were laboratory duplicate sample RPDs within criteria?

Yes

10.0 Field Duplicate Results

Were field duplicate samples collected as part of this SDG?

Yes

Field ID	Field Duplicate ID
CPA-D-DHU-1113	CPA-D-DHU-1113-AD

Were field duplicates within evaluation criteria?

Yes

11.0 Sample Dilutions

For samples that were diluted and nondetect, were undiluted results also reported?

Not applicable; analytes were detected in samples that were diluted.

12.0 Additional Qualifications

Were additional qualifications applied?


Yes, calibration recoveries were outside evaluation criteria for nitrate in the following samples; data qualifications are included below.

Sample ID	Parameter	Analyte	Qualification
CPA-D-MHU-1113	General chemistry	Nitrate	UJ
CPA-D-SHU-1113	General chemistry	Nitrate	UJ

SDG KPS105

Results of Samples from Monitoring Wells:

CPA-D-SHU CPA-D-MHU CPA-D-DHU



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Savannah 5102 LaRoche Avenue Savannah, GA 31404 Tel: (912)354-7858

TestAmerica Job ID: 680-96268-1 TestAmerica Sample Delivery Group: KPS105 Client Project/Site: WGK - CPA GW 4Q13

For: Solutia Inc. 575 Maryville Centre Dr. Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele RKusey

Authorized for release by: 12/9/2013 4:49:58 PM

Michele Kersey, Project Manager I (912)354-7858 michele.kersey@testamericainc.com

Reviewed on DEC 13 2013/M

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Solutia Inc. Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Table of Contents

1
2
3
6
7
8
9
11
19
20
29
32
34
35
38 SS

















Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Job ID: 680-96268-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: WGK - CPA GW 4Q13

Report Number: 680-96268-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

The samples were received on 11/16/2013 8:57 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.8° C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3), CPA-D-DHU-1113 (680-96268-5), CPA-D-DHU-1113-AD (680-96268-7) and 4Q13 CPA Trip Blank #4 (680-96268-8) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/20/2013 and 11/21/2013.

Surrogate recovery for the following sample wass outside the upper control limit: 4Q13 CPA Trip Blank #4 (680-96268-8). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Refer to the QC report for details.

Samples CPA-D-SHU-1113 (680-96268-1)[2000X], CPA-D-MHU-1113 (680-96268-3)[500X], CPA-D-DHU-1113 (680-96268-5)[250X] and CPA-D-DHU-1113-AD (680-96268-7)[250X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

DISSOLVED GASES

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/21/2013 and 11/22/2013.

No difficulties were encountered during the dissolved gases analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Samples CPA-D-SHU-F(0.2)-1113 (680-96268-2), CPA-D-MHU-F(0.2)-1113 (680-96268-4) and CPA-D-DHU-F(0.2)-1113 (680-96268-6) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/18/2013 and analyzed

Case Narrative

Client: Solutia Inc.

Project/Site: WGK ~ CPA GW 4Q13

TestAmerica Job ID: 680-96268-1 SDG: KPS105

3

Job ID: 680-96268-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

on 11/22/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

METALS (ICP)

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 11/18/2013 and analyzed on 11/22/2013.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

ALKALINITY

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/27/2013.

No difficulties were encountered during the alkalinity analysis.

All quality control parameters were within the acceptance limits.

CHLORIDE

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/21/2013.

Samples CPA-D-SHU-1113 (680-96268-1)[5X] and CPA-D-MHU-1113 (680-96268-3)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the chloride analysis.

All quality control parameters were within the acceptance limits.

NITRATE-NITRITE AS NITROGEN

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/16/2013.

The nitrate result is obtained from a calculation incorporating the nitrate+nitrite and nitrite results. Re-analysis is not performed if QC for the calculated analyte does not meet acceptance criteria, provided the QC results for the component analytes are acceptable. Data have been qualified to denote this situation.

Sample CPA-D-SHU-1113 (680-96268-1)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the nitrate-nitrite analysis.

All other quality control parameters were within the acceptance limits.

SULFATE

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/25/2013.

The matrix spike duplicate (MSD) recoveries for batch 304984 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Refer to the QC report for details.

DEC 1 3 2013

TestAmerica Savannah

Page 4 of 36

Case Narrative

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1 SDG: KPS105

Job ID: 680-96268-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

Samples CPA-D-SHU-1113 (680-96268-1)[100X] and CPA-D-MHU-1113 (680-96268-3)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the sulfate analysis.

All other quality control parameters were within the acceptance limits.

TOTAL ORGANIC CARBON

Samples CPA-D-SHU-1113 (680-96268-1), CPA-D-MHU-1113 (680-96268-3) and CPA-D-DHU-1113 (680-96268-5) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 11/29/2013.

Sample CPA-D-SHU-1113 (680-96268-1)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the TOC analysis.

All quality control parameters were within the acceptance limits.

DISSOLVED ORGANIC CARBON (DOC)

Samples CPA-D-SHU-F(0.2)-1113 (680-96268-2), CPA-D-MHU-F(0.2)-1113 (680-96268-4) and CPA-D-DHU-F(0.2)-1113 (680-96268-6) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 12/02/2013 and 12/04/2013.

Sample CPA-D-SHU-F(0.2)-1113 (680-96268-2)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the DOC analysis.

All quality control parameters were within the acceptance limits.

DEC 1 3 2013

TestAmerica Savannah

Page 5 of 36

Sample Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-96268-1	CPA-D-SHU-1113	Water	11/15/13 12:00	11/16/13 08:57
680-96268-2	CPA-D-SHU-F(0.2)-1113	Water	11/15/13 12:00	11/16/13 08:57
680-96268-3	CPA-D-MHU-1113	Water	11/15/13 12:50	11/16/13 08:57
680-96268-4	CPA-D-MHU-F(0.2)-1113	Water	11/15/13 12:50	11/16/13 08:57
680-96268-5	CPA-D-DHU-1113	Water	11/15/13 13:45	11/16/13 08:57
680-96268-6	CPA-D-DHU-F(0.2)-1113	Water	11/15/13 13:45	11/16/13 08:57
680-96268-7	CPA-D-DHU-1113-AD	Water	11/15/13 13:45	11/16/13 08:57
680-96268-8	4Q13 CPA Trip Blank #4	Water	11/15/13 00:00	11/16/13 08:57

DEC 1 8 2013

Method Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1 SDG: KPS105

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353,2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415,1	TOC ,	MCAWW	TAL SAV
415,1	DOC	MCAWW	TAL SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

DEC 1 3 2013

Definitions/Glossary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Qualifiers

GC/MS VOA

Qualifier

Qualifier Description

Ü Х Surrogate is outside control limits

Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier

Qualifier Description

Ü

Indicates the analyte was analyzed for but not detected.

Metals

Qualifier Qualifier Description

Ū

Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier

υ

Qualifier Description

LCS or LCSD exceeds the control limits

ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC exceeds the control limits.

Indicates the analyte was analyzed for but not detected.

MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not

applicable

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery CNF Contains no Free Liquid

DER Duplicate error ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision level concentration MDA Minimum detectable activity EDL Estimated Detection Limit MDC Minimum detectable concentration

MDI Method Detection Limit

ML Minimum Level (Dioxin) NC Not Calculated

ND Not detected at the reporting limit (or MDL or EDL if shown)

POL Practical Quantitation Limit

QC **Quality Control** RER Relative error ratio

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TestAmerica Savannah

Page 8 of 36

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

Lab Sample ID: 680-96268-1

Lab Sample ID: 680-96268-2

Lab Sample ID: 680-96268-3

SDG: KPS105

Client Sample ID: CPA-D-SHU-1113

Analyte		Qualifier	RL	MDL	Unit	Dìl Fac	Method	Ргер Туре
Benzene	6200		2000		ug/L	2000	 8260B	Total/NA
Chlorobenzene	160000		2000		ug/L	2000	8260B	Total/NA
Methane	2.6		0.58		ug/L	1	RSK-175	Total/NA
Iron	89		0.050		mg/L	1	6010C	Total
Manganese	2.7		0.010		mg/L	1	6010C	Recoverable Total Recoverable
Chloride	300		5.0		mg/L	5	325.2	Total/NA
Nitrate as N	17	~ブ	0.50		mg/L	10	353.2	Total/NA
Sulfate	2200		500		mg/L	100	375.4	Total/NA
Total Organic Carbon	150		5.0		mg/L	5	415.1	Total/NA

Client Sample ID: CPA-D-SHU-F(0.2)-1113

2				->-,					
Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	94		0.050	**************************************	mg/L	1		6010C	Dissolved
Manganese, Dissolved	2.8		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	130		5.0		mg/L	5		415.1	Dissolved

Client Sample ID: CPA-D-MHU-1113

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	6900		500	ALLES SE SOUND PROPERTY	ug/L	500	*	8260B	Total/NA
Chiorobenzene	53000		500		ug/L	500		82608	Total/NA
1,2-Dichlorobenzene	20000		500		ug/L	500		8260B	Total/NA
1,3-Dichlorobenzene	1200		500		ug/L	500		8260B	Total/NA
1,4-Dichlorobenzene	16000		500		ug/L	500		82608	Total/NA
Ethane	9.4		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	5700		390		ug/L	1		RSK-175	Total/NA
Iron	0.56		0.050		mg/L	1		6010C	Total
Manganese	1.2		0.010		mg/L	1		6010C	Recoverable Total Recoverable
Chloride	290		5.0		mg/L	5		325.2	Total/NA
Sulfate	180		50		mg/L	10		375.4	Total/NA
Total Organic Carbon	41		1.0		mg/L	1		415.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	530		5.0		mg/L	1	***	310.1	Total/NA
Carbon Dioxide, Free	61		5.0		mg/L	. 1		310.1	Total/NA

Client Sample ID: CPA-D-MHU-F(0.2)-1113

Client Sample ID: CPA-D-N	1HU-F(0.2)-1113					ab :	Sample II	D: 680-96268-4
Analyte	Result Qualifie	er RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	0.33	0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	1.3	0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	42	1.0		mg/L	1		415.1	Dissolved
Client Sample ID: CPA-D-D					La			D: 680-96268-5
Analyte	Result Qualific	er RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	380	250		ug/L	250		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

Lab Sample ID: 680-96268-5

Lab Sample ID: 680-96268-6

Lab Sample ID: 680-96268-7

Lab Sample ID: 680-96268-8

SDG: KPS105

Client Sample ID: CPA-D-DHU-1113 (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chiorobenzene	22000		250		ug/L	250		8260B	Total/NA
1,2-Dichlorobenzene	2900		250		ug/L	250		8260B	Total/NA
1,3-Dichlorobenzene	420		250		ug/L	. 250		8260B	Total/NA
1,4-Dichlorobenzene	2800		250		ug/L	250		8260B	Total/NA
Ethane	6.3		1.1		ug/L	1		RSK-175	Total/NA
Methane	310		0.58		ug/L	1		RSK-175	Total/NA
Iron	0.17		0.050		mg/L	1		6010C	Total
Manganese	0.33		0,010		mg/L	1		6010C	Recoverable Total Recoverable
Chloride	70		1.0		mg/L	1		325,2	Total/NA
Sulfate	20		5,0		mg/L	1		375.4	Total/NA
Total Organic Carbon	39		1.0		mg/L	1		415,1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	500		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	41		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-D-DHU-F(0.2)-1113

***************************************	Analyte		Qualifier	RL	 Unit	Dil Fac	D		Prep Type
- 1	Iron, Dissolved	0.13		0.050	mg/L	1		6010C	Dissolved
	Manganese, Dissolved	0.34		0.010	mg/L	1		6010C	Dissolved
-	Dissolved Organic Carbon	41	•	1.0	mg/L	1		415.1	Dissolved

Client Sample ID: CPA-D-DHU-1113-AD

Analyte		Qualifier	RL	MDL	Unit	Dil Fac	Method	Prep Type
Вепхеле	370	Adamse)	250		ug/L	250	 8260B	
Chlorobenzene	23000		250		ug/L	250	8260B	Total/NA
1,2-Dichlorobenzene	2900		250		ug/L	250	8260B	Total/NA
1,3-Dichlorobenzene	430		250		ug/L	250	82608	Total/NA
1,4-Dichlorobenzene	2700		250		ug/L	250	8260B	Total/NA

Client Sample ID: 4Q13 CPA Trip Blank #4

No Detections.

This Detection Summary does not include radiochemical test results.

DEC 1 3 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KP\$105

Client Sample ID: CPA-D-SHU-1113

Date Collected: 11/15/13 12:00 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6200		2000		ug/L			11/21/13 14:08	2000
Chlorobenzene	160000		2000		ug/L			11/21/13 14:08	2000
1,2-Dichlorobenzene	2000	U	2000		ug/L			11/21/13 14:08	2000
1,3-Dichlorobenzene	2000	U	2000		ug/L			11/21/13 14:08	2000
1,4-Dichlorobenzene	2000	U	2000		ug/L			11/21/13 14:08	2000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene	93	-1	70 - 130					11/21/13 14:08	2000
Dibromofluoromethane	99		70 - 130					11/21/13 14:08	2000
Toluene-d8 (Surr)	93		70 - 130					11/21/13 14:08	2000
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/21/13 11:35	
Ethylene	1.0	U	1.0		ug/L			11/21/13 11:35	•
Methane	2.6		0.58		ug/L			11/21/13 11:35	-
Method: 6010C - Metals (ICI	P) - Total Recoverat	ole							
Method: 6010C - Metals (iCl Analyte	•	ole Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
•	•		RL 0.050	MDL	Unit mg/L	D	Prepared 11/18/13 15:46	Analyzed 11/22/13 08:51	Dil Fac
Analyte	Result			MDL		D			
Analyte Iron	Result 89		0.050	MDL	mg/L	D	11/18/13 15:46	11/22/13 08:51	
Analyte Iron Manganese	Result 89 2,7		0.050	·	mg/L	D D	11/18/13 15:46	11/22/13 08:51	
Analyte Iron Manganese General Chemistry	Result 89 2,7	Qualifier	0.050 0.010	·	mg/L mg/L	Marie	11/18/13 15:46 11/18/13 15:46	11/22/13 08:51 11/22/13 08:51	Dil Fa
Analyte Iron Manganese General Chemistry Analyte Chloride	Result 89 2.7 Result	Qualifier	0.050 0.010 RL	·	mg/L mg/L Unit	Marie	11/18/13 15:46 11/18/13 15:46	11/22/13 08:51 11/22/13 08:51 Analyzed	Dil Fa
Analyte Iron Manganese General Chemistry Analyte	Result 300	Qualifier	0.050 0.010 RL 5.0	·	mg/L mg/L Unit mg/L	Marie	11/18/13 15:46 11/18/13 15:46	11/22/13 08:51 11/22/13 08:51 Analyzed 11/21/13 10:51	Dil Fa
Analyte Iron Manganese General Chemistry Analyte Chioride Nitrate as N Sulfate	Result 300 17	Qualifier	0.050 0.010 RL 5.0 0.50	·	mg/L mg/L Unit mg/L mg/L	Marie	11/18/13 15:46 11/18/13 15:46	11/22/13 08:51 11/22/13 08:51 Analyzed 11/21/13 10:51 11/16/13 14:54	Dil Fac (10
Analyte Iron Manganese General Chemistry Analyte Chloride Nitrate as N	Result 89 2.7 Result 300 17 2200 150	Qualifier	0.050 0.010 RL 5.0 0.50 500	MDL	mg/L mg/L Unit mg/L mg/L mg/L	Marie	11/18/13 15:46 11/18/13 15:46	11/22/13 08:51 11/22/13 08:51 Analyzed 11/21/13 10:51 11/16/13 14:54 11/25/13 13:21	
Analyte Iron Manganese General Chemistry Analyte Chloride Nitrate as N Sulfate Total Organic Carbon	Result 89 2.7 Result 300 17 2200 150	Qualifier Qualifier A. J Qualifier	0.050 0.010 RL 5.0 0.50 500 5.0	MDL	mg/L mg/L Unit mg/L mg/L mg/L	D	11/18/13 15:46 11/18/13 15:46 Prepared	11/22/13 08:51 11/22/13 08:51 Analyzed 11/21/13 10:51 11/16/13 14:54 11/25/13 13:21 11/29/13 19:03	Di(Fac (10

TestAmerica Savannah

DEC 1 3 2013///

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-SHU-F(0.2)-1113

Date Collected: 11/15/13 12:00 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-2

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte Result Qualifier MDL Unit Prepared Analyzed Dil Fac 0.050 11/18/13 15:46 11/22/13 09:05 Iron, Dissolved 94 mg/L 0.010 11/22/13 09:05 11/18/13 15:46 Manganese, Dissolved 2.8 mg/L

General Chemistry - Dissolved

Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac

Dissolved Organic Carbon 130 5.0 mg/L 12/04/13 20:47 5

8

TestAmerica Savannah

DEC 1 3 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-MHU-1113

Date Collected: 11/15/13 12:50 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-3

Matrix: Water

Method: 8260B - Volatile Or Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6900		500	***************************************	ug/L			11/21/13 20:23	500
Chlorobenzene	53000		500		ug/L			11/21/13 20:23	500
1,2-Dichlorobenzene	20000		500		ug/L			11/21/13 20:23	500
1,3-Dichlorobenzene	1200		500		ug/L			11/21/13 20:23	500
1,4-Dichlorobenzene	16000		500		ug/L			11/21/13 20:23	500
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130				when when all the burders are all total and a second	11/21/13 20:23	500
Dibromofluoromethane	101		70 - 130					11/21/13 20:23	500
Toluene-dθ (Surr)	96		70 - 130					11/21/13 20:23	500
Method: RSK-175 - Dissolve	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	9.4	•	1,1		ug/L			11/22/13 13:40	1
Ethylene	1.0	U	1.0		ug/L			11/22/13 13:40	1
Methane (TCD)	5700		390		ug/L			11/22/13 13:40	1
Method: 6010C - Metals (ICI	P) - Total Recoverab	le							
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.56		0.050		mg/L		11/18/13 15:46	11/22/13 09:10	1
Manganese .	1.2		0.010		mg/L		11/18/13 15:46	, 11/22/13 09:10	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	290		5.0		mg/L	the state of the s		11/21/13 10:51	5
Nitrate as N	0.050	Un. UI	0.050		mg/L			11/16/13 14:55	1
Sulfate	180		50		mg/L			11/25/13 12:23	10
Total Organic Carbon	41		1.0		mg/L			11/29/13 19:17	1
Analyte	Result	Qualifier	RL	RL.	Unit	D	Prepared	Analyzed	Dil Fac
	530		5.0		mg/L			11/27/13 17:46	1
Alkalinity	530				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-MHU-F(0.2)-1113

Date Collected: 11/15/13 12:50 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.33		0.050		mg/L		11/18/13 15:46	11/22/13 09:24	1
Manganese, Dissolved	1.3		0.010		mg/L		11/18/13 15:46	11/22/13 09:24	1
General Chemistry - Dissolved	1								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dit Fac
Dissolved Organic Carbon	42		1.0		ma/L		farface and a fa	12/02/13 16:08	1

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-DHU-1113

Date Collected: 11/15/13 13:45 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-5

Matrix: Water

Analyte	ganic Compounds (Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	380		250		ug/L		***	11/20/13 17:02	250
Chlorobenzene	22000		250		ug/L			11/20/13 17:02	250
1,2-Dichlorobenzene	2900		250		ug/L			11/20/13 17:02	250
1,3-Dichlorobenzene	420		250		ug/L			11/20/13 17:02	250
1,4-Dichlorobenzene	2800		250		ug/L			11/20/13 17:02	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene	100		70 - 130					11/20/13 17:02	25
Dibromofluoromethane	130		70 - 130					11/20/13 17:02	25
Toluene-d8 (Surr)	100		70 - 130					11/20/13 17:02	25
Method: RSK-175 - Dissolv	ed Gases (GC)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Ethane	6.3	_,	1.1		ug/L			11/22/13 13:53	Day Delivery (12)
Ethylene	1.0	υ	1.0		ug/L			11/22/13 13:53	
Methane	310		0.58		ug/L			11/22/13 13:53	
Method: 6010C - Metals (IC	P) - Total Recoverat	ole							
		ole Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Analyte			RL 0.050	MDL	Unit mg/L	D	Prepared 11/18/13 15:46	Analyzed 11/22/13 09:28	Dil Fa
Analyte Iron	Result			MDL		D			Dil Fa
Analyte ron Manganese	Result 0.17		0.050	MDL	mg/L	D	11/18/13 15:46	11/22/13 09:28	Dil Fa
Analyte ron Manganese General Chemistry	Result 0.17 . 0.33		0.050	MDL	mg/L mg/L	D	11/18/13 15:46	11/22/13 09:28 11/22/13 09:28 Analyzed	,
Analyte ron Manganese General Chemistry Analyte	Result 0.17 . 0.33	Qualifier	0.050 0.010		mg/L mg/L	<u> </u>	11/18/13 15:46 11/18/13 15:46	11/22/13 09:28 11/22/13 09:28	Dil Fa
Analyte ron Manganese General Chemistry Analyte Chloride	Result 0.17 . 0.33 Result	Qualifier	0.050 0.010 RL		mg/L mg/L Unit	<u> </u>	11/18/13 15:46 11/18/13 15:46	11/22/13 09:28 11/22/13 09:28 Analyzed	Dil Fa
Analyte ron Manganese General Chemistry Analyte Chloride Nitrate as N	Result 0.17 . 0.33 Result 70	Qualifier Qualifier	0.050 0.010 RL 1.0		mg/L mg/L Unit mg/L	<u> </u>	11/18/13 15:46 11/18/13 15:46	11/22/13 09:28 11/22/13 09:28 Analyzed 11/21/13 10:03	Dil Fa
Analyte ron Manganese General Chemistry Analyte Chloride Nitrate as N Sulfate	Result 0.17 0.33 Result 70 0.050	Qualifier Qualifier	0.050 0.010 RL 1.0 0.050		mg/L mg/L Unit mg/L mg/L	<u> </u>	11/18/13 15:46 11/18/13 15:46	11/22/13 09:28 11/22/13 09:28 Analyzed 11/21/13 10:03 11/16/13 14:49	Dil Fa
Analyte ron Manganese General Chemistry Analyte Chloride Nitrate as N Sulfate Total Organic Carbon	Result 0.17 0.33 Result 70 0.050 20 39	Qualifier Qualifier	0.050 0.010 RL 1.0 0.050 5.0		mg/L mg/L Unit mg/L mg/L mg/L mg/L	<u> </u>	11/18/13 15:46 11/18/13 15:46	11/22/13 09:28 11/22/13 09:28 Analyzed 11/21/13 10:03 11/16/13 14:49 11/25/13 11:19	Dil Fa
Method: 6010C - Metals (IC Analyte Iron Manganese General Chemistry Analyte Chloride Nitrate as N Sulfate Total Organic Carbon Analyte	Result 0.17 0.33 Result 70 0.050 20 39	Qualifier Qualifier	0.050 0.010 RL 1.0 0.050 5.0 1.0	MDL	mg/L mg/L Unit mg/L mg/L mg/L mg/L	D	11/18/13 15:46 11/18/13 15:46 Prepared	Analyzed 11/22/13 09:28 Analyzed 11/21/13 10:03 11/16/13 14:49 11/25/13 11:19 11/29/13 20:02	Dil Fa

TestAmerica Savannah

DEC 1 8 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-DHU-F(0.2)-1113

Date Collected: 11/15/13 13:45 Date Received: 11/16/13 08:57

Dissolved Organic Carbon

Lab Sample ID: 680-96268-6

12/02/13 16:33

Matrix: Water

Method: 6010C - Metals (ICP) - D	issolved								
Analyte	Result	Qualifier	RL	MDL	Unit	Đ	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.13	,	0.050		mg/L		11/18/13 15:46	11/22/13 09:33	1
Manganese, Dissolved	0.34		0.010		mg/L		11/18/13 15:46	11/22/13 09:33	1
General Chemistry - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

1.0

41

mg/L

TestAmerica Savannah

DEC 1 8 5013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

Lab Sample ID: 680-96268-7

SDG: KPS105

Client Sample ID: CPA-D-DHU-1113-AD

Date Collected: 11/15/13 13:45 Date Received: 11/16/13 08:57

15/13 13:45

Matrix: Water

Method: 8260B - Volatile Or	ganic Compounds ((GC/MS)							
Analyte	Result	Qualifier	RŁ	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Велгепе	370		250		ug/L	*********		11/20/13 17:25	250
Chlorobenzene	23000		250		ug/L			11/20/13 17:25	250
1,2-Dichlorobenzene	2900		250		ug/L			11/20/13 17:25	250
1,3-Dichlorobenzene	430		250		ug/L			11/20/13 17:25	250
1,4-Dichlorobenzene	2700		250		ug/L			11/20/13 17:25	250
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 130			•		11/20/13 17:25	250
Dibromofluoromethane	123		70 - 130					11/20/13 17:25	250
Toluene-d8 (Suπ)	93		70 - 130					11/20/13 17:25	250









DEC 1 3 2013/M

Client: Solutia Inc.

Dibromofluoromethane

Toluene-d8 (Surr)

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: 4Q13 CPA Trip Blank #4

Date Collected: 11/15/13 00:00

Lab Sample ID: 680-96268-8

11/20/13 11:30

11/20/13 11:30

Matrix: Water

Date	Received:	11/16/13	08:57

Method: 8260B - Volatile Organi	c Compounds (GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L		,	11/20/13 11:30	1
Chlorobenzene	1.0	U	1.0		ug/L			11/20/13 11:30	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 11:30	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 11:30	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 11:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101	*****	70 - 130					11/20/13 11:30	1

70 - 130

70 ₋₋ 130

8



TestAmerica Savannah

DEC 1 3 5013 MM

Surrogate Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

				Percent Surrog	gate Recovery (Acceptance Limits)
		BFB	DBFM	TOL	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	(70-130)	
680-96268-1	CPA-D-SHU-1113	93	99	93	The state of the s
680-96268-3	CPA-D-MHU-1113	99	101	96	
680-96268-5	CPA-D-DHU-1113	100	130	100	
680-96268-7	CPA-D-DHU-1113-AD	103	123	93	
680-96268-8	4Q13 CPA Trip Blank #4	101	131 X	98	
LCS 680-304112/3	Lab Control Sample	107	125	103	
LCS 680-304347/4	Lab Control Sample	94	98	97	
LCS 680-304391/4	Lab Control Sample	87	94	101	
LCSD 680-304112/4	Lab Control Sample Dup	110	118	103	
LCSD 680-304347/5	Lab Control Sample Dup	98	98	97	
LCSD 680-304391/5	Lab Control Sample Dup	89	97	102	
MB 680-304112/7	Method Blank	104	127	95	
MB 680-304347/7	Method Blank	99	98	95	
MB 680-304391/8	Method Blank	91	108	96	
Surrogate Legend					
BFB = 4-Bromofluorobe					

DBFM = Dibromofluoromethane

TQL = Toluene-d8 (Surr)

TestAmerica Savannah

DEC 1 8 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-304112/7

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Method Blank
Prep Type: Total/NA

•	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1,0	U	1.0		ug/L	····		11/20/13 09:53	1
Chlorobenzene	1.0	υ	1.0		ug/L			11/20/13 09:53	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/13 09:53	1

	мв	мв			
Surrogate	%Recovery	Qualifier	Limits	Prepared Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 130	11/20/13 09:53	1
Dibromofluoromethane	127		70 - 130	11/20/13 09:53	1
Toluene-d8 (Surr)	95		70 - 130	11/20/13 09:53	1

Lab Sample ID: LCS 680-304112/3

Matrix: Water

Analysis Batch: 304112

Client Sample ID): Lab Control Sample
	Pren Tyne: Total/NA

Analysis batom bottie	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	50.0	50.6	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ug/L	2077	101	74 - 123
Chlorobenzene	50.0	53,9		ug/L		108	79 - 120
1,2-Dichlorobenzene	50.0	50.5		ug/L		101	77 - 124
1,3-Dichlorobenzene	50.0	48.9		ug/L		98	79 - 123
1,4-Dichlorobenzene	50.0	51.5		ug/L		103	76 - 124

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	107		70 - 130
Dibromofluoromethane	125		70 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCSD 680-304112/4

Matrix: Water

Analysis Batch: 304112

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analysis Batch: 304112										
	Spike	LCSD	LCSD				%Rec.		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	50.0	51.6		ug/L		103	74 - 123	2	30	
Chlorobenzene	50.0	50.9		ug/L		102	79 . 120	6	30	
1,2-Dichlorobenzene	50.0	51.6		ug/L		103	77 - 124	2	30	
1,3-Dichlorobenzene	50.0	50.2		ug/L		100	79 - 123	3	30	
1,4-Dichlorobenzene	50.0	51.7		ug/L		103	76 - 124	0	30	

	LCSD	LCSD	
Surrogate	%Recovery		Limits
4-Bromofluorobenzene	110		70 - 130
Dibromofluoromethane	118		70 - 130
Toluene-d8 (Surr)	103		70 - 130

TestAmerica Savannah

DEC 1 3 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job 1D: 680-96268-1

SDG: KPS105

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

1.0 U

Lab Sample ID: MB 680-304347/7

Matrix: Water

Analyte

Benzene

Chlorobenzene

1,2-Dichlorobenzene

1,3-Dichlorobenzene

1,4-Dichlorobenzene

Analysis Batch: 304347

Client Sar	nple ID: Method Blank
	Prep Type: Total/NA

11/21/13 12:07

MB MB Prepared Result Qualifier RL MDL Unit Analyzed Dil Fac 1.0 U 11/21/13 12:07 1.0 ug/L 1.0 U 1.0 ug/L 11/21/13 12:07 1.0 U 1.0 11/21/13 12:07 ug/L 1.0 U 11/21/13 12:07 1.0 ug/L

ug/L

	мв	МВ				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130		11/21/13 12:07	1
Dibromofluoromethane	98		70 - 130		11/21/13 12:07	1
Toluene-d8 (Surr)	95		70 . 130		11/21/13 12:07	1

1.0

Lab Sample ID: LCS 680-304347/4

Matrix: Water

Analysis Batch: 304347

Client Sample ID: Lab Control Sample Prep Type: Total/NA

		Spike	LCS	LCS		%Rec.	
	Analyte	Added	Result	Qualifier Unit	D %Rec	Limits	
	Benzene	50.0	49.9	ug/L	100	74 - 123	***************************************
	Chlorobenzene	50.0	51.2	ug/L	102	79 - 120	
	1,2-Dichlorobenzene	. 50.0	51.9	ug/L	104	77 - 124	
	1,3-Dichlorobenzene	50.0	51.6	ug/L	103	79 - 123	
	1,4-Dichlorobenzene	50.0	53.1	ug/L	106	76 - 124	
i							

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	94		70 - 130
Dibromofluoromethane	98		70 - 130
Toluene-d8 (Surr)	97		70 - 130

Lab Sample ID: LCSD 680-304347/5

Matrix: Water

Analysis Batch: 304347

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	50.0	49.5		ug/L		99	74 - 123	1	30
Chlorobenzene	50.0	52.3		ug/L		105	79 - 120	2	30
1,2-Dichlorobenzene	50.0	51.6		ug/L		103	77 - 124	1	30
1,3-Dichlorobenzene	50.0	52.0		ug/L		104	79 - 123	1	30
1,4-Dichlorobenzene	50.0	54.7		ug/L		109	76 - 124	3	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	98		70 - 130
Dibromofluoromethane	98		70 - 130
Toluene-d8 (Surr)	97		70 - 130

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-304391/8 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA

Analysis Batch: 304391

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	Ü	1.0		ug/L	·		11/21/13 13:38	1
Chlorobenzene	1.0	υ	1.0		ug/L			11/21/13 13:38	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/21/13 13:38	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/21/13 13:38	1
1,4-Dichlorobenzene	1.0	U	1.0		មg/L			11/21/13 13:38	1
	MB	мв							

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene 91 70 - 130 11/21/13 13:38 Dibromofluoromethane 108 70 .. 130 11/21/13 13:38 Toluene-d8 (Surr) 96 70 - 130 11/21/13 13:38

Lab Sample ID: LCS 680-304391/4

Matrix: Water

Analysis Batch: 304391

Client Sample ID: L	ab Control Sample
F	Prep Type: Total/NA

Spike LCS LCS %Rec. Analyte Added Result Qualifier Unit D %Rec Limits Benzene 50.0 47.5 ug/L 95 74 - 123 Chlorobenzene 50.0 48.4 ug/L 97 79 - 120 1,2-Dichlorobenzene 50.0 43.3 `ug/L в7 77 - 124 ' 1,3-Dichlorobenzene 50.0 40.6 ug/L 81 79 - 123 1,4-Dichlorobenzene 50.0 41.B 76 - 124 ug/L 84

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 87 70 - 130 Dibromofluoromethane 94 70 - 130 Toluene-d8 (Surr) 101 70 - 130

Lab Sample ID: LCSD 680-304391/5

Matrix: Water

Analysis Batch: 304391

Client Sample ID: Lab	Control Sample Dup
	Prep Type: Total/NA

Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit %Rec Limits RPD Limit Benzene 50,0 47.8 96 ug/L 74 - 123 Ö 30 Chlorobenzene 50.0 49.6 ug/L 99 79 - 120 30 1,2-Dichlorobenzene 50.0 43.4 87 77 - 124 30 ug/L n 1,3-Dichlorobenzene 50,0 41.2 ug/L 82 79 - 123 30 1,4-Dichlorobenzene 50.0 42.1 ug/L 76 - 124 30

LCSD LCSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 89 70 - 130 Dibromofluoromethane 97 70 - 130 Toluene-d8 (Surr) 102 70 - 130

TestAmerica Savannah

DEC 1 8 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method:	RSK-178	i - Dissolved	Gases	(GC)
---------	---------	---------------	-------	------

Client Sample ID: Method Blank Lab Sample ID: MB 680-304275/3 Matrix: Water Prep Type: Total/NA

Analysis Batch: 304275

		MB	MB							
į	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
į	Ethane	1.1	Ū	1.1		ug/L	_		11/21/13 09:05	1
	Ethylene	1.0	U	1.0		ug/L			11/21/13 09:05	1
	Methane	0,58	U	0.58		ug/L			11/21/13 09:05	1
The second	Methane (TCD)	390	U	390		ug/L			11/21/13 09:05	1

Lab Sample ID: LCS 680-304275/4 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA

Analysis Batch: 304275

LCS LCS %Rec. Spike Analyte Result Qualifier Limits Added Unit %Rec Ethane 120 75 - 125 288 346 ug/L Ethylene 269 326 ug/L 121 75 - 125 175 113 75 - 125 Methane 154 ug/L

Lab Sample ID: LCS 680-304275/8 Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA

Analysis Batch: 304275

Spike LCS LCS %Rec. %Rec Added Qualifier Limits Analyte Result Unit n 1920 2270 118 75 - 125 Methane (TCD) ug/L

Lab Sample ID: LCSD 680-304275/5 Client Sample ID: Lab Control Sample Dup Matrix: Water Prep Type: Total/NA Analysis Batch: 304275 Spike LCSD LCSD %Rec. RPD

Analyte Added Result Qualifier Unit %Rec Limits RPD Limit Ethane 288 298 ug/L 103 75 - 125 15 30 Ethylene 269 285 108 75 - 125 ug/L 30 13 98 75 - 125 Methane 154 150 ug/L 15 30

Lab Sample ID: LCSD 680-304275/9 Client Sample ID: Lab Control Sample Dup Matrix: Water Prep Type: Total/NA Analysis Batch: 304275

Spike LCSD LCSD %Rec. RPD Analyte Added Result Qualifier Unit %Rec Limits RPD Limit Methane (TCD) 1920 2080 ug/L 108 75 - 125

Lab Sample ID: MB 680-304475/8 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA

Analysis Batch: 304475

МВ МВ Analyte Result Qualifier RL MDL Unit Ð Prepared Analyzed Dil Fac Ethane 1.1 U 1.1 ug/L 11/22/13 11:55 11/22/13 11:55 Ethylene 1,0 U 1.0 ug/L Methane 0.58 U 0.58 11/22/13 11:55 ug/L Methane (TCD) 390 U 11/22/13 11:55 390 ug/L

TestAmerica Savannah

DEC 1 3 2013

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method: RSK-175	- Dissolved	Gases	(GC)	(Continued)
-----------------	-------------	-------	------	-------------

Lab Sample ID: LCS 680-304475/4					Client	Sample	ID: Lab Control Sample
Matrix: Water							Prep Type: Total/N.
Analysis Batch: 304475							
	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Ethane	288	306		ug/L		106	75 - 125
Ethylene	269	292		ug/L		108	75 - 125
Methane	154	155		ug/L		101	75 - 125
Lab Sample ID: LCS 680-304475/6					Client	Sample	ID: Lab Control Samp
Matrix: Water							Prep Type: Total/N
Analysis Batch: 304475							
•	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
	1920	2020		ug/L		105	75 - 125

Matrix: Water	latrix: Water								
Analysis Batch: 304475									
	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Ethane	288	297	handalanda da kara kara kara kara kara kara kara	ug/L		103	75 - 125	3	30
Ethylene	269	285		ug/L		106	75 - 125	2	30
Methane	154	151		ug/L		98	75 - 125	3	30

Lab Sample ID: LCSD 680-304475/7	ab Sample ID: LCSD 680-304475/7						Client Sample ID: Lab Control Sample Dup							
Matrix: Water							Prep T	ype: To	tal/NA					
Analysis Batch: 304475														
	Spike	LCSD	LCSD				%Rec.		RPD					
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit					
Methane (TCD)	1920	1990		ug/L		104	75 - 125	1	30					

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-303845/1-A

Lab Sample ID: LCS 680-303845/2-A

Matrix: Water							Prep Ty	pe: Total Reco	overable
Analysis Batch: 304612								Prep Batch:	303845
	мв	мв							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	Ü	0.050		mg/L		11/18/13 15:46	11/22/13 07:52	1
fron, Dissolved	0.050	U	0.050		mg/L		11/18/13 15:46	11/22/13 07:52	1
Manganese	0.010	U	0.010		mg/L		11/18/13 15:46	11/22/13 07:52	1
Manganese, Dissolved	0.010	U	0.010		mg/L		11/18/13 15:46	11/22/13 07:52	1
ta,									

	Matrix: Water Analysis Batch: 304612							Prep Type: Total Re Prep Bate							
		Spike	LCS	LCS				%Rec.							
	Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits							
į	Iron	5.00	4.75	abanantan bandaren 1800ako	mg/L		95	75 - 125							
	Iron, Dissolved	5.00	4.75		mg/L		95	75 - 125							
	Manganese	0.500	0.488		mg/L		98	75 - 125							
	Manganese, Dissolved	0.500	0.488		mg/L		98	75 - 125							

TestAmerica Savannah

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

75 - 125

SDG: KPS105

Method:	6010C -	Metals	(ICP) ((Continued)
According to the following to the second section of		******	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

0.34

5.0 U

Lab Sample ID: 680-96268-6 MS						Cli	ient Sar	npie iu:	CPA-D-DH	/U-F(0.2)	-1113
Matrix: Water									Prep Ty	pe: Diss	olved
Analysis Batch: 304612									Prep E	Batch: 3	03845
-	Sample	Sample	Spike	MS	MS				%Rec.		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
fron, Dissolved	0,13		5.00	4.89	F TO THE PARTY IN	mg/L		95	75 - 125	***************************************	***************************************
Manganese, Dissolved	0.34		0.500	0.817		mg/L		96	75 - 125		
Lab Sample ID: 680-96268-6 MSD						CI	ient Saı	mple ID:	CPA-D-DH	lU-F(0.2)-1113
Matrix: Water									Prep Ty	pe: Diss	olved
Analysis Batch: 304612									Prep f	Batch: 3	03845
-	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Res⊔lt	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Fron Dissolved	0.13		5.00	4.91		mg/L		96	75 - 125	0	20

0.814

mg/L

0.500

Method: 310.1 - Alkalinity

Manganese, Dissolved

Carbon Dioxide, Free

Lab Sample ID: MB 680-305471/3 Matrix: Water											С	lient S	ample ID: I Prep T	Method ype: To	
Analysis Batch: 305471															
		MB	MB												
Analyte	R	esult	Qualifier		RL		RL	Unit		D	Pre	pared	Analyz	ed	Dil Fac
Alkalinity		5.0	Ū		5.0			mg/L					11/27/13	16:16	1
Carbon Dioxide, Free		5.0	υ		5.0			mg/L					11/27/13	16:16	1
Lab Sample ID: LCS 680-305471/4										Clie	nt S	Sample	D: Lab C	ontrol S	ample
Matrix: Water													Prep T	ype: To	tal/NA
Analysis Batch: 305471															
-				Spike		LCS	LCS						%Rec.		
Analyte				Added		Result	Qual	ifier	Unit		D	%Rec	Limits		
Alkalinity				250		221			mg/L			88	80 - 120		
Lab Sample ID: LCSD 680-305471/22	<u> </u>								С	lient Sa	amp	le ID: I	Lab Contro	l Sampl	le Dup
Matrix: Water													Prep T	ype: To	tal/NA
Analysis Batch: 305471															
•				Spike		LCSD	LCS	D					%Rec.		RPD
Analyte				Added		Result	Qual	ifier	Unit	1	D	%Rec	Limits	RPD	Limit
Alkalinity				250	·	221	***********		mg/L			88	80 - 120	0	30
Lab Sample ID: 680-96268-1 DU										c	Clier	nt Sam	ple ID: CP/	A-D-SHL	J-1113
Matrix: Water													Prep T	ype: To	tal/NA
Analysis Batch: 305471															
•	Sample	Sam	ple			DU	DU								RPD
Analyte	Result	Qual	ifier			Result	Qual	ifier	Unit	1	D			RPD	Limit
2 mary to	1000					Ittodate	Q 100				_				Little

TestAmerica Savannah

NC

DEC 1 8 2013 MM

5.0 U

mg/L

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

Client Sample ID: Method Blank

SDG: KPS105

Prep Type: Total/NA

Method: 325.2 - Chloride

Lab Sample ID: MB 680-304433/47

Matrix: Water

Analysis Batch: 304433

MR MR

Analyte

Result Qualifier 1.0 U

MDL Unit

Prepared mg/L

11/21/13 11:05

Analyzed Dil Fac

Lab Sample ID: LCS 680-304433/28

Matrix: Water

Chloride

Analysis Batch: 304433

Analyte Chloride

LCS LCS Spike Added

50.0

Spike

Added

0.497

0.997

0.500

Spike

Added

0,497

0.997

0.500

Spike

Added

0.497

0.997

0.500

RL

1.0

Result Qualifier 49.8

mg/L

Unit mg/L

D %Rec 100

%Rec. Limits 85 - 115

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-303622/13

Matrix: Water

Analysis Batch: 303622

Sample Sample

Sample Sample

0.050 U^*

Result

0.050

0.050

Qualifier

Analyte Nitrate as N 0.050 U^

мв мв

Result Qualifier

RL MDL Unit 0.050

LCS LCS

MS MS

0,538

1.05

0.509

Result Qualifier

MSD MSD

0.536

1.05

0.510

Result Qualifier

Qualifier

Unit

mg/L

mg/L

mg/L

Unit

mg/L

mg/L mg/L

Unit

mg/L

mg/L

mg/L

Result

0.559 ۸.

1.06

0.503

Analyzed

Dil Fac

Lab Sample ID: LCS 680-303622/14

Matrix: Water

Nitrate Nitrite as N

Analysis Batch: 303622

Analyte Nitrate as N

Nitrite as N Lab Sample ID: 680-96268-5 MS

Matrix: Water

Analysis Batch: 303622

Analyte Result Qualifier Nitrate as N 0.050 UA Nitrate Nitrite as N 0.050 0.050 Nitrite as N

Lab Sample ID: 680-96268-5 MSD

Analysis Batch: 303622

Analyte

Nitrate as N

Nitrite as N

Nitrate Nitrite as N

Matrix: Water

Client Sample ID: Method Blank

Prep Type: Total/NA

Prepared 11/16/13 14:47

Client Sample ID: Lab Control Sample Prep Type: Total/NA

%Rec.

90 - 110 113 90 - 110 90 - 110 101

102

102

Client Sample ID: CPA-D-DHU-1113

Prep Type: Total/NA

%Rec. %Rec Limits 108 90.110 104 90 - 110

Client Sample ID: CPA-D-DHU-1113

90 - 110

90 - 110

Prep Type: Total/NA

a

%Rec. RPD %Rec Limits RPD Limit 108 90 - 110 0 10 104 90 - 110 0 10

TestAmerica Savannah

10

Client: Solutia Inc. TestAmerica Job ID: 680-96268-1 Project/Site: WGK - CPA GW 4Q13 SDG: KPS105 Method: 375.4 - Sulfate Lab Sample ID: MB 680-304984/18 Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA Analysis Batch: 304984 MB MB Analyzed Dil Fac Analyte Result Qualifier RL MDL Unit Prepared 11/25/13 11:17 Sulfate 5.0 U 5.0 mg/L Client Sample ID: Lab Control Sample Lab Sample ID: LCS 680-304984/17 Matrix: Water Prep Type: Total/NA Analysis Batch: 304984 Spike LCS LCS %Rec. Added Result Qualifier Unit %Rec Limits Analyte Sulfate 20.0 20.1 100 75 - 125 mg/L Lab Sample ID: 680-96268-3 MS Client Sample ID: CPA-D-MHU-1113 Prep Type: Total/NA Matrix: Water Analysis Batch: 304984 Sample Sample Spike MS MS %Rec. Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits Sulfate 180 20.0 mg/L 93 75 . 125 Lab Sample ID: 680-96268-3 MSD Client Sample ID: CPA-D-MHU-1113 Matrix: Water Prep Type: Total/NA Analysis Batch: 304984 Sample Sample Spike MSD MSD %Rec. Analyte Result Qualifier Added Result Qualifier Unit %Red Limits RPD Limit 20.0 75 - 125 30 Sulfate 180 191/4 mg/L 50 Client Sample ID: CPA-D-DHU-1113 Lab Sample ID: 680-96268-5 DU Prep Type: Total/NA Matrix: Water Analysis Batch: 304984 Sample Sample DU DU RPD Result Qualifier Result Qualifier Unit D Limit Analyte Sulfate 20 18.2 mg/L 30 Method: 415.1 - DOC Lab Sample ID: MB 680-306028/2-A Client Sample ID: Method Blank Matrix: Water Prep Type: Dissolved

Matrix: Water Prep Type: Dissolved Analysis Batch: 306025 Spike LCS LCS %Rec. Added Result Qualifier Unit D %Rec Limits Dissolved Organic Carbon 20.0 19.0 mg/L 95 80 - 120

RL

1.0

MDL Unit

mg/L

Prepared

мв мв

1.0 U

Result Qualifier

Analysis Batch: 306025

Dissolved Organic Carbon

Lab Sample ID: LCS 680-306028/1-A

Analyte

TestAmerica Savannah

Analyzed 12/02/13 13:49

Client Sample ID: Lab Control Sample

Dil Fac

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Method: 415.1 - DOC (Continued)

Lab Sample ID: 680-96268-4 DU

Client Sample ID: CPA-D-MHU-F(0.2)-1113 Prep Type: Dissolved

Matrix: Water

Analysis Batch: 306025

Sample Sample DU DU

Dissolved Organic Carbon

Result Qualifier

Result Qualifier

40.6

Unit mg/L RPD Limit

Lab Sample ID: MB 680-306244/2-A

Matrix: Water

Analysis Batch: 306228

Client Sample ID: Method Blank

Prep Type: Dissolved

MB MB

Result Qualifier

MDL Unit Prepared

Unit

mg/L

Analyzed Dissolved Organic Carbon 1.0 Ü 1.0 mg/L 12/04/13 19:46

Spike

Added

20.0

Dil Fac

Lab Sample ID: LCS 680-306244/1-A

Matrix: Water

Analyte

Analysis Batch: 306228

LCS LCS

20.3

Result Qualifier

%Rec

102

Prep Type: Dissolved

%Rec. Limits

Client Sample ID: Lab Control Sample

BO _ 120

Dissolved Organic Carbon Method: 415.1 - TOC

Lab Sample ID: MB 680-305596/2

Matrix: Water

Analysis Batch: 305596

MB MB

Result Qualifier

Analyte Total Organic Carbon

RI 1,0

Spike

Added

20.0

MDI. Unit Prepared

D

Prep Type: Total/NA

Dil Fac

Lab Sample ID: LCS 680-305596/5

Matrix: Water

Total Organic Carbon

Analysis Batch: 305596

1.0 U

LCS LCS

19.6

mg/L

11/29/13 13:30

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Analyzed

Client Sample ID: Method Blank

%Rec.

Result Qualifier Unit %Rec Limits 98 mg/L BO - 120

QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

GC/MS VOA

Analysis	Batch:	304112
----------	--------	--------

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
680-96268-5	CPA-D-DHU-1113	Total/NA	Water	8260B	
680-96268-7	CPA-D-DHU-1113-AD	Total/NA	Water	8260B	Ž.
680-96268-8	4Q13 CPA Trip Blank #4	Total/NA	Water	8260B	
LCS 680-304112/3	Lab Control Sample	Total/NA	Water	8260B	8
LCSD 680-304112/4	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-304112/7	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 304347

	Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
	680-96268-3	CPA-D-MHU-1113	Total/NA	Water	8260B	
	LCS 680-304347/4	Lab Control Sample	Total/NA	Water	8260B	
	LCSD 680-304347/5	Lab Control Sample Dup	Total/NA	Water	8260B	
-	MB 680-304347/7	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 304391

	Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
- 1	680-96268-1	CPA-D-SHU-1113	Total/NA	Water	8260B	.,,
	LCS 680-304391/4	Lab Control Sample	Total/NA	Water	8260B	
-	LCSD 680-304391/5	Lab Control Sample Dup	Total/NA	Water	8260B	
	MB 680-304391/8	Method Blank	Total/NA	Water	8260B	
,						

GC VOA

Analysis Batch: 304275

100	Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method Prep Batch
	680-96268-1	CPA-D-SHU-1113	Total/NA	Water	RSK-175
	LCS 680-304275/4	Lab Control Sample	Total/NA	Water	RSK-175
	LCS 680-304275/8	Lab Control Sample	Total/NA	Water	RSK-175
	LCSD 680-304275/5	Lab Control Sample Dup	Total/NA	Water	RSK-175
1	LCSD 680-304275/9	Lab Control Sample Dup	Total/NA	Water	RSK-175
1	MB 680-304275/3	Method Blank	Total/NA	Water	RSK-175


Analysis Batch: 304475

 Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method Prep Batch
680-96268-3	CPA-D-MHU-1113	Total/NA	Water	RSK-175
680-96268-5	CPA-D-DHU-1113	Total/NA	Water	RSK-175
LCS 680-304475/4	Lab Control Sample	Total/NA	Water	RSK-175
LCS 680-304475/6	Lab Control Sample	Total/NA	Water	RSK-175
LCSD 680-304475/5	Lab Control Sample Dup	Total/NA	Water	RSK-175
LCSD 680-304475/7	Lab Control Sample Dup	Total/NA	Water	RSK-175
MB 680-304475/8	Method Blank	Total/NA	Water	RSK-175

Metals

Prep Batch: 303845

	Lab Sample ID 680-96268-1	Client Sample ID CPA-D-SHU-1113	Prep Type Total Recoverable	Matrix Water	Method 3005A	Prep Batch
of the factority	680-96268-2	CPA-D-SHU-F(0.2)-1113	Dissolved	Water	3005A	
-	680-96268-3	CPA-D-MHU-1113	Total Recoverable	Water	3005A	
	680-96268-4	CPA-D-MHU-F(0.2)-1113	Dissolved	Water	3005A	



QC Association Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Metals (Continued)

Prep Batch:	303845	(Continued)
-------------	--------	-------------

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96268-5	CPA-D-DHU-1113	Total Recoverable	Water	3005A	
680-96268-6	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96268-6 MS	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	3005A	
680-96268-6 MSD	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	3005A	
LCS 680-303845/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-303845/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 304612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96268-1	CPA-D-SHU-1113	Total Recoverable	Water	6010C	303845
680-96268-2	CPA-D-SHU-F(0.2)-1113	Dissolved	Water	6010C	303845
680-96268-3	CPA-D-MHU-1113	Total Recoverable	Water	6010C	303845
680-96268-4	CPA-D-MHU-F(0.2)-1113	Dissolved	Water	6010C	303845
680-96268-5	CPA-D-DHU-1113	Total Recoverable	Water	6010C	303845
680-96268-6	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	6010C	303845
680-96268-6 MS	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	6010C	303845
680-96268-6 MSD	CPA-D-DHU-F(0.2)-1113	Dissolved	Water	6010C	303845
LCS 680-303845/2-A	Lab Control Sample	Total Recoverable	Water	6010C	303845
MB 680-303845/1-A	Method Blank	Total Recoverable	Water	6010C	303845

General Chemistry

Analysis Batch: 303622

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batcl
680-96268-1	CPA-D-SHU-1113	Total/NA	Water	353.2	
680-96268-3	CPA-D-MHU-1113	Total/NA	Water	353.2	
680-96268-5	CPA-D-DHU-1113	Total/NA	Water	353.2	
680-96268-5 MS	CPA-D-DHU-1113	Total/NA	Water	353,2	
680-96268-5 MSD	CPA-D-DHU-1113	Total/NA	Water	353.2	
LCS 680-303622/14	Lab Control Sample	Total/NA	Water	353.2	
MB 680-303622/13	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 304433

	Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
i	680-96268-1	CPA-D-SHU-1113	Total/NA	Water	325.2	
İ	680-96268-3	CPA-D-MHU-1113	Total/NA	Water	325.2	
i	680-96268-5	CPA-D-DHU-1113	Total/NA	Water	325.2	
i	LCS 680-304433/28	Lab Control Sample	Total/NA	Water	325.2	
i	MB 680-304433/47	Method Blank	Total/NA	Water	325.2	

Analysis Batch: 304984

Lab Sample IO	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96268-1	CPA-D-SHU-1113	Total/NA	Water	375.4	
680-96268-3	CPA-D-MHU-1113	Total/NA	Water	375.4	
680-96268-3 MS	CPA-D-MHU-1113	Total/NA	Water	375.4	
680-96268-3 MSD	CPA-D-MHU-1113	Total/NA	Water	375.4	
680-96268-5	CPA-D-DHU-1113	Total/NA	Water	375.4	
680-96268-5 DU	CPA-D-DHU-1113	Total/NA	Water	375.4	
LCS 680-304984/17	Lab Control Sample	Totat/NA	Water	375.4	
MB 680-304984/18	Method Blank	Total/NA	Water	375.4	

QC Association Summary

Client: Solutia Inc.

680-96268-2

LCS 680-306244/1-A

MB 680-306244/2-A

LCS 680-306244/1-A

MB 680-306244/2-A

Lab Sample ID

Filtration Batch: 306244

CPA-D-SHU-F(0.2)-1113

Lab Control Sample

Method Blank

Client Sample ID

Method Blank

Lab Control Sample

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

General Chemistry (Continued) Analysis Batch: 305471 Lab Sample ID Client Sample ID Matrix Method Prep Batch Ргер Туре 680-96268-1 CPA-D-SHU-1113 Total/NA Water 310.1 680-96268-1 DU CPA-D-SHU-1113 Total/NA Water 310.1 Water 310.1 680-96268-3 CPA-D-MHU-1113 Total/NA 680-96268-5 CPA-D-DHU-1113 Total/NA Water 310.1 LCS 680-305471/4 Lab Control Sample Total/NA Water 310.1 LCSD 680-305471/22 Lab Control Sample Dup Total/NA Water 310.1 MB 680-305471/3 Method Blank Total/NA Water 310.1 Analysis Batch: 305596 Lab Sample ID Client Sample ID Method Prep Batch Prep Type Matrix 680-96268-1 CPA-D-SHU-1113 Total/NA Water 415.1 680-96268-3 CPA-D-MHU-1113 Total/NA Water 415.1 680-96268-5 CPA-D-DHU-1113 Total/NA Water 415.1 LCS 680-305596/5 Lab Control Sample Total/NA Water 415.1 MB 680-305596/2 Total/NA 415.1 Method Blank Water Analysis Batch: 306025 Lab Sample ID Client Sample ID Prep Type Matrix Method Prep Batch 680-96268-4 CPA-D-MHU-F(0.2)-1113 Dissolved Water 415.1 680-96268-4 DU CPA-D-MHU-F(0.2)-1113 Dissolved Water 415.1 Water Dissolved 415.1 680-96268-6 CPA-D-DHU-F(0.2)-1113 LCS 680-306028/1-A Lab Control Sample Dissolved Water 415.1 306028 MB 680-306028/2-A Method Blank Dissolved Water 415.1 306028 Filtration Batch: 306028 Lab Sample ID Client Sample ID Matrix Method Prep Batch Prep Type FILTRATION LCS 680-306028/1-A Lab Control Sample Dissolved Water MB 680-306028/2-A Method Blank Dissolved Water FILTRATION Analysis Batch: 306228 Method Lab Sample ID Client Sample ID Prep Type Matrix Prep Batch

Dissolved

Dissolved

Dissolved

Prep Type

Dissolved

Dissolved

Water

Water

Water

Matrix

Water

Water

415.1

415.1

415.1

Method

FILTRATION

FILTRATION

TestAmerica Savannah

306244

306244

Prep Batch

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-SHU-1113

Date Collected: 11/15/13 12:00 Date Received: 11/16/13 08:57 Lab Sample ID: 680-96268-1

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2000	304391	11/21/13 14:08	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	304275	11/21/13 11:35	TAR	TAL SAV
Total Recoverable	Prep	3005A			303845	11/18/13 15:46	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	304612	11/22/13 08:51	BCB	TAL SAV
Total/NA	Analysis	353.2		10	303622	11/16/13 14:54	CRW	TAL SAV
Total/NA	Analysis	325.2		5	304433	11/21/13 10:51	JME	TAL SAV
Total/NA	Analysis	375.4		100	304984	11/25/13 13:21	JME	TAL SAV
Total/NA	Analysis	310.1		1	305471	11/27/13 17:15	LBH	TAL SAV
Total/NA	Analysis	415.1		5	305596	11/29/13 19:03	CMP	TAL SAV

Client Sample ID: CPA-D-SHU-F(0.2)-1113

Date Collected: 11/15/13 12:00

Date Received: 11/16/13 08:57

Lab Sample ID: 680-96268-2

Matrix: Water

-		Batch	Batch		Dilutio	n	Batch	Prepared		
	Prep Type	Туре	Method	Run	Fact	or	Number	or Analyzed	Analyst	Lab
	Dissolved	Prep	3005A	***************************************			303845	11/18/13 15:46	DAS	TAL SAV
	Dissolved	Analysis	6010C			1	304612	11/22/13 09:05	BCB	TAL SAV
1	Dissolved	Analysis	415.1			5	306228	12/04/13 20:47	CMP	TAL SAV

Client Sample ID: CPA-D-MHU-1113

Date Collected: 11/15/13 12:50

Date Received: 11/16/13 08:57

ab	Sam	ple	ID:	680-96268-3	3
----	-----	-----	-----	-------------	---

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	A A A A A A A A A A A A A A A A A A A	500	304347	11/21/13 20:23	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	304475	11/22/13 13:40	TAR	TAL SAV
Total Recoverable	Prep	3005A			303845	11/18/13 15:46	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	304612	11/22/13 09:10	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303622	11/16/13 14:55	CRW	TAL SAV
Total/NA	Analysis	325.2		5	304433	11/21/13 10:51	JME	TAL SAV
Total/NA	Analysis	375.4		10	304984	11/25/13 12:23	JME	TAL SAV
Total/NA	Analysis	310.1		1	305471	11/27/13 17:46	LBH	TAL SAV
Total/NA	Analysis	415.1		1	305596	11/29/13 19:17	CMP	TAL SAV

Client Sample ID: CPA-D-MHU-F(0.2)-1113

Date Collected: 11/15/13 12:50

Date Received: 11/16/13 08:57

Lab Sa	ample	ID: (680-9	6268-4
--------	-------	-------	-------	--------

Matrix: Water

1		Batch	Batch		Dilution	Batch	Prepared		
	Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
	Dissolved	Prep	3005A			303845	11/18/13 15:46	DAS	TAL SAV
	Dissolved	Analysis	6010C		1	304612	11/22/13 09:24	BCB	TAL SAV

TestAmerica Savannah

DEC 1 3 2013

Lab Chronicle

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Client Sample ID: CPA-D-MHU-F(0.2)-1113

Date Collected: 11/15/13 12:50 Date Received: 11/16/13 08:57

Lab Sample ID: 680-96268-4

Matrix: Water

Batch Dilution Prep Type Method Туре Run

Batch Prepared Factor Number or Analyzed Analyst Lab Dissolved Analysis 415.1 12/02/13 16:08 CMP TAL SAV 306025

Lab Sample ID: 680-96268-5

Matrix: Water

Client Sample ID: CPA-D-DHU-1113

Date Collected: 11/15/13 13:45 Date Received: 11/16/13 08:57

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	11	250	304112	11/20/13 17:02	JD1	TAL SAV
Total/NA	Analysis	RSK-175		1	304475	11/22/13 13:53	TAR	TAL SAV
Total Recoverable	Prep	3005A			303845	11/18/13 15:46	DAS	TAL SAV
Total Recoverable	Analysis	6010C		1	304612	11/22/13 09:28	BCB	TAL SAV
Total/NA	Analysis	353.2		1	303622	11/16/13 14:49	CRW	TAL SAV
Total/NA	Analysis	325.2		1	304433	11/21/13 10:03	JME	TAL SAV
Total/NA	Analysis	375.4		1	304984	11/25/13 11:19	JME	TAL SAV
Total/NA	Analysis	310.1		1	305471	11/27/13 17:32	LBH	TAL SAV
Total/NA	Analysis	415.1		1	305596	11/29/13 20:02	CMP	TAL SAV

Client Sample ID: CPA-D-DHU-F(0.2)-1113

Date Collected: 11/15/13 13:45

Date Received: 11/16/13 08:57

Lab Sample	ID: 680-96268-6
------------	-----------------

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			303845	11/18/13 15:46	DAS	TAL SAV
Dissolved	Analysis	6010C		1	304612	11/22/13 09:33	BCB	TAL SAV
Dissolved	Analysis	415.1		1	306025	12/02/13 16:33	CMP	TAL SAV

Client Sample ID: CPA-D-DHU-1113-AD

Date Collected: 11/15/13 13:45

Date Received: 11/16/13 08:57

Lab Samp	le ID:	680-96268-7
----------	--------	-------------

Matrix: Water

4		Batch	Batch		Dilution	Batch	Prepared		
į	Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
-	Total/NA	Analysis	8260B	***************************************	250	304112	11/20/13 17:25	JD1	TAL SAV

Client Sample ID: 4Q13 CPA Trip Blank #4

Date Collected: 11/15/13 00:00

Lab Sample ID: 680-96268-8

Matrix: Water

Date Received: 11/16/13 08:57

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	304112	11/20/13 11:30	JD1	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

.

Savannah, GA 31404 phone 912.354.7858 fax 912.352.0165

5102 LaRoche Avenue

Savannah

Chain of Custody Record

TestAmerica

TestAmerica Laboratories, Inc.

21563962.00004 Sample Specific Notes: Months Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) S COC No: Archive For Disposal By Lab Carrier: DOC by 415.1 Dissolved Felidin by 6010B Site Contact: Michael Corbett LOC PA 415'1 Lab Contact: Michele Kersey Return To Client Vitrate by 353.2 Ŀξ 4 7 Dissolved Guses by RSK 175 m 4 3 -Chloride by 325.2/Suilate by 375.4 --VII/CO2 Py 310.1 Total Ve/Mn by 6910B **--**--VOC4 by 8260 m М m m Ŝ ~ X # of Cont 껉 2 11 7 3 7 C! Water Water Water Water Matrix Water Water Water Water Take To Water Analysis Turnaround Time Calendar (C) or Work Days (W) TAT if different from Below Sandon Sample Project Manager: Bob Billman mond Type Type Ç G O 3 G O G Ç Ç 2 weeks 1 weck 2 days l day Fel/Fax: (314) 743-4108 585 345 8 Sample 35 3 345 0000 81/91/1 11/18/13 Sison B 0000 eservation Used: 1= Ice, 2= HCl: 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other Sample Date Skin Irritant -1113-AD Non-Hazurd Rammable Skin CPA- D-MHUF(0.2)-1113 CPA-D - DHULF(0.2)-1113 CPA-D -SHU-F(0.2)-1113 1 CPA-D-MHU-1113 CPA- D - DHU-1113 1001 Highlands Plaza Drive West, Suite 300 CPA-D. SHUL-1113 4Q13 CPA Trip Blank 💾 Sample Identification Phone FAX Client Contact Project Name: 4Q13 CPA GW Sampling Site: Solutia WG Krummich Facility CPA-D-DHU E Louis, MO 63110 JRS Corporation

1.8.6

0857

Date/Time 13

Commany: 55

teceived by:

Date/Time:

Company:

Relinquished by:

Received by:

Dato/Time: W1530 H530 Date/Time: H

URS

Date/Time: Date/Time:

Company:

Œ

DEC 1 3 2013

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-96268-1

SDG Number: KPS105

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Login Number: 96268

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or ampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	•
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
s the Field Sampler's name present on COC?	N/A	
here are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is 6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

DEC 1 3 2013

Certification Summary

Client: Solutia Inc.

Project/Site: WGK - CPA GW 4Q13

TestAmerica Job ID: 680-96268-1

SDG: KPS105

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date			
	AFCEE	·/////	SAVLAB				
A2LA	DoD ELAP		399.01	02-28-15			
A2LA	ISO/IEC 17025		399.01	02-28-15			
Alabama	State Program	4	41450	06-30-14			
Arkansas DEQ	State Program	6	88-0692	02-01-14			
California	NELAP	9	3217CA	07-31-14			
Colorado	State Program	8	N/A	12-31-13 *			
Connecticut	State Program	1	PH-0161	03-31-15			
Fíorida	NELAP	4	E87052	06-30-14			
GA Dept. of Agriculture	State Program	4	N/A	12-31-13 *			
Georgia	State Program	4	N/A	06-30-14			
Georgia	State Program	4	803	06-30-14			
Guam	State Program	9	09-005r	06-17-14			
Hawaii	State Program	9	N/A	06-30-14			
Illinois	NELAP	5	200022	11-30-13 *			
Indiana	State Program	5	N/A	06-30-14			
lowa	State Program	7	353	07-01-15			
Kentucky	State Program	4	90084	12-31-13 *			
Kentucky (UST)	State Program	4	18	06-30-14			
Louisiana	NELAP	6	30690	06-30-14			
Maine	State Program	1	GA00006	08-16-14			
Maryland	State Program	3	250	12-31-13 *			
Massachusetts	State Program	1	M-GA006	06-30-14			
Michigan	State Program	5	9925	06-30-14			
Mississippi	State Program	4	N/A	06-30-14			
Montana	State Program	8	CERT0081	01-01-14 *			
Nebraska	State Program	7	TestAmerica-Savannah	06-30-14			
New Jersey	NELAP	2	GA769	06-30-14			
New Mexico	State Program	6	N/A	06-30-14			
New York	NELAP	2	10842	04-01-14			
North Carolina DENR	State Program	4	269	12-31-13 *			
North Carolina DHHS	State Program	4	13701	07-31-14			
Okłahoma	State Program	6	9984	08-31-14			
Pennsylvania	NELAP	3	68-00474	06-30-14			
Puerto Rico	State Program	2	GA00006	01-01-14 *			
South Carolina	State Program	4	98001	06-30-14			
Tennessee	State Program	4	TN02961	06-30-14			
Texas	NELAP	6	T104704185-08-TX	11-30-14			
USDA	Federal		SAV 3-04	04-07-14			
Virginia	NELAP	3	460161	06-14-14			
Washington	State Program	10	C1794	06-10-14			
West Virginia	State Program	3	9950C	12-31-13 *			
West Virginia DEP	State Program	3	94	06-30-14			
Wisconsin	State Program	5	999819810	08-31-14			
Wyoming	State Program	8	8TMS-L	06-30-14			

^{*} Expired certification is currently pending renewal and is considered valid.

Appendix E Microbial Insights Data Package



10515 Research Drive Knoxville, TN 37932 Phone: (865) 573-8188 Fax: (865) 573-8133 Email: info@microbe.com

Client: Nathan McNurlen Phone:

URS Corp

1001 Highlands Plaza Dr. West

Suite 300

St. Louis, MO 63110 Fax:

Client Project #: 21562838.0009 Client Project Name: Solutia WGK 4Q13 GW

Purchase Order #: 294668

Eri Huchw Music

Analysis Requested: PLFA, Stable Isotope Probing

Reviewed By:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932 Tel. (865) 573-8188 Fax. (865) 573-8133

PLFA

Client: **URS Corp**

Project: Solutia WGK 4Q13 GW MI Project Number: Date Received:

099KJ 10/31/2013

Sample Information

Sample Name:	CPA-A-DHU-111	CPA-B-DHU-111	CPA-C-DHU-	CPA-D-DHU-1
·	3	3	1113	113
Sample Date:	10/30/2013	10/30/2013	10/30/2013	10/30/2013
Sample Matrix:	Adv. Bio-Trap	Adv. Bio-Trap	Adv. Bio-Trap	Adv. Bio-Trap
Analyst:	BJ	BJ	BJ	BJ

nalyst:	BJ	BJ	BJ	BJ	
Biomass Concentrations					
Total Biomass (cells/bead)	8.42E+04	1.67E+04	7.50E+04	1.66E+05	
Community Structure (% total PLFA)					
Firmicutes (TerBrSats)	0.00	0.00	17.97	17.02	
Proteobacteria (Monos)	68.11	60.55	51.32	68.12	
Anaerobic metal reducers (BrMonos)	0.00	0.00	0.00	0.00	
SRB/Actinomycetes (MidBrSats)	0.00	0.00	0.00	0.00	
General (Nsats)	31.89	39.45	30.72	14.85	
Eukaryotes (polyenoics)	0.00	0.00	0.00	0.00	

Slowed Growth 0.00 1.82 0.78 0.59 Decreased Permeability 0.00 0.00 0.00 0.00

Legend:
NA = Not Analyzed NS = Not Sampled

PLFA

10515 Research Dr., Knoxville, TN 37932 Tel. (865) 573-8188 Fax. (865) 573-8133

Client:URS CorpMI Project Number:099KJProject:Solutia WGK 4Q13 GWDate Received:10/31/2013




Figure 1. Biomass content is presented as a cell equivalent based on the total amount of phospholipid fatty acids (PLFA) extracted from a given sample. Total biomass is calculated based upon PLFA attributed to bacterial and eukaryotic biomass




Figure 2. Relative percentages of total PLFA structural groups in the samples analyzed. Structural groups are assigned according to PLFA chemical structure, which is related to fatty acid biosynthesis.



10515 Research Drive Knoxville, TN 37932 Phone: (865) 573-8188 Fax: (865) 573-8133 Email: info@microbe.com

Client Project #: 21562838.0009 Client Project Name: Solutia WGK 4Q13 GW

Purchase Order #: 294668

Comments: Please note that the total biomass result for sample CPA-B-DHU-1113 fell between the

quantitation limit and the method detection limit for the PLFA analysis.



Nathan.mcnurlen@urs.com



SITE LOGIC Report

Stable Isotope Probing (SIP) Study

Contact: Nathan McNurlen

Address: URS Corporation – St. Louis MO

1001 Highlands Plaza Drive West

099KJ

Suite 300

St. Louis, MO 63110

Report Date: 12/19/2013

Email:

Phone: (314) 429-0100

Project: Solutia WGK 4Q13 GW; #21562838.0009

Comments:

MI Identifier:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.



Executive Summary

A Stable Isotope Probing (SIP) study was performed to determine whether biodegradation of chlorobenzene is occurring under existing site conditions. Bio-Trap® samplers baited with ¹³C labeled chlorobenzene were deployed in monitoring wells CPA-A-DHU, CPA-B-DHU, CPA-C-DHU, and CPA-D-DHU. Following a deployment period, the Bio-Traps were recovered to quantify ¹³C incorporation into biomass and dissolved inorganic carbon (DIC). A complete summary of the SIP and PLFA results is provided in Tables 1 and 2.

Stable Isotope Probing (SIP)

- Incorporation of ¹³C into the microbial biomass and DIC in well CPA-A-DHU conclusively demonstrated that chlorobenzene biodegradation and mineralization occurred under existing site conditions at this sample site.
- Additionally, incorporation of ¹³C into the microbial biomass in well CPA-C-DHU conclusively demonstrated that chlorobenzene biodegradation occurred under existing site conditions at this sample site.
- While the average PLFA δ^{13} C values in wells CPA-A-DHU and CPA-C-DHU (45%, and 19%, respectively) fell within the lower range, 13 C chlorobenzene was nevertheless incorporated into the biomass.
- Similarly, the average DIC δ^{13} C value from well CPA-A-DHU (13%) was low, but demonstrated that mineralization did occur.
- The PLFA community structure for all wells was dominated by monounsaturates (Proteobacteria indicators) and normal saturates.
- Total PLFA biomass concentrations in wells CPA-A-DHU, CPA-C-DHU, and CPA-D-DHU (8.42E+04 cells/bd, 7.50E+04 cells/bd, and 1.66E+05 cells/bd, respectively) were moderate.
- The total PLFA biomass concentration in well CPA-B-DHU (1.67E+04 cells/bd) fell between the quantitation limit and the method detection limit for the PLFA analysis.
- A relatively large percentage (~20%) of the PLFA community structure in wells CPA-C-DHU and CPA-D-DHU were terminally branched saturates, indicators of Firmicutes (anaerobic fermenting bacteria).



Overview of Approach

Stable Isotope Probing (SIP)

Stable isotope probing (SIP) is an innovative method to track the environmental fate of a "labeled" contaminant of concern to unambiguously demonstrate biodegradation. Two stable carbon isotopes exist in nature – carbon 12 (¹²C) which accounts for 99% of carbon and carbon 13 (¹³C) which is considerably less abundant (~1%). With the SIP method, the Bio-Trap® sampler is baited with a specially synthesized form of the contaminant containing ¹³C labeled carbon. Since ¹³C is rare, the labeled compound can be readily differentiated from the contaminants present at the site. Following deployment, the Bio-Trap® is recovered and three approaches are used to conclusively demonstrate biodegradation of the contaminant of concern.

- The loss of the labeled compound provides an estimate of the degradation rate (% loss of ¹³C).
- Quantification of ¹³C enriched phospholipid fatty acids (PLFA) indicates incorporation into microbial biomass.
- Quantification of ¹³C enriched dissolved inorganic carbon (DIC) indicates contaminant mineralization.

Phospholipid Fatty Acids (PLFA)

PLFA are a primary component of the membrane of all living cells including bacteria. PLFA decomposes rapidly upon cell death (1, 2), so the total amount of PLFA present in a sample is indicative of the viable biomass. When combined with stable isotope probing (SIP), incorporation of ¹³C into PLFA is a conclusive indicator of biodegradation.

Some organisms produce "signature" types of PLFA allowing quantification of important microbial functional groups (e.g. iron reducers, sulfate reducers, or fermenters). The relative proportions of the groups of PLFA provide a "fingerprint" of the microbial community. In addition, *Proteobacteria* modify specific PLFA during periods of slow growth or in response to environmental stress providing an index of their health and metabolic activity.



Results

Table 1. Summary of the SIP results obtained from the SIP Bio-Trap® Units. Interpretation guidelines and definitions are found later in the document.

Sample Name	CPA-A-DHU-1113	CPA-B-DHU-1113	CPA-C-DHU-1113	CPA-D-DHU-1113
¹³ C Contaminant Loss				
¹³ C Chlorobenzene Pre-deployment (μg/bead)	126 ± 11	126 ± 11	126 ± 11	126 ± 11
¹³ C Chlorobenzene Post-deployment (μg/bead)	73 ± 4	80 ± 2	80 ± 11	82 ± 12
Biomass & ¹³ C Incorporation				
Total Biomass (Cells/bead)	8.42E+04	1.67E+04	7.50E+04	1.66E+05
¹³ C Enriched Biomass (Cells/bead)	1.58E+02	ND	1.93E+02	ND
Average PLFA Del (‰)	45	ND	19	ND
Maximum PLFA Del (‰)	45	ND	34	ND
¹³ C Mineralization				
DIC Del (%)	13	-3.7	-6.2	-2.9
% 13C	1.12	1.10	1.10	1.10
Community Structure (% total PLFA)				
Firmicutes (TerBrSats)	0.0	0.0	18.0	17.0
Proteobacteria (Monos)	68.1	60.6	51.3	68.1
Anaerobic metal reducers (BrMonos)	0.0	0.0	0.0	0.0
Actinomycetes (MidBrSats)	0.0	0.0	0.0	0.0
General (Nsats)	31.9	39.5	30.7	14.9
Eukaryotes (Polyenoics)	0.0	0.0	0.0	0.0
Physiological Status (Proteobacteria only)				
Slowed Growth	0.00	1.82	0.78	0.59
Decreased Permeability	0.00	0.00	0.00	0.00






Figure 1. Biomass content is presented as a cell equivalent based on the total amount of phospholipid fatty acids (PLFA) extracted from a given sample. Total biomass is calculated based upon PLFA attributed to bacterial and eukaryotic biomass (associated with higher organisms).




Figure 2. Relative percentages of total PLFA structural groups in the samples analyzed. Structural groups are assigned according to PLFA chemical structure, which is related to fatty acid biosynthesis. See the table in the interpretation section for detailed descriptions of the structural groups.



¹³C Contaminant Concentrations




Figure 3. Comparison of Pre-deployment concentrations loaded on Bio-Sep beads to the concentrations detected after incubation.




Figure 4. Comparison of the average Del value obtained from PLFA biomarkers from each Bio-Trap® unit to the average background Del observed in samples not exposed to ¹³C enriched compounds.




Figure 5. Comparison of the Del value obtained from DIC from each Bio-Trap® unit to the average background Del observed in samples not exposed to ¹³C enriched compounds.

www.microbe.com



Interpretation

Interpretation of the results of the SIP Bio-Trap® study must be performed with due consideration of site conditions, site activities, and the desired treatment mechanism. The following discussion describes interpretation of results in general terms and is meant to serve as a guide.

Contaminant Concentration: Bio-Traps® are baited with a ¹³C labeled contaminant of concern and a pre-deployment concentration is determined prior to shipping. Following deployment, Bio-Traps® are recovered for analysis including measurement of the concentration of the ¹³C labeled contaminant remaining. Pre- and post-deployment concentrations are used to calculate percent loss.

Biomass Concentrations: PLFA analysis is one of the most reliable and accurate methods available for the determination of viable (live) biomass. Phospholipids break down rapidly upon cell death, so biomass calculations based on PLFA content do not include "fossil" lipids from dead cells. Total biomass (cells/bead) is calculated from total PLFA using a conversion factor of 20,000 cells/pmole of PLFA. When making comparisons between wells, treatments, or over time, differences of one order of magnitude or more are considered significant.

Low	Moderate	High
10 ³ to 10 ⁴ cells	10^5 to 10^6 cells	10 ⁷ to 10 ⁸ cells

For SIP studies, the ¹³C enriched PLFA is also determined to conclusively demonstrate contaminant biodegradation and quantify incorporation into biomass as a result of the ¹³C being used for cellular growth. The % ¹³C incorporation (¹³C enriched biomass/total biomass) is also provided in the data summary table, but the value must be interpreted carefully especially when comparing wells or treatments. Typically, biodegradation of a contaminant of concern is performed by a small subset of the total microbial community. For Bio-Traps® with large total biomass, the % ¹³C incorporation value could be low despite significant ¹³C labeled biomass and loss of the compound. The % ¹³C incorporation should be viewed in light of total biomass, percent loss, and dissolved inorganic carbon (DIC) results.

 13 C enrichment data is often reported as a del value. The del value is the difference between the isotopic ratio (13 C/ 12 C) of the sample (R_x) and a standard (R_{std}) normalized to the isotopic ratio of the standard (R_{std}) and multiplied by 1,000 (units are parts per thousand, denoted ‰).

 R_{std} is the naturally occurring isotopic ratio and is approximately 0.011180 (roughly 1% of naturally occurring carbon is 13 C). The isotopic ratio, R_x , of PLFA is typically less than the R_{std} under natural conditions, resulting in a del value between -20 and -30%. For a SIP Bio-Trap® study, biodegradation and incorporation of the 13 C labeled compound into PLFA results in a larger 13 C/ 12 C ratio (R_x) and thus del values greater than under natural conditions. Typical PLFA del values are provided below.

PLFA Del (‰)									
Low	Moderate	High							
0 to 100	100 to 1,000	>1,000							



Dissolved Inorganic Carbon (DIC): Often, bacteria can utilize the ¹³C labeled compound as both a carbon and energy source. The ¹³C portion used as a carbon source for growth can be incorporated into PLFA as discussed above, while the ¹³C used for energy is oxidized to ¹³CO₂ (mineralized).

 13 C enriched CO₂ data is often reported as a del value as described above for PLFA. Under natural conditions, the R_x of CO₂ is approximately the same as R_{std} (0.01118 or about 1.1% 13 C). For an SIP Bio-Trap® study, mineralization of the 13 C labeled contaminant of concern would lead to a greater value of R_x (increased 13 CO₂ production) and thus a positive del value. As with PLFA, del values between 0 and 100% are considered low, values between 100 and 1,000% are considered moderate, and values greater than 1,000% are considered high. Thus DIC 13 C are considered low if the value is less than 1.23%, moderate if between 1.23 and 2.24%, and high if greater than 2.24%.

Dissolved Inorganic Carbon (DIC) Del and % ¹³ C							
Low	Low Moderate						
0 to 100	100 to 1,000	>1,000					
1.11 to 1.23%	1.23 to 2.24%	>2.24%					

Community Structure (% total PLFA): Community structure data is presented as a percentage of PLFA structural groups normalized to the total PLFA biomass. The relative proportions of the PLFA structural groups provide a "fingerprint" of the types of microbial groups (e.g. anaerobes, sulfate reducers, etc.) present and therefore offer insight into the dominant metabolic processes occurring at the sample location. Thorough interpretation of the PLFA structural groups depends in part on an understanding of site conditions and the desired microbial biodegradation pathways. For example, an increase in mid chain branched saturated PLFA (MidBrSats), indicative of sulfate reducing bacteria (SRB) and *Actinomycetes*, may be desirable at a site where anaerobic BTEX biodegradation is the treatment mechanism, but would not be desirable for a corrective action promoting aerobic BTEX or MTBE biodegradation. The following table provides a brief summary of each PLFA structural group and its potential relevance to bioremediation.

Table 2. Description of PLFA structural groups.

8

Table 2. Description of FEFA structural groups.							
PLFA Structural Group	General classification	Potential Relevance to Bioremediation Studies					
Monoenoic (Monos)	Abundant in Proteobacteria (Gram negative bacteria), typically fast growing, utilize many carbon sources, and adapt quickly to a variety of environments.	Proteobacteria is one of the largest groups of bacteria and represents a wide variety of both aerobes and anaerobes. The majority of Hydrocarbon utilizing bacteria fall within the Proteobacteria					
Terminally Branched Saturated (TerBrSats)	Characteristic of Firmicutes (Low G+C Gram-positive bacteria), and also found in Bacteriodes, and some Gram-negative bacteria (especially anaerobes).	Firmicutes are indicative of presence of anaerobic fermenting bacteria (mainly $Clostridia/Bacteriodes$ -like), which produce the H_2 necessary for reductive dechlorination					
Branched Monoenoic (BrMonos)	Found in the cell membranes of micro-aerophiles and anaerobes, such as sulfate- or iron-reducing bacteria	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria					
Mid-Chain Branched Saturated (MidBrSats)	Common in sulfate reducing bacteria and also Actinobacteria (High G+C Gram-positive bacteria).	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria					
Normal Saturated (Nsats)	Found in all organisms.	High proportions often indicate less diverse populations.					
Polyenoic	Found in higher plants, and animals.	Eukaryotic scavengers will often prey on contaminant utilizing bacteria.					



Physiological Status (*Proteobacteria*): Some *Proteobacteria* modify specific PLFA as a strategy to adapt to stressful environmental conditions (3, 4). For example, *cis* monounsaturated fatty acids may be modified to cyclopropyl fatty acids during periods of slowed growth or modified to *trans* monounsaturated fatty acids to decrease membrane permeability in response to environmental stress. The ratio of product to substrate fatty acid thus provides an index of their health and metabolic activity. In general, status ratios greater than 0.25 indicate a response to unfavorable environmental conditions.

Glossary

Del: A Del value is the difference between the isotopic ratio (13 C/ 12 C) of the sample (R_x) and a standard (R_{std}) normalized to the isotopic ratio of the standard (R_{std}) and multiplied by 1,000 (units are parts per thousand denoted ‰).

 $Del = (R_x-R_{std})/R_{std} \times 1000$

References

- 1. White, D.C., W.M. Davis, J.S. Nickels, J.D. King, and R.J. Bobbie. 1979. Determination of the sedimentary microbial biomass by extractable lipid phosphate. Oecologia 40:51-62.
- 2. White, D.C. and D.B. Ringelberg. 1995. Utility of signature lipid biomarker analysis in determining in situ viable biomass. In P.S. Amy and D.L. Halderman (eds.) The microbiology of the terrestrial surface. CRC Press, Boca Raton.
- 3. Guckert, J.B., M.A. Hood, and D.C. White. 1986. Phospholipid ester-linked fatty acid profile changes during nutrient deprivation of *Vibrio chloerae*: increases in the trans/cis ratio and proportions of cyclopropyl fatty acids. Applied and Environmental Microbiology. 52:794-801.
- 4. Tsitko, I.V., G. M. Zaitsev, A. G. Lobanok, and M.S. Salkinoja-Salonen. 1999. Effect of aromatic compounds on cellular fatty acid composition of *Rhodococcus opacus*. Applied and Environmental Microbiology. 65:853-855.

microbialinsights
10515 Research Drive
Knoxville, TN 37932
phone (865) 573-8188
fax: (865) 573-8133
email: info@microbe.com
www.microbe.com
Please Check One:
☐ More samples to follow
No Additional Samples
Saturday Delivery
Please see sampling protocol for instructions
1 K pfa e w P [§

Please contact us prior to submitting samples regarding questions about the analyses you are requesting at (865) 573-8188 (8:00 am to 4:00 pm M-F). After these hours please call (865) 300-8053.

	Sample Informat	ion			SIP Analysis																				
MIID (Laboratory Use Only)	Sample Name	Date Sampled	Time Sampled	Matrix	PLFA	SIP-Benzene	SIP-Chlorobenzene																Other:	Other.	Other:
096 134	CPA-A-DHU-1/13	10/30/13	1515	Water			X																		
	CPA-B-DHU-1113						X																		
43	CPA-C-DHU-1113						X					Τ.		T											
14				1			X																		
							,																		
•																									
Relinquished by:	clit	10/2013	10/2013 Received by: Livanta Date 10/31/13																						

In order for analysis to be completed correctly, it is vital that chain of custody is filled out correctly & that all relative information is provided. Failure to provide sufficient and/or correct information regarding reporting, invoicing & analyses requested information may result in delays for which MI will not be liable. * additional cost and sample preservation are associated with RNA samples.